

**Alachua County**

License Number: 1101214

WENDYS OLD FASHIONED HAMBURGER

License Type: Permanent Food Service

6700 NEWBERRY RD, GAINESVILLE 326054313

Inspection Date: 07/16/2020

Inspection Number: 3029148

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: CASEY, KEITH

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
Observed the fire extinguisher at the back door, the indicator is in the red zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103166

MOES SOUTHWEST GRILL #1083

License Type: Permanent Food Service

15652 NW US HWY 441 STE A, ALACHUA 32615

Inspection Date: 07/14/2020

Inspection Number: 3036371

Inspection Type: Complaint Full

Inspection Disposition: Warning  
Issued

Inspector Name: HENTGES, JUDY

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
Rear hallway is blocked with chairs and transport cart.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Broward County**

License Number: 1623460	WILSON CUISINE LLC
License Type: Permanent Food Service	2941 W SUNRISE BLVD, FORT LAUDERDALE 33311
Inspection Date: 07/13/2020	Inspection Number: 2996495
Inspector Name: MATTIELLO-ATASSI, MARIA	Inspection Type: Routine - Food
	Inspection Disposition: Warning Issued
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. **Warning**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1624403	CURRY EXPRESS
License Type: Permanent Food Service	880 W SUNRISE BLVD, FORT LAUDERDALE 33311
Inspection Date: 07/15/2020	Inspection Number: 2994171
Inspector Name: MATTIELLO-ATASSI, MARIA	Inspection Type: Routine - Food
	Inspection Disposition: Warning Issued
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Kitchen Portable fire extinguisher gauge in red zone. For reporting purposes only.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1610983	MYRA HARBOR CAFE LLC
License Type: Permanent Food Service	1396 SE 17 ST, FORT LAUDERDALE 33316
Inspection Date: 07/17/2020	Inspection Number: 2992980
Inspector Name: EVANS, EUGENE	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.
	<u>Violation Citation</u>
	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1611983	WENDYS OLD FASHIONED HAMBURGERS
License Type: Permanent Food Service	1040 E COMMERCIAL BLVD, OAKLAND PARK 33334
Inspection Date: 07/14/2020	Inspection Number: 3017691
Inspector Name: GRAY, ANTHONY	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with rolling cart. **Corrected On-Site**
	<u>Violation Citation</u>
	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Broward County**

License Number: 1616780

BOSTON MARKET #230

License Type: Permanent Food Service

1781 E COMMERCIAL BLVD, FORT LAUDERDALE 33334-5737

Inspection Date: 07/14/2020

Inspection Number: 3010319

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GRAY, ANTHONY

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
Observed exit door blocked with boxes. \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Dade County**

License Number: 2329053		WENDY'S	
License Type: Permanent Food Service		3600 S DIXIE HWY, MIAMI 33133	
Inspection Date: 07/15/2020	Inspection Number: 3011993	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2315673		CACHITA RESTAURANT	
License Type: Permanent Food Service		1116 NORMANDY DR, MIAMI BEACH 33141	
Inspection Date: 07/16/2020	Inspection Number: 3028214	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. The one located underneath the front counter.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2326537		DOMINO'S PIZZA 3871	
License Type: Permanent Food Service		6544 COLLINS AVE, MIAMI BEACH 33141	
Inspection Date: 07/15/2020	Inspection Number: 2990796	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed accumulation of cardboard boxes blocking the exit door access.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Dade County**

License Number: 2332294	SHERRY FRONTENAC HOTEL CONTINENTAL BREAKFAST		
License Type: Permanent Food Service	6565 COLLINS AVE, MIAMI BEACH 33141		
Inspection Date: 07/14/2020	Inspection Number: 2997680	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in the kitchen needs charge.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2321945	PIZZA HUT #710740		
License Type: Permanent Food Service	19151 S DIXIE HWY, MIAMI 331577737		
Inspection Date: 07/15/2020	Inspection Number: 2996867	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: AZPURUA, JULIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed utility carts blocked exit door. Manager relocated. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 2331736	DELIRIO FRESHCO		
License Type: Permanent Food Service	2475 NW 95 AVE #8, DORAL 33172		
Inspection Date: 07/15/2020	Inspection Number: 2998601	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in recharge zone located between reach in coolers.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2325070	TACO BELL #15451		
License Type: Permanent Food Service	7350 SW 117 AVE, MIAMI 33183		
Inspection Date: 07/16/2020	Inspection Number: 3028971	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: URIBE, GUISELLA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only, located by point of sales system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Duval County**

License Number: 2612463

MARCOS PIZZA

License Type: Permanent Food Service

11406 SAN JOSE BLVD STE 4, JACKSONVILLE 32223

Inspection Date: 07/17/2020

Inspection Number: 3007761

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: JEFFERS, MARY-BETH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
 Back door blocked by stacked boxes. Operator removed stack of boxes  
 \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2612021

MCDONALD'S 18308

License Type: Permanent Food Service

13217 ATLANTIC BLVD, JACKSONVILLE 32225

Inspection Date: 07/17/2020

Inspection Number: 3037645

Inspection Type: Complaint Full

Inspection Disposition: Warning  
Issued

Inspector Name: GONZALEZ, MAYRA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
 Exit kitchen door pathway is being blocked by a full trash cart.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2614965

JVILLE CRAB SHACK NUMBER 3

License Type: Permanent Food Service

700 N EDGEWOOD AVE, JACKSONVILLE 32254

Inspection Date: 07/17/2020

Inspection Number: 3037660

Inspection Type: Complaint Full

Inspection Disposition: Administrative  
complaint recommended

Inspector Name: PERRY, DENNIS

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
 Large display in customer area blocking fire exits. \*\*Repeat Violation\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Gilchrist County**

License Number: 3100107

BURGER SPOT

License Type: Permanent Food Service

204 W WADE STREET, TRENTON 32693

Inspection Date: 07/13/2020

Inspection Number: 2997239

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PACE, PATRICK

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver neat hallway to office.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hardee County**

License Number: 3500111

MCDONALD'S RESTAURANTS OF FLORIDA INC

License Type: Permanent Food Service

907 US HWY 17, WAUCHULA 33873

Inspection Date: 07/16/2020

Inspection Number: 3014271

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed gas fryer installed in restricted area. Only 24 inches between fryer and counter across. Employee standing between fryer and table with only 24inches of distance for employee.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.



**Lee County**

License Number: 4605434

POPEYES #7200

License Type: Permanent Food Service

3111 NE PINE ISLAND RD, CAPE CORAL 33909

Inspection Date: 07/14/2020

Inspection Number: 2991685

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: EHMER, ANNETTE

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By to go window.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4607054

CARIBBEAN UNION RESTAURANT AND BAKERY

License Type: Permanent Food Service

2814 LEE BLVD STE 7, LEHIGH ACRES 33971-1561

Inspection Date: 07/15/2020

Inspection Number: 3000637

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: JOHNSON, JONATHAN

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Martin County**

License Number: 5301694

FAJITA BURRITO LLC

License Type: Permanent Food Service

3181 NW FEDERAL HWY, JENSEN BEACH 34957

Inspection Date: 07/16/2020

Inspection Number: 3026603

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. In kitchen and by back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5301446

RANCHO CHICO

License Type: Permanent Food Service

91 SW MONTEREY RD, STUART 34994

Inspection Date: 07/16/2020

Inspection Number: 3029044

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Orange County**

License Number: 5812121		MAI THAI	
License Type: Permanent Food Service		22 E PINE ST, ORLANDO 32801	
Inspection Date: 07/16/2020	Inspection Number: 3035184	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: QUINONES, ANTONIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in floor. For reporting purposes only. For rice cooker **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5813097		MR GYRO	
License Type: Permanent Food Service		5920 METROPOLIS WAY 105, ORLANDO 32811	
Inspection Date: 07/16/2020	Inspection Number: 2986635	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.  K class fire extinguisher stored on floor next to bag in box drinks instead of hanging in appreciate location **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5807175		THE MEDITERRANEAN SPOT	
License Type: Permanent Food Service		9430 E COLONIAL DR, ORLANDO 32817	
Inspection Date: 07/13/2020	Inspection Number: 3012301	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: FRANZ, LISA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.- portable fryer only half way under hoods	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5814045		MARLOW'S TAVERN	
License Type: Permanent Food Service		6889 EAGLE WATCH DR 235, ORLANDO 32822	
Inspection Date: 07/17/2020	Inspection Number: 3033596	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, heavy rugs and mop sink were stored in front of the back emergency door . For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Orange County**

License Number: 5811050		SBARRO - CENTRAL FOOD COURT	
License Type: Permanent Food Service		9333 AIRPORT BLVD, ORLANDO 32827	
Inspection Date: 07/15/2020	Inspection Number: 3003292	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler, boiler certification expired 5-29-19. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5811065		MOE'S SOUTHWEST GRILL	
License Type: Permanent Food Service		9333 AIRPORT BLVD, ORLANDO 32827	
Inspection Date: 07/15/2020	Inspection Number: 3021733	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler, boiler certification was expired 5-29-19. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5811591		MCDONALDS RESTAURANTS OF FLORIDA INC	
License Type: Permanent Food Service		10701 NARCOOSSEE RD, ORLANDO 32827	
Inspection Date: 07/16/2020	Inspection Number: 2990225	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, carts and empty boxes. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5804891		LAKE NONA DINING ROOM	
License Type: Permanent Food Service		9100 CHILTERN DR, ORLANDO 328277029	
Inspection Date: 07/16/2020	Inspection Number: 3003106	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler, expired 10-24-19. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

**Orange County**

License Number: 5804892		GRILL ROOM (THE)	
License Type: Permanent Food Service		9100 CHILTERN DR, ORLANDO 328277029	
Inspection Date: 07/16/2020	Inspection Number: 2990942	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler, expired 10-24-19. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812060		BURGER KING #16630	
License Type: Permanent Food Service		375 S AVALON PARK BLVD, ORLANDO 32828	
Inspection Date: 07/14/2020	Inspection Number: 2998453	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: FRANZ, LISA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.- buns in front of door	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5814892		JUSTINS CARIBBEAN FUSION RESTAURANT LLC	
License Type: Permanent Food Service		6700 CONROY WINDERMERE RD, #120, ORLANDO 32835	
Inspection Date: 07/15/2020	Inspection Number: 2969066	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only.  Walk in cooler light switch - From follow-up inspection 2020-03-10: **Time Extended** - From follow-up inspection 2020-05-08: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Palm Beach County**

License Number: 6006964

DOMINO'S 3803

License Type: Permanent Food Service

10114 S MILITARY TRL STE 109, BOYNTON BEACH 33436

Inspection Date: 07/13/2020

Inspection Number: 3031017

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: KHATOON, BEGUM

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked by the boxes . For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6021375

SUBWAY

License Type: Permanent Food Service

7533 W ATLANTIC AVE, WEST DELRAY BEACH 33446

Inspection Date: 07/14/2020

Inspection Number: 2990536

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: KHATOON, BEGUM

Violation Code

Observation

Violation Citation

49-05-4 Flammables stored near a source of ignition. For reporting purposes only....electric wire box open on the wall at storage area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pinellas County**

License Number: 6217313 BRGR KITCHEN & BAR  
 License Type: Permanent Food Service 10800 GULF BLVD, TREASURE ISLAND 33706

Inspection Date: 07/14/2020 Inspection Number: 2987759 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: DAY-WALKER, LISA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificates expired.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6214093 PAPA JOHNS PIZZA  
 License Type: Permanent Food Service 18378 HWY 19 N, CLEARWATER 33764

Inspection Date: 07/16/2020 Inspection Number: 2983442 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: WILMOT, TASHARA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -in front of three compartment sink Discussed with operator**Corrective Action Taken** **Corrective Action Taken**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6206280 DENNY'S  
 License Type: Permanent Food Service 940 MISSOURI AVE, LARGO 33770

Inspection Date: 07/16/2020 Inspection Number: 2984530 Inspection Type: Complaint Full Inspection Disposition: Emergency Order Callback Complied  
 Inspector Name: VALENCIA, ASHLEY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. On cook line. - From follow-up inspection 2020-07-16: Scorch marks on outlet. New outlet on order.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. On cook line.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pinellas County**

License Number: 6208603

ARBY'S #1699

License Type: Permanent Food Service

6640 ULMERTON RD, LARGO 33771

Inspection Date: 07/15/2020

Inspection Number: 2994003

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LANTIGUA, ROBERTO

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked by boxes and bags of trash. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6209341

WENDY'S PROPERTIES LLC

License Type: Permanent Food Service

4066 TAMPA RD, OLDSMAR 34677

Inspection Date: 07/16/2020

Inspection Number: 2996381

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PEARCE, LAURA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.by office

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217330

WHISKEY WINGS

License Type: Permanent Food Service

40737 US 19 N, TARPON SPRINGS 34689

Inspection Date: 07/13/2020

Inspection Number: 3036334

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Three tanks in dry storage area, moved \*\*Corrected On-Site\*\* \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Pinellas County**

License Number: 6209298

OUR PLACE

License Type: Permanent Food Service

1617 MAIN ST, DUNEDIN 34698

Inspection Date: 07/14/2020

Inspection Number: 3030056

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Front area next to coffee machine blocked with a trash can, removed \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

46-04-4 Exit door locked. For reporting purposes only. Front area next to coffee machine, unlocked \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Polk County**

License Number: 6307348

ANTOJITOS NAVIDENOS LLC

License Type: Permanent Food Service

635 ROBIN RD, LAKELAND 33803

Inspection Date: 07/13/2020

Inspection Number: 3036010

Inspection Type: Complaint Full

Inspection Disposition: Warning  
Issued

Inspector Name: BEAULIEU, STEPHANIE

Violation Code

Observation

Violation Citation

49-02-4

Propane tank stored in dry storage

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

**Sarasota County**

License Number: 6804842

A BETTER SCOOP ICE CREAM SHOPPE

License Type: Permanent Food Service

70 S INDIANA AVE, ENGLEWOOD 34223

Inspection Date: 07/17/2020

Inspection Number: 3034024

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FERRY, WILLIAM

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6805732

METRO DINER

License Type: Permanent Food Service

6056 LOCKWOOD RIDGE RD, SARASOTA 34243

Inspection Date: 07/14/2020

Inspection Number: 3000474

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: CARMASSI, BRADLEY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on extinguisher near cook office.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Johns County**

License Number: 6502320 PANERA BREAD #6147  
 License Type: Permanent Food Service 35 CAPITAL GREEN DR, PONTE VEDRA 32081

Inspection Date: 07/17/2020 Inspection Number: 3002297 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by boxes. Moved by manager. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6501734 IHOP 36-179  
 License Type: Permanent Food Service 2560 SR 16, SAINT AUGUSTINE 32092

Inspection Date: 07/13/2020 Inspection Number: 3023271 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site** **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Volusia County**

License Number: 7407323

HOULIGAN'S A SPIRITED SPORTS GRILLE

License Type: Permanent Food Service

1725 W INTERNATIONAL SPEEDWAY BLVD, DAYTONA BEACH 32114

Inspection Date: 07/13/2020

Inspection Number: 2984322

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Exit partial block by chairs in party room. \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7404501

BOOTHILL SALOON

License Type: Permanent Food Service

310 MAIN ST, DAYTONA BCH 321184436

Inspection Date: 07/16/2020

Inspection Number: 2980109

Inspection Type: Complaint Partial

Inspection Disposition: Call Back - Extension given, pending

Inspector Name: PICHARDO, RENEE

Violation CodeObservationViolation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Small table top fryers, Foreman grills in use with no hood suppression system. Notified Fire AHJ. For reporting purposes o

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7403218

HARDEE'S #1500671

License Type: Permanent Food Service

4096 S RIDGEWOOD AVE, PORT ORANGE 32127

Inspection Date: 07/17/2020

Inspection Number: 3001827

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.