

Alachua County

License Number: 1103607		CYPRESS & GROVE BREWING CO	
License Type: Permanent Food Service		1001 NW 4 ST, GAINESVILLE 32601	
Inspection Date: 07/28/2020	Inspection Number: 3039653	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WEATHERS, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 3 empty tanks by door in brewery. Moved outside. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1101892		TACO BELL 26450	
License Type: Permanent Food Service		3408 SW ARCHER RD, GAINESVILLE 32608	
Inspection Date: 07/30/2020	Inspection Number: 2985604	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CASEY, KEITH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed the fire extinguisher by the employee door is in the red zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1103408		TASTE PHO AND NOODLE HOUSE	
License Type: Permanent Food Service		3117 SW 34TH ST STE 2, GAINESVILLE 32608	
Inspection Date: 07/30/2020	Inspection Number: 2999199	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CASEY, KEITH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed the side dining room exit is blocked by 2 umbrellas and high chairs.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Baker County

License Number: 1200177

BOOTSIE'S BAR

License Type: Permanent Food Service

1660 S 6 ST, MACCLENNY 32063

Inspection Date: 07/28/2020

Inspection Number: 2988366

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MERCER, THOMAS

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment has table top fryers and flattop with no hood system.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506110

OFF THE TRAXX

License Type: Permanent Food Service

918 E NEW HAVEN AVE, MELBOURNE 32901

Inspection Date: 07/29/2020

Inspection Number: 3008152

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: MITTEN, JAMES

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By all in cooler - From follow-up inspection 2020-07-29: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1620230		EL BALCON DE LAS AMERICAS II	
License Type: Permanent Food Service		1441 N SR 7, MARGATE 33063-2844	
Inspection Date: 07/09/2020	Inspection Number: 3010317	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MONTILLA, NATHALIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Observed: Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small portable deep fryer on prep table not under hood system. Fryer not in operation at time of inspection. Operator removed the fryer. **Corrected On-Site** Priority: Reporting	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1618466		PI BON GOU	
License Type: Permanent Food Service		2551 N DIXIE HWY, POMPANO BEACH 33064	
Inspection Date: 07/28/2020	Inspection Number: 3013690	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STEUBER, RYAN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1618311		HOOTERS OF CYPRESS CREEK	
License Type: Permanent Food Service		6345 N ANDREWS AVE, FORT LAUDERDALE 33309	
Inspection Date: 07/29/2020	Inspection Number: 3028750	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GRAY, ANTHONY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -Observed exit door blocked with boxes. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1623106		JIMMY JOHN'S GOURMET SANDWICHES #4095	
License Type: Permanent Food Service		2550-B W COMMERCIAL BLVD, TAMARAC 33309	
Inspection Date: 07/27/2020	Inspection Number: 2989055	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: GRAY, ANTHONY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Broward County

License Number: 1624050

DUNKIN DONUTS

License Type: Permanent Food Service

50 W OAKLAND PARK BLVD, WILTON MANORS 33311

Inspection Date: 07/28/2020

Inspection Number: 3030185

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MATTIELLO-ATASSI, MARIA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Exit path blocked by several boxes. Operator clear up area. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Collier County

License Number: 2102605

CHINA PLACE

License Type: Permanent Food Service

4631 TAMIAMI TRL N, NAPLES 34103

Inspection Date: 07/20/2020

Inspection Number: 3008970

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PENN, BRIAN

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Large extinguisher by back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2335640

CILANTRO AND LIMES

License Type: Permanent Food Service

941 W PALM DR STE 7 AND 8, FLORIDA CITY 33034

Inspection Date: 07/27/2020

Inspection Number: 3002652

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LEIDECKER, EDILMA

Violation CodeObservationViolation Citation

46-04-4 Exit door locked. For reporting purposes only. Observed exit door at kitchen area locked.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2315780

3 CHEFS AND A CHICKEN

License Type: Permanent Food Service

6601 SW 57 AVENUE, CORAL GABLES 33146

Inspection Date: 07/27/2020

Inspection Number: 3000221

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MASKASEM, SUPPACHAI

Violation CodeObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed the exit door is blocked by the trash can. Operator removed the trash can. **Corrected On-Site** **Repeat Violation**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2325243

POLLO TROPICAL 25

License Type: Permanent Food Service

19911 NW 2 AVE, MIAMI 331692903

Inspection Date: 07/29/2020

Inspection Number: 2984746

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: STUBBS, CHRISTINE

Violation CodeObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed marked exit blocked with a food cart, garbage bin and cardboard boxes. Employee removed all items. **Corrected On-Site** **Repeat Violation**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2324483

EL PALACIO DE LOS JUGOS

License Type: Permanent Food Service

15110 SW 56 ST, MIAMI 331854072

Inspection Date: 07/28/2020

Inspection Number: 3015283

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: URIBE, GUISELLA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-01-4	No portable fire extinguisher present. For reporting purposes only, located in lobby area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615830	Q'DELICIA		
License Type: Permanent Food Service	3980 SOUTHSIDE BLVD, SUITE 201-203, JACKSONVILLE	32216	
Inspection Date: 07/29/2020	Inspection Number: 3021100	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THOMAS, PHILIP			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 30 lb. Propane tank in rear of establishment near rear door. Operator removed tank. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2614323	THE ROOST		
License Type: Permanent Food Service	9151 W BEAVER ST, JACKSONVILLE	32220	
Inspection Date: 07/27/2020	Inspection Number: 2997725	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PERRY, DENNIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only. Fire extinguisher missing in bar area by chip rack. Extinguisher replaced. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2613319	NATURAL GREENS		
License Type: Permanent Food Service	10300 SOUTHSIDE BLVD STE 308, JACKSONVILLE	32256	
Inspection Date: 07/27/2020	Inspection Number: 2993968	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: VILBRUN, JOSUE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top fryer in kitchen being used to cook fries located next to ice machine with no hood suppression system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2615875	WINGSTOP		
License Type: Permanent Food Service	10400 SAN JOSE BLVD UNIT 10, JACKSONVILLE	32257	
Inspection Date: 07/31/2020	Inspection Number: 2977591	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: JEFFERS, MARY-BETH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. Emergency exit door locked in back of establishment with slider lock	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Highlands County

License Number: 3801187

SOPHIE'S CAFE

License Type: Permanent Food Service

120 SEBRING SQ, SEBRING 33870

Inspection Date: 07/30/2020

Inspection Number: 2995106

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only.
Observed cardboard panels stored with and against gas hot water heater.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3915435		INTERNATIONAL HOUSE OF PANCAKES 36-174	
License Type: Permanent Food Service		1270 E BRANDON BLVD, BRANDON 33511	
Inspection Date: 07/28/2020	Inspection Number: 3040091	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: CANNELLA, MARK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Hood system not operating at time of complaint inspection.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 3917863		HARVEST STATION	
License Type: Permanent Food Service		2712 W WATERS AVE, TAMPA 33614	
Inspection Date: 07/29/2020	Inspection Number: 3005749	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: EHLERS, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Operator re heating ready to eat chicken and meatballs in an electric griddle.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 3910648		TAMPA TAP ROOM	
License Type: Permanent Food Service		13150 N DALE MABRY HWY, TAMPA 33618	
Inspection Date: 07/31/2020	Inspection Number: 3042229	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: EHLERS, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-04-4	Flammables stored/debris present in storage area. For reporting purposes only. Propane tank under various decorations and cardboard items in storage hall walkway to kitchen.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.	
License Number: 3917127		THE AIROSPHERE	
License Type: Permanent Food Service		622 WARE BLVD, TAMPA 33619	
Inspection Date: 07/28/2020	Inspection Number: 3020679	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: KOWAL, KYLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher tag/maintenance expired as of 3/19.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Marion County

License Number: 5203104

A&N CARIBBEAN CUISINE

License Type: Permanent Food Service

9339 SE MARICAMP RD, OCALA 34472

Inspection Date: 07/29/2020

Inspection Number: 3015065

Inspection Type: Routine - Food

Inspection Disposition: Emergency order recommended

Inspector Name: DRIGGERS, MANDY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
 Three tanks in establishment. One tank is currently being used with equipment.
 Repeat Violation

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301759

THE CRAFTED KEG

License Type: Permanent Food Service

555 S COLORADO AVE STE 106, STUART 34994

Inspection Date: 07/30/2020

Inspection Number: 3017073

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. At top of stairs.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Nassau County

License Number: 5500878

NEW CHINA

License Type: Permanent Food Service

1013 AMELIA PLAZA, FERNANDINA BEACH 32034

Inspection Date: 07/28/2020

Inspection Number: 2985273

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Bags of food in front of it, door in storage area, mgr moved them **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5501150

STATE LINE BARBECUE COMPANY

License Type: Permanent Food Service

2020 SADLER RD, FERNANDINA BEACH 32034

Inspection Date: 07/28/2020

Inspection Number: 2988040

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. By walk in cooler **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814105	SEAFOOD STATION INC
License Type: Permanent Food Service	5107 SILVER STAR RD, ORLANDO 32808
Inspection Date: 07/29/2020	Inspection Number: 3024548
Inspector Name: GREENE, MARVIN	Inspection Type: Routine - Food
Inspection Disposition: Inspection Completed - No Further Action	
<u>Violation Code</u>	<u>Observation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer.
<u>Violation Citation</u>	
509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 5812228	MCDONALD'S #33324
License Type: Permanent Food Service	8175 S JOHN YOUNG PKWY, ORLANDO 32819
Inspection Date: 07/29/2020	Inspection Number: 2987796
Inspector Name: MANTI, KATHRYN	Inspection Type: Routine - Food
Inspection Disposition: Inspection Completed - No Further Action	
<u>Violation Code</u>	<u>Observation</u>
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. Blocked by ladder **Corrected On-Site**
<u>Violation Citation</u>	
509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 5814282	WENDY'S #11933
License Type: Permanent Food Service	4510 S SEMORAN BLVD, ORLANDO 32822
Inspection Date: 07/30/2020	Inspection Number: 3038065
Inspector Name: RULLAN, ALFONSO	Inspection Type: Complaint Full
Inspection Disposition: Inspection Completed - No Further Action	
<u>Violation Code</u>	<u>Observation</u>
46-01-4	Marked exit/path to marked exit blocked, empty boxes stored in front of emergency back door.. For reporting purposes only.
<u>Violation Citation</u>	
61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 5814809	MISSION BBQ
License Type: Permanent Food Service	6324 S SEMORAN BLVD, ORLANDO 32822
Inspection Date: 07/29/2020	Inspection Number: 3001491
Inspector Name: RULLAN, ALFONSO	Inspection Type: Routine - Food
Inspection Disposition: Inspection Completed - No Further Action	
<u>Violation Code</u>	<u>Observation</u>
46-01-4	Marked exit/path to marked exit blocked, back door.. For reporting purposes only. **Corrected On-Site**
<u>Violation Citation</u>	
61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Orange County

License Number: 5813957

CHIPOTLE MEXICAN GRILL OF COLORADO LLC

License Type: Permanent Food Service

4724 MILLENIA PLAZA WAY STE E, ORLANDO 32839

Inspection Date: 07/31/2020

Inspection Number: 2996262

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DIOP, DONALD

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Trash can impeding access to rear exit door. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5814602

SUS HI EATSTATION

License Type: Permanent Food Service

4693 GARDENS PARK BLVD STE 105, ORLANDO 32839

Inspection Date: 07/29/2020

Inspection Number: 3032194

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DIOP, DONALD

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Exit door leading to hallway. **Repeat Violation**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5811110

TAKUMI

License Type: Permanent Food Service

8933 W COLONIAL DR, OCOEE 34761

Inspection Date: 07/31/2020

Inspection Number: 3001594

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GREENE, MARVIN

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. K extinguisher next to kitchen exit door. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6012905

CHEESECAKE FACTORY (THE)

License Type: Permanent Food Service

701 S ROSEMARY AVE, WEST PALM BEACH 33401

Inspection Date: 07/29/2020

Inspection Number: 3022606

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: AHLE, ROBERT

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. Observed expired boiler certificate.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 6013158

APPLEBEE'S NEIGHBORHOOD GRILL & BAR

License Type: Permanent Food Service

15058 JOG RD, DELRAY BEACH 33445

Inspection Date: 07/29/2020

Inspection Number: 2992431

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: KHATOON, BEGUM

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only..boxes ,
garbage. Employee moved it. **Corrected On-Site**61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on
all stairways and around all porches and steps. For
reporting purposes only.

Pinellas County

License Number: 6214374		STEAK N SHAKE #350	
License Type: Permanent Food Service		8101 DR MLK ST N, ST PETERSBURG 33702	
Inspection Date: 07/29/2020	Inspection Number: 3028050	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: VILLEGAS, TATTYANA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. On recharge zone. By hand wash sink	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. On recharge zone. By hand wash sink - From follow-up inspection 2020-07-30: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6216669		INDIAN BISTRO	
License Type: Permanent Food Service		2779 GULF TO BAY BLVD, CLEARWATER 33759	
Inspection Date: 07/27/2020	Inspection Number: 3025335	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: BENEDICT, TRACY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher in back by dry storage in recharge	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6217781		DUNKIN DONUTS	
License Type: Permanent Food Service		13050 WALSINGHAM ROAD, LARGO 33774	
Inspection Date: 07/30/2020	Inspection Number: 3031207	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: KOUSTIS, TIMOTHY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Next to walk in cooler.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Pinellas County

License Number: 6207842

SNACK BAR #2

License Type: Permanent Food Service

180 N RACETRACK RD, OLDSMAR 346774705

Inspection Date: 07/31/2020

Inspection Number: 3041438

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: PEARCE, LAURA

Violation Code

Observation

Violation Citation

45-01-4

Sprinkler heads painted over in kitchen . For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7407691 GRANDVIEW LIVE
 License Type: Permanent Food Service 640 N GRANDVIEW AVE, DAYTONA BEACH 32118

Inspection Date: 07/30/2020 Inspection Number: 3040048 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PICHARDO, RENEE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-04-4	Heavy lint buildup behind washer/dryer. For reporting purposes only.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 7407232 RED BOWL
 License Type: Permanent Food Service 1820 DUNLAWTON AVE #105, PORT ORANGE 32127

Inspection Date: 07/31/2020 Inspection Number: 3014648 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LARSON, SARAH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked by boxes. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.