

Brevard County

License Number: 1500346

MCDONALD'S #669

License Type: Permanent Food Service

25 W HIBISCUS BLVD, MELBOURNE 32901

Inspection Date: 08/05/2020

Inspection Number: 3042917

Inspection Type: Complaint Full

Inspection Disposition: Emergency order recommended

Inspector Name: MITTEN, JAMES

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1622933		ELIAS DAVID MORALES	
License Type: Permanent Food Service		7855 PINES BLVD, PEMBROKE PINES 33024	
Inspection Date: 08/05/2020	Inspection Number: 2974448	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Warning Issued
Inspector Name: BENJAMIN, ALEXANDER			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit door between kitchen and dining area	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1624428		LA UCHIRENA COFFEE EXPRESS LLC	
License Type: Permanent Food Service		12189 PEMBROKE RD, PEMBROKE PINES 33025	
Inspection Date: 08/07/2020	Inspection Number: 3018900	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SMITH, CORETTA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. Observed 15 lb propane tank near bathroom. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1610824		MCDONALD'S 6382	
License Type: Permanent Food Service		11100 TAFT ST, PEMBROKE PINES 33026-2735	
Inspection Date: 08/07/2020	Inspection Number: 3010180	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SEWELL, SANGAY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with rolling carts. Operator removed **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1615997		SHALAMAS ROTISHOP	
License Type: Permanent Food Service		1432 N SR 7, MARGATE 33063	
Inspection Date: 08/05/2020	Inspection Number: 3009002	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ANTOLAK, NANCY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Broward County

License Number: 1620675

PANERA BREAD #4704

License Type: Permanent Food Service

1762 N FEDERAL HWY, FORT LAUDERDALE 33305

Inspection Date: 08/04/2020

Inspection Number: 3003648

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MATTIELLO-ATASSI, MARIA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked bu trash bags and boxed. For reporting purposes only. Operator removed boxes. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1623807

SUBWAY

License Type: Permanent Food Service

1411 S SR 7, PLANTATION 33317

Inspection Date: 08/04/2020

Inspection Number: 2987129

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROSE, MONIQUE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Backdoor blocked by boxes, per employee, delivery was made hours ago.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2353395	ELSA MARINA FLORES
License Type: Mobile Food Dispensing Vehicle	2882 W 71 PL, HIALEAH 33002
Inspection Date: 08/06/2020	Inspection Number: 1226995
Inspector Name: HODGE, KRISTEN	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-01-4	No portable fire extinguisher present. For reporting purposes only. **Repeat Violation**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2325236	DOMINOS PIZZA #5170
License Type: Permanent Food Service	1615 NE 8 ST, HOMESTEAD 330334603
Inspection Date: 08/03/2020	Inspection Number: 2990846
Inspector Name: GONZALEZ, RICARDO	Inspection Type: Routine - Food
	Inspection Disposition: Warning Issued
<u>Violation Code</u>	<u>Observation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Observed gas containers near pizza box building station in back room.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2356175	LOS POTOSINOS TAQUERIA 2
License Type: Mobile Food Dispensing Vehicle	19203 SW 376 STREET, FLORIDA CITY 33034
Inspection Date: 08/05/2020	Inspection Number: 1226475
Inspector Name: LEIDECKER, EDILMA	Inspection Type: Routine - Food
	Inspection Disposition: Warning Issued
<u>Violation Code</u>	<u>Observation</u>
45-01-4	No portable fire extinguisher present. For reporting purposes only.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2333881	SUBWAY 899 INC
License Type: Permanent Food Service	561 NE 81 ST, MIAMI 33138
Inspection Date: 08/06/2020	Inspection Number: 3015080
Inspector Name: SEYBA, JAMES	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed fire extinguisher in "recharge" zone by side door in kitchen.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2359336		WALDEMAR SANTIAGO	
License Type: Mobile Food Dispensing Vehicle		1810 NW 21 TERR, MIAMI 33142	
Inspection Date: 08/06/2020	Inspection Number: 1230598	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2333998		CHEZ GASTON	
License Type: Permanent Food Service		9449 COLLINS AVE, SURFSIDE 33154	
Inspection Date: 08/04/2020	Inspection Number: 3016971	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed 3 boiler certificates expired. As per Chief Engineer the inspection was conducted and the fee was paid, but they haven't recei	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2328407		EDMA BAKERY	
License Type: Permanent Food Service		168 NE 167 ST UNIT 168-170, MIAMI 33162	
Inspection Date: 08/04/2020	Inspection Number: 3002807	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2334410		BAR FLAMENCO	
License Type: Permanent Food Service		1695 NW 111 AVE, SWEETWATER 33172	
Inspection Date: 08/04/2020	Inspection Number: 3018141	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed 134386, 280315, 283056, and 283364. Expired 7/31/2020.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Duval County

License Number: 2609623 SUBWAY 3897
 License Type: Permanent Food Service 11531 SAN JOSE BLVD #14, JACKSONVILLE 32223

Inspection Date: 08/05/2020 Inspection Number: 3018777 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: JEFFERS, MARY-BETH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Path to emergency exit blocked by broken down boxes	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2613720 MCDONALD'S #31309
 License Type: Permanent Food Service 4587 TOWN CENTER PKWY, JACKSONVILLE 32246

Inspection Date: 08/06/2020 Inspection Number: 2994600 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GONZALEZ, MAYRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen marked exit door path blocked with a full cart of trash. Manager cleared the pathway. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2613866 FIVE GUYS ST JOHNS
 License Type: Permanent Food Service 4413 TOWN CENTER PKWY SUITE 401, JACKSONVILLE 32246

Inspection Date: 08/06/2020 Inspection Number: 3023058 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GONZALEZ, MAYRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen marked exit door path blocked by trash bags, and boxes. Manager cleared pathway. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Flagler County

License Number: 2800250

WENDY'S #54528

License Type: Permanent Food Service

1 OLD KING RD N, PALM COAST 32137

Inspection Date: 08/04/2020

Inspection Number: 3042249

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HARTMANN, MICHELLE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Multiple empty boxes blocking back exit door. Person in charge cleared path to exit. ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hardee County

License Number: 3500210

WENDY'S PROPERTIES LLC

License Type: Permanent Food Service

1440 N US 17, WAUCHULA 33873

Inspection Date: 08/03/2020

Inspection Number: 3026997

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

46-01-4

Electrical panels blocked by boxes at back area.For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hillsborough County

License Number: 3904232

KFC

License Type: Permanent Food Service

8550 N DALE MABRY, TAMPA 33614

Inspection Date: 08/03/2020

Inspection Number: 2991956

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EHLERS, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4

Fire extinguisher gauge in red zone. For reporting purposes only. Red fire suppression system extinguisher on wall by office window. Silver portable extinguisher by back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4602283 TACO BELL
 License Type: Permanent Food Service 14041 N CLEVELAND AVE, NORTH FORT MYERS 33903

Inspection Date: 08/03/2020 Inspection Number: 2991453 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MOREHEAD, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 4602989 COURTYARD FORT MYERS CAPE CORAL
 License Type: Permanent Food Service 4455 METRO PARKWAY, FORT MYERS 33916

Inspection Date: 08/05/2020 Inspection Number: 3001786 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MOREHEAD, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-03-4	Flammables stored/debris present in boiler room. For reporting purposes only. Observed Boiler Certificates Expired.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Manatee County

License Number: 5105398

MCDONALD'S #33821

License Type: Permanent Food Service

11050 SR 64 EAST, BRADENTON 34211

Inspection Date: 08/04/2020

Inspection Number: 3028570

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked by boxes, cart.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Orange County

License Number: 5802816		POPEYES LOUISIANA KITCHEN #121	
License Type: Permanent Food Service		45 N ORANGE BLOSSOM TRL, ORLANDO 328051859	
Inspection Date: 07/02/2020	Inspection Number: 2984857	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DIOP, DONALD			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Boxes impeding access to rear exit door. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5811409		PAO GOSTOSO BAKERY	
License Type: Permanent Food Service		5472 INTERNATIONAL DRIVE, ORLANDO 32819	
Inspection Date: 08/06/2020	Inspection Number: 2985697	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguisher stored on floor on side of pastry pantry area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812852		JERSEY MIKE'S SUBS	
License Type: Permanent Food Service		3042 W SANDLAKE RD STE 1B, ORLANDO 32819	
Inspection Date: 08/05/2020	Inspection Number: 3022756	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked with trash cans and boxes . For reporting purposes only.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5813423		WAFFLE HOUSE #2115	
License Type: Permanent Food Service		1815 S SEMORAN BLVD, ORLANDO 32822	
Inspection Date: 08/04/2020	Inspection Number: 3011459	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, empty box, by back door. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Orange County

License Number: 5811067

LEE WESLEY PANDA

License Type: Permanent Food Service

9250 AIRPORT BLVD, ORLANDO 32827

Inspection Date: 08/07/2020

Inspection Number: 3010022

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: RULLAN, ALFONSO

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. Expired 5-29-1961C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 5809203

FAIRFIELD INN & SUITES BY MARRIOTT ORLANDO LAKE BUENA VISTA

License Type: Permanent Food Service

12191 S APOPKA VINELAND RD, ORLANDO 32836

Inspection Date: 08/07/2020

Inspection Number: 3015107

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
Observed no boiler certification operator not able to find expired copies
6/15/2020.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

Palm Beach County

License Number: 6019404

FAIRFIELD INN & SUITES JUPITER

License Type: Permanent Food Service

6748 INDIANTOWN RD, JUPITER 33458

Inspection Date: 08/06/2020

Inspection Number: 2987416

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.exp 03/15/19 121021, 121022, 09511161C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 6020514

LITTLE CAESARS PIZZA

License Type: Permanent Food Service

3822 S JOG RD, GREENACRES 33467

Inspection Date: 08/03/2020

Inspection Number: 3011385

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GONZALEZ, DENNIS

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting
purposes only. Found fire extinguisher on the floor by the oven509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

St. Lucie County

License Number: 6600733

COURTYARD BY MARRIOTT

License Type: Permanent Food Service

10978 S OCEAN DR, JENSEN BEACH 34957

Inspection Date: 08/05/2020

Inspection Number: 2995662

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By Walk-in cooler/elevator

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.