

Alachua County

License Number: 1103020 YUMMY HOUSE
 License Type: Permanent Food Service 3102 SW 34TH ST STE B, GAINESVILLE 32608

Inspection Date: 08/13/2020 Inspection Number: 3023930 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Observed WD-40 stored on the water heating device. The spray was placed with cleaning. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103171 SWEET BUNS BAKERY
 License Type: Permanent Food Service 3102 SW 34 ST STE C, GAINESVILLE 32608

Inspection Date: 08/13/2020 Inspection Number: 3024822 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed the dining room door at the back of the dining room, is blocked by a moveable screen and boxes. **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1103444 OLIVE GARDEN ITALIAN RESTAURANT #4498
 License Type: Permanent Food Service 2711 CLARK BUTLER BLVD, GAINESVILLE 32608

Inspection Date: 08/03/2020 Inspection Number: 2987541 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed the fire extinguisher by the office, the gauge has been broken loose from its mounting.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Bay County

License Number: 1305798		PIZZA AMORE	
License Type: Permanent Food Service		1405 W 15 STREET #E, PANAMA CITY 32401	
Inspection Date: 08/12/2020	Inspection Number: 3031466	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LYNN, NICKOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher near AC unit.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1305129		LA QUINTA INN BREAKFAST BAR #975	
License Type: Permanent Food Service		1030 E 23RD STREET, PANAMA CITY 32405	
Inspection Date: 08/10/2020	Inspection Number: 3021832	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LYNN, NICKOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificate expired.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1305102		ZAXBY'S	
License Type: Permanent Food Service		2300 S HWY 77, LYNN HAVEN 32444	
Inspection Date: 08/10/2020	Inspection Number: 2985401	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: YANDELL, TIMOTHY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By kitchen entry door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Broward County

License Number: 1624487

WENDY'S

License Type: Permanent Food Service

2281 W SAMPLE RD, DEERFIELD BEACH 33073

Inspection Date: 08/10/2020

Inspection Number: 3031639

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SEWELL, SANGAY

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

Observed back exit door blocked with a garbage bin. Operator removed
 Corrected On-Site

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Collier County

License Number: 2103435

BRENDA'S MEXICAN RESTAURANT

License Type: Permanent Food Service

211 WEST MAIN STREET, IMMOKALEE 34142

Inspection Date: 08/14/2020

Inspection Number: 3017629

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: JOHNSON, JONATHAN

Violation Code

Observation

Violation Citation

47-01-4

Observed frayed/spliced electrical wires. For reporting purposes only. Extension cord spliced into cord for fluorescent light

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2336086		LA ESQUINA DEL PAN CON BISTEC #2	
License Type: Permanent Food Service		1011 SW 8 ST, MIAMI 33130	
Inspection Date: 08/10/2020	Inspection Number: 3031820	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator removed. **Corrected On-Site** **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2328260		EMPLOYEE CAFETERIA	
License Type: Permanent Food Service		500 BRICKELL KEY DR, MIAMI 33131	
Inspection Date: 08/11/2020	Inspection Number: 3001157	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HENLEY, LATONYA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. the inspection was conducted on 5/22/20 by Arise. The certificate of compliance has not been received. FI 001936, expired on 5/28/20; FI	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2328893		SIAM RICE THAI & SUSHI RESTAURANT	
License Type: Permanent Food Service		7941 BISCAYNE BLVD, MIAMI 33138	
Inspection Date: 08/10/2020	Inspection Number: 3044494	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SEYBA, JAMES			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 2 -15 pound propane tanks stored inside kitchen, owner removed from establishment and placed outside. **Corrected O	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2317285		MCDONALDS #6589	
License Type: Permanent Food Service		2200 NW 36 ST, MIAMI 331425358	
Inspection Date: 08/12/2020	Inspection Number: 3044976	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only, located on wall next to front counter doorway.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2332219

PANDA EXPRESS 1752

License Type: Permanent Food Service

8750 W FLAGLER ST, MIAMI 33174

Inspection Date: 08/14/2020

Inspection Number: 3018002

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed extinguisher in recharge zone by hand wash sink by three compartment
sink in front of walk in cooler. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2335934

CHILI'S

License Type: Permanent Food Service

15200 SW 127 AVE, MIAMI 33177

Inspection Date: 08/10/2020

Inspection Number: 3032607

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LEIDECKER, EDILMA

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. Observed a gas water heating device on site with a
water capacity of 130 gallons.

Phone number 850-413-3723.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

DeSoto County

License Number: 2400081

MCDONALD'S

License Type: Permanent Food Service

1203 E OAK ST, ARCADIA 34266

Inspection Date: 08/07/2020

Inspection Number: 2991380

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation CodeObservationViolation Citation

46-01-4

Electric panels blocked by stored equipment and dumpster cart. For reporting purposes only.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2400307

RED ZONE LLC

License Type: Permanent Food Service

307 S ALABAMA AVE, ARCADIA 34266

Inspection Date: 08/07/2020

Inspection Number: 2990215

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Back exit at men's restroom locked and must have key to open.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Duval County

License Number: 2613466	APPLE SPICE JAX
License Type: Catering	3061 PHILIPS HWY #102, JACKSONVILLE 32207
Inspection Date: 08/11/2020	Inspection Number: 1116265
Inspector Name: ARMSTRONG, RICO	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Propane tank storage near prep table.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615228	TOSSGREEN
License Type: Permanent Food Service	4668 TOWN CROSSING DR STE 105, JACKSONVILLE 32246
Inspection Date: 08/10/2020	Inspection Number: 3019281
Inspector Name: GONZALEZ, MAYRA	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Path to kitchen marked exit door blocked with empty food boxes. Employee discarded boxes in dumpster. **Corrected On-Site**
	<u>Violation Citation</u>
	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2609191	MARRIOTT JACKSONVILLE HOTEL
License Type: Permanent Food Service	4670 SALISBURY RD, JACKSONVILLE 32256
Inspection Date: 08/11/2020	Inspection Number: 3002339
Inspector Name: VILBRUN, JOSUE	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boilers certificate expired. Jurisdiction # 098813 exp 5-16-20. Jurisdiction # 057863 exp 5-16-20. Jurisdiction # 131400 exp 5-16-20.
	<u>Violation Citation</u>
	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2614081	BOUNXOU THAI
License Type: Permanent Food Service	9825 SAN JOSE BLVD STE 28-29, JACKSONVILLE 32257
Inspection Date: 08/10/2020	Inspection Number: 3031163
Inspector Name: JEFFERS, MARY-BETH	Inspection Type: Routine - Food
	Inspection Disposition: Administrative complaint recommended
<u>Violation Code</u>	<u>Observation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit back door path blocked by bags of rice and small table
	<u>Violation Citation</u>
	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Duval County

License Number: 2615105

MARGARITA'S MEXICAN GRILL

License Type: Permanent Food Service

9825 SAN JOSE BLVD #23, JACKSONVILLE 32257

Inspection Date: 08/10/2020

Inspection Number: 3017451

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: JEFFERS, MARY-BETH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Exit to path of back door near ice machine blocked **Repeat Violation**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2615218

NAURAH'S

License Type: Permanent Food Service

6132 MERRILL RD #6, JACKSONVILLE 32277

Inspection Date: 08/13/2020

Inspection Number: 3039435

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: THOMAS, PHILIP

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
LO tank larger than 2.7 lbs hooked up to gyro cooker in rear side preparation area across from three compartment sink

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3912677

CALIFORNIA PIZZA KITCHEN

License Type: Permanent Food Service

2223 N WESTSHORE BLVD #189, TAMPA 33607

Inspection Date: 08/12/2020

Inspection Number: 2996596

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FEDERORVITCH, CASEY

Violation Code

Observation

Violation Citation

49-05-4 Establishment increasing seats from 220 to 248. Operator has partially completed Seating Change Evaluation Form. **Corrective Action Taken**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Indian River County

License Number: 4105406

INDIAN RIVER ESTATES WEST

License Type: Permanent Food Service

7730 INDIAN OAKS DR, VERO BEACH 32966

Inspection Date: 08/12/2020

Inspection Number: 2981317

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHUCK, GREGORY

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.had a certificate from insurance company but no State Certificates

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Marion County

License Number: 5202659

STONE CREEK GOLF CLUB & GRILLE

License Type: Permanent Food Service

9676 SW 62 LOOP, OCALA 34481

Inspection Date: 08/12/2020

Inspection Number: 2999183

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: DRIGGERS, MANDY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Inside storage shed containing single service items.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814826

WINGSTOP

License Type: Permanent Food Service

8956 TURKEY LAKE ROAD STE B300, ORLANDO 32819

Inspection Date: 08/12/2020

Inspection Number: 3032419

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MANTI, KATHRYN

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5812921

MEXAS TACOS

License Type: Permanent Food Service

8788 VINELAND AVENUE, ORLANDO 32821

Inspection Date: 08/11/2020

Inspection Number: 3013036

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: FERTIL, SYLVERST

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed a small portable fryer being used with no exhaust covering. Advised operator to relocate equi

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6013775

DUFFYS SPORTS GRILL

License Type: Permanent Food Service

11588 US HWY 1, PALM BEACH GARDENS 33410

Inspection Date: 08/10/2020

Inspection Number: 3016521

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOLDMAN, BARRY

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired on 08/02/20.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Pinellas County

License Number: 6217553

CITY'S BISTRO

License Type: Permanent Food Service

695 CENTRAL AVE, ST. PETERSBURG 33701

Inspection Date: 08/13/2020

Inspection Number: 3024604

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: VALENCIA, ASHLEY

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Sandwich press used to cook sausage and hot plates to cook eggs

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216371

MANA MANA FALAFEL

License Type: Permanent Food Service

530 PARK ST, CLEARWATER 33755

Inspection Date: 08/13/2020

Inspection Number: 3028909

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: BENEDICT, TRACY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Repeat Violation

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6900807

CHURCH'S CHICKEN #2

License Type: Permanent Food Service

2561 FRENCH AVE, SANFORD 32773

Inspection Date: 08/11/2020

Inspection Number: 3043749

Inspection Type: Complaint Full

Inspection Disposition: Emergency order recommended

Inspector Name: GUTTERMAN, KENNETH

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Front door blocked by trash can.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

46-01-4 - From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Front door blocked by trash can. - From follow-up inspection 2020-08-11: **Time Extended**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7405440

STARLITE DINER

License Type: Permanent Food Service

401 N ATLANTIC AVE, DAYTONA BEACH 32118

Inspection Date: 08/12/2020

Inspection Number: 3020442

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: WOOD, JUSTIN

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Blocked by bagged garbage and a small table **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7403741

KENTUCKY FRIED CHICKEN 434

License Type: Permanent Food Service

1035 DUNLAWTON AVE, PORT ORANGE 32127-4708

Inspection Date: 08/14/2020

Inspection Number: 3032257

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked boxes. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7405279

SUBWAY #12304

License Type: Permanent Food Service

1640 TAYLOR RD, PORT ORANGE 32128

Inspection Date: 08/13/2020

Inspection Number: 3026089

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: LARSON, SARAH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked by boxes. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.