

**Alachua County**

License Number: 1103462

EL PATIO JALISCO

License Type: Permanent Food Service

16135 NW US HWY 441 UNIT 10, ALACHUA 32615

Inspection Date: 08/25/2020

Inspection Number: 2999941

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Admin. complaint recommended

Inspector Name: HENTGES, JUDY

Violation Code

Observation

Violation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.  
Small table top fry vat located on prep table outside of the hood system. (Use to cook fish) - From follow-up inspection 2020-08-25: No change \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Brevard County**

License Number: 1506983

CHEATERS

License Type: Permanent Food Service

5450 N ATLANTIC AVE, COCOA BEACH 32931

Inspection Date: 08/27/2020

Inspection Number: 3047800

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HICKS, GEORGE RANDY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Behind bar and at entry to dry storage.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1617949		DOMINOS 5188	
License Type: Permanent Food Service		11339 W ATLANTIC BLVD, CORAL SPRINGS 33071	
Inspection Date: 08/26/2020	Inspection Number: 3008324	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: NEALY, VALENCIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -Observed kitchen exit door blocked by discarded cardboard boxes. **Corrective Action Taken**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1623885		BRITNEY'S ROCKIN' SPORTS BAR & GRILL	
License Type: Permanent Food Service		2500 W OAKLAND PARK BLVD, OAKLAND PARK 33311	
Inspection Date: 08/26/2020	Inspection Number: 3047833	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MATTIELLO-ATASSI, MARIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1623733		THE SPORTS BARN INC	
License Type: Permanent Food Service		4223 DAVIE ROAD, DAVIE 33314	
Inspection Date: 08/25/2020	Inspection Number: 3027022	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LEWIS, LYNDEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1622485		LA BELLE MONIQUE RESTAURANT AND BAKERY	
License Type: Permanent Food Service		937 STATE ROAD 7, PLANTATION 33317	
Inspection Date: 08/27/2020	Inspection Number: 3006834	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: ROSE, MONIQUE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. By chair and cases of bananas.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Broward County**

License Number: 1610560

BANYAN RESTAURANT

License Type: Permanent Food Service

250 RACQUET CLUB RD, WESTON 33326

Inspection Date: 08/25/2020

Inspection Number: 2992093

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: CASTILLO, JESSIKA

Violation CodeObservationViolation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.  
Observed boiler with water capacity of 200 Gal. - From follow-up inspection  
2020-08-25: \*\*Time Extended\*\*

61C-1.004(9) FAC Reporting: (9) Heating and ventilation  
- The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.  
For reporting purposes only.  
Observed boiler with water capacity of 200 Gal.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation  
- The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1620631

ULTIMATE CUISINE CATERING

License Type: Catering

4072 NE 5 TER, OAKLAND PARK 33334

Inspection Date: 08/27/2020

Inspection Number: 1116431

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: GRAY, ANTHONY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside  
of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1625081

TACO TAXI

License Type: Permanent Food Service

4072 NE 5 TERR, OAKLAND PARK 33334

Inspection Date: 08/27/2020

Inspection Number: 3045780

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: GRAY, ANTHONY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside  
of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Collier County**

License Number: 2150356

TAQUERIA IXMIQUILPAN

License Type: Mobile Food Dispensing Vehicle

170 AIRPARK BLVD, IMMOKALEE 34142

Inspection Date: 08/28/2020

Inspection Number: 1229841

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: JOHNSON, JONATHAN

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2331683		EL SANTO COYOTE	
License Type: Permanent Food Service		26115 S DIXIE HWY, HOMESTEAD 33032	
Inspection Date: 08/28/2020	Inspection Number: 2991298	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: GONZALEZ, RICARDO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332360		MAIN KITCHEN & BAY CAFE	
License Type: Permanent Food Service		485 BRICKELL AVE, MIAMI 33131	
Inspection Date: 08/27/2020	Inspection Number: 3011708	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HENLEY, LATONYA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. FI 123105, expired 07/06/18; FI 123107, expired 07/06/18	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2334095		SEMILLA	
License Type: Permanent Food Service		1328-1330 ALTON RD, MIAMI BEACH 33139	
Inspection Date: 08/28/2020	Inspection Number: 3010658	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near cook line.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2334027		PLATE	
License Type: Permanent Food Service		2105 CORAL WAY, MIAMI 33145	
Inspection Date: 08/28/2020	Inspection Number: 3020287	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GARCIA, B OSCAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Dade County**

License Number: 2321460		TACO BELL #3684	
License Type: Permanent Food Service		10580 SW 8 ST, MIAMI 33174	
Inspection Date: 08/28/2020	Inspection Number: 2998331	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in recharge zone located by frosty machine.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332157		SUBWAY	
License Type: Permanent Food Service		10728 NW 74 ST, DORAL 33178	
Inspection Date: 08/26/2020	Inspection Number: 3028304	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: JA DE DIOS, YANLEE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2328762		DR LIMON CEVICHE BAR	
License Type: Permanent Food Service		13766 SW 84 ST, MIAMI 33183	
Inspection Date: 08/27/2020	Inspection Number: 3031039	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: URIBE, GUISELLA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only, by exit door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2358972		305 PAELLAS Y TAPAS	
License Type: Mobile Food Dispensing Vehicle		15440 SW 155 CT, MIAMI 33187	
Inspection Date: 08/26/2020	Inspection Number: 1226598	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LEIDECKER, EDILMA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Duval County**

License Number: 2615752	FRESH FROM YIANNI'S KITCHEN - DELI AND CATERING CENTER		
License Type: Permanent Food Service	3362 POWERS AVE, JACKSONVILLE 32207		
Inspection Date: 08/24/2020	Inspection Number: 3026021	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: ARMSTRONG, RICO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Propane gas tank stored inside building near mop sink.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2615828	C'S ISLAND CUISINE		
License Type: Permanent Food Service	6050 MONCRIEF RD #13, JACKSONVILLE 32209		
Inspection Date: 08/27/2020	Inspection Number: 3026812	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: YOUNG, JENNIFER			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Wooden bar blocking back door of establishment, employee removed wooden bar from door **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 2612172	MUNCHIES		
License Type: Permanent Food Service	4555 SAINT JOHNS AVE STE 3, JACKSONVILLE 32210		
Inspection Date: 08/25/2020	Inspection Number: 2995915	Inspection Type: Routine - Food	Inspection Disposition: Emergency order recommended
Inspector Name: PERRY, DENNIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Two large white gas tanks in dry storage area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2613391	UNCLE GENES SOUL & SEAFOOD CAFE		
License Type: Permanent Food Service	5123-4 TIMUQUANA RD, JACKSONVILLE 32210		
Inspection Date: 08/27/2020	Inspection Number: 2986335	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: PERRY, DENNIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit door blocked by large fan.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	



**Duval County**

License Number: 2615767 PALMYRA CAFE & LOUNGE  
 License Type: Permanent Food Service 3615 DUPONT AVE STE 100, JACKSONVILLE 32217

Inspection Date: 08/28/2020 Inspection Number: 3014233 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: JEFFERS, MARY-BETH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Pathway to exit on side near restrooms blocked with misc repair supplies.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2613975 SUBWAY  
 License Type: Permanent Food Service 1440 DUNN AVE STE 12A, JACKSONVILLE 32218

Inspection Date: 08/28/2020 Inspection Number: 3030820 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: YOUNG, JENNIFER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Wooden bar blocking back exit door, employee moved wooden bar during inspection **Corrected On-Site** **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2610905 ELIBEL COUNTRY CHICKEN AND FISH  
 License Type: Permanent Food Service 11041 BEACH BLVD SB02, JACKSONVILLE 32246

Inspection Date: 08/22/2020 Inspection Number: 2984387 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GONZALEZ, MAYRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryers and a flat grill on cook line with no hood suppression system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2613110 LEVANT GRILL & HOOKAH LOUNGE  
 License Type: Permanent Food Service 9041 SOUTHSIDE BLVD #180, JACKSONVILLE 32256

Inspection Date: 08/26/2020 Inspection Number: 3007406 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: VILBRUN, JOSUE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. 1. At POS system near wait station 2. At Bar area on wall Employee stated waiting on company to come out but they cancel due to COVID and waiting for them to reschedule **Corrective Action Taken** **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3918322

LATIN DELI

License Type: Permanent Food Service

2901 W BUSCH BLVD STE 1020, TAMPA 33618

Inspection Date: 08/28/2020

Inspection Number: 3008384

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: EHLERS, MICHAEL

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Stove in back area. Operator is cooking chicken and beef on stovetop at time of inspection.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3917293

ICE SPICE CAFE

License Type: Permanent Food Service

20304 TROUT CREEK DR #101, TAMPA 33647

Inspection Date: 08/25/2020

Inspection Number: 2989418

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: MOULDER, BRITTANY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed on in kitchen near back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Indian River County**

License Number: 4101159 STEAK N SHAKE #338  
 License Type: Permanent Food Service 1940 94 CT, VERO BCH 32966

Inspection Date: 08/24/2020 Inspection Number: 3031227 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: SCHUCK, GREGORY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Next to handsink	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4101289 SONNY'S REAL PIT BAR-B-Q OF VERO BEACH  
 License Type: Permanent Food Service 5001 20 ST, VERO BCH 32966

Inspection Date: 08/26/2020 Inspection Number: 2993873 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: SCHUCK, GREGORY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher by walk in - From follow-up inspection 2020-08-24: **Time Extended** - From follow-up inspection 2020-08-26: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher by walk in - From follow-up inspection 2020-08-24: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Lee County**

License Number: 4604489

TACO BELL #24558

License Type: Permanent Food Service

2714 LEE BLVD, LEHIGH ACRES 33971

Inspection Date: 08/25/2020

Inspection Number: 3009795

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JOHNSON, JONATHAN

Violation Code

Observation

Violation Citation

46-04-4 Exit door locked. For reporting purposes only.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Orange County**

License Number: 5814570		POPEYES #12079	
License Type: Permanent Food Service		2663 N HIAWASSEE RD, HIAWASSEE 32818	
Inspection Date: 08/26/2020	Inspection Number: 3032651	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5807118		BOI BRAZIL CHURRASCARIA	
License Type: Permanent Food Service		5668 INTERNATIONAL DR, ORLANDO 32819	
Inspection Date: 08/27/2020	Inspection Number: 2968988	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only in storage room - From follow-up inspection 2020-03-18: **Time Extended** - From follow-up inspection 2020-06-26: **Time Extended** - From follow-up inspection 2020-08-27: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5814655		LITTLE GREEK FRESH GRILL	
License Type: Permanent Food Service		6756 EAGLE WATCH DRIVE, ORLANDO 32822	
Inspection Date: 08/25/2020	Inspection Number: 2958319	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked, back door blocked with empty boxes. For reporting purposes only. - From follow-up inspection 2020-08-25: **Time Extended**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5811249		WENDY'S #10553	
License Type: Permanent Food Service		2751 WILSHIRE DR, ORLANDO 32835	
Inspection Date: 08/28/2020	Inspection Number: 2987357	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only.  Electric wires exposed in walk in cooler next to door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Osceola County**

License Number: 5911235

SUBWAY #31958

License Type: Permanent Food Service

3360 CANOE CREEK ROAD, 210 BLDB B, ST. CLOUD 34772

Inspection Date: 08/28/2020

Inspection Number: 2997913

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

49-05-4 Flammables stored near a source of ignition. For reporting purposes only. Can of paint next to water heater. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Palm Beach County**

License Number: 6021822

NATURES WAY EXPRESS

License Type: Permanent Food Service

900 US HWY 1, NORTH PALM BEACH 33408

Inspection Date: 08/24/2020

Inspection Number: 3033412

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GOLDMAN, BARRY

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6008115

FRENCHMAN'S CREEK MAIN KITCHEN/GRILL ROOM

License Type: Permanent Food Service

13495 TOURNAMENT DR, PALM BEACH GARDENS 33410

Inspection Date: 08/25/2020

Inspection Number: 2997167

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: GOLDMAN, BARRY

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. J# 021250 - 6/2020, J# 09380, 089046 - 3/2020

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. J# 021250 - 6/2020, J# 09380, 089046 - 3/2020 - From follow-up inspection 2020-08-27: \*\*Time Extended\*\*

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6020789

FRENCHMANS CREEK (SWIMMING POOL SNACK BAR)

License Type: Permanent Food Service

13495 TOURNAMENT DR, PALM BEACH GARDENS 33410

Inspection Date: 08/25/2020

Inspection Number: 2998365

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOLDMAN, BARRY

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. J# 021250 - 6/2020, J# 09380, 089046 - 3/2020. Operator states they have tried to contact inspector with no response.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Palm Beach County**

License Number: 6021737

SPORTSBAR KITCHEN

License Type: Permanent Food Service

13495 TOURNAMENT DR, PALM BEACH GARDENS 33410

Inspection Date: 08/25/2020

Inspection Number: 3030760

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOLDMAN, BARRY

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. J# 021250 - 6/2020, J# 09380, 089046 - 3/2020

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.



**Pinellas County**

License Number: 6216841	TAQUERIA Y PANADERIA LA CHIQUITA
License Type: Permanent Food Service	1907 DREW ST STE A, CLEARWATER 33765
Inspection Date: 08/25/2020	Inspection Number: 3026522
Inspector Name: BENEDICT, TRACY	Inspection Type: Routine - Food
	Inspection Disposition: Emergency order recommended
<u>Violation Code</u>	<u>Observation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 15lb
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6215251	CHINA WOK
License Type: Permanent Food Service	1951 N PINELLAS AVE STE 501, TARPON SPRINGS 34689
Inspection Date: 08/25/2020	Inspection Number: 3004551
Inspector Name: PIATT, PAUL	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Near the back exit
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217577	BURGER KING #24024
License Type: Permanent Food Service	40565 US HWY 19 N, TARPON SPRINGS 34689
Inspection Date: 08/26/2020	Inspection Number: 2994471
Inspector Name: PIATT, PAUL	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Front counter area **Repeat Violation**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216485	STRACHAN'S HOMEMADE ICE CREAM & DESSERTS LLC
License Type: Permanent Food Service	310 MAIN ST, DUNEDIN 34698
Inspection Date: 08/24/2020	Inspection Number: 3023499
Inspector Name: PIATT, PAUL	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
46-04-4	Exit door locked. For reporting purposes only. Unlocked **Corrected On-Site**
	<u>Violation Citation</u>
	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Putnam County**

License Number: 6450082

DUKE'S SEAFOOD

License Type: Mobile Food Dispensing Vehicle

314 ELM AVE, PALATKA 32177

Inspection Date: 08/24/2020

Inspection Number: 1225579

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: MERCER, THOMAS

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only.  
No cover plates on electric outlets.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7406045

HIBACHI GRILL

License Type: Permanent Food Service

1312 W INTL SPEEDWAY BLVD, DAYTONA BEACH 32114

Inspection Date: 08/24/2020

Inspection Number: 2986132

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
Rear door by water heater room partially blocked by mop bucket and ladder.  
Exit partially blocked by cooler near office.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7406340

NEW CHINA CITY ZHANG INC

License Type: Permanent Food Service

1382 HOWLAND BLVD #118, DELTONA 32738

Inspection Date: 08/25/2020

Inspection Number: 3000680

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Complied

Inspector Name: ANGEL, TERRY

Violation CodeObservationViolation Citation

46-01-4

- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Front door blocked by takeout window. - From follow-up inspection 2020-08-21: - From follow-up inspection 2020-08-25:

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.