

Bay County

License Number: 1304670

CARIBE CARIBBEAN CUISINE SPORTS BAR

License Type: Permanent Food Service

2920 THOMAS DR, PANAMA CITY BEACH 32408

Inspection Date: 09/18/2020

Inspection Number: 2981320

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LYNN, NICKOLAS

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. K class extinguisher in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1304303

MCDONALDS #14489

License Type: Permanent Food Service

2319 THOMAS DR, PANAMA CITY BCH 324085803

Inspection Date: 09/17/2020

Inspection Number: 3015143

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LYNN, NICKOLAS

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher outside walk-in cooler in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1502373

BURGER KING #4548

License Type: Permanent Food Service

4704 BABCOCK ST NE, PALM BAY 32905

Inspection Date: 09/16/2020

Inspection Number: 3010596

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SCHOENLY, BARBARA

Violation CodeObservationViolation Citation

47-01-4

Observed frayed/spliced electrical wires. For reporting purposes only. freezer cooks line

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1505528

GOLDEN DRAGON

License Type: Permanent Food Service

291 E EAU GALLIE BLVD, INDIAN HARBOUR BEACH 32937

Inspection Date: 09/15/2020

Inspection Number: 2996742

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HICKS, GEORGE RANDY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Back wall by rear door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1621007	DWIKEYS SOUSE HOUSE LLC		
License Type: Permanent Food Service	6813 PEMBROKE RD, PEMBROKE PINES 33023		
Inspection Date: 09/16/2020	Inspection Number: 2989920	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: GANPAT, INDAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 1625108	26TH DEGREE BREWING COMPANY		
License Type: Permanent Food Service	2600 E ATLANTIC BLVD, POMPANO BEACH 33062		
Inspection Date: 09/15/2020	Inspection Number: 3041383	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BURGRABE, BROCK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

License Number: 1621480	DUNKIN PC#341233		
License Type: Permanent Food Service	5021 S SR 7 #201, DAVIE 33314		
Inspection Date: 09/15/2020	Inspection Number: 3002083	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LEWIS, LYNDEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 1624964	SIR KALI		
License Type: Permanent Food Service	4670 NW 9 CT, PLANTATION 33317		
Inspection Date: 09/15/2020	Inspection Number: 3014580	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROSE, MONIQUE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Collier County

License Number: 2102605

CHINA PLACE

License Type: Permanent Food Service

4631 TAMIAMI TRL N, NAPLES 34103

Inspection Date: 09/18/2020

Inspection Number: 3008970

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: PENN, BRIAN

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Large extinguisher by back door. - From follow-up inspection 2020-09-18: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2330395		MIAMI GRILL CATERING	
License Type: Permanent Food Service		2350 W 84 ST #8, HIALEAH 33016	
Inspection Date: 09/17/2020	Inspection Number: 3023845	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CRUZ, EDGAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed two tanks inside. Manager moved the two gas tanks to a cage outside the building. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2359375		SALLY'S FOOD TRUCK	
License Type: Mobile Food Dispensing Vehicle		29639 SW 158 PL, HOMESTEAD 33033	
Inspection Date: 09/11/2020	Inspection Number: 1231401	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, RICARDO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2358967		LA ROCA FOODS	
License Type: Mobile Food Dispensing Vehicle		1860 NW 17 AVE, MIAMI 33125	
Inspection Date: 09/16/2020	Inspection Number: 1228912	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: MARTIN, RAUL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Operator replaced at time of inspection **Corrective Action Taken**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332405		LITTLE CAESARS PIZZA	
License Type: Permanent Food Service		827 SW 8 AVE, MIAMI 33130	
Inspection Date: 09/18/2020	Inspection Number: 3009947	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2318252		CAMILA'S RESTAURANT	
License Type: Permanent Food Service		129 SE 1 AVE, MIAMI 331311001	
Inspection Date: 09/15/2020	Inspection Number: 3009042	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: HENLEY, LATONYA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Second floor: cart with cutting boards blocking the door. Operator moved the cart. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2314774		THE RICKENBACKER	
License Type: Permanent Food Service		3900 NW 21 ST, MIAMI 33142	
Inspection Date: 09/16/2020	Inspection Number: 2987303	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Observed fire extinguisher on floor not properly mounted at designated area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2335992		LA QUINTA INN & SUITES #4040	
License Type: Permanent Food Service		3501 NW 42 AVE LEJEUNE RD, MIAMI 33142	
Inspection Date: 09/14/2020	Inspection Number: 3031698	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current/expired insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification for both boiler's 135426 & 135427 expired on 8/22/2020	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2300324		MCDONALDS RESTAURANT # 791	
License Type: Permanent Food Service		200 NE 167 STREET, NORTH MIAMI BEACH 33162	
Inspection Date: 09/18/2020	Inspection Number: 3055090	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed garbage bin blocking door. Employee removed garbage bin. **Corrected On-Site** **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Dade County

License Number: 2331139

MIAMI SPRINGS GOLF AND COUNTRY CLUB

License Type: Permanent Food Service

650 CURTISS PARKWAY, MIAMI SPRINGS 33166

Inspection Date: 09/17/2020

Inspection Number: 2995199

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HERNANDEZ, NILYAM

Violation CodeObservationViolation Citation

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only. Observed garbage can stored covering fire extinguisher in bar area. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2330543

MOE'S SOUTHWEST GRILL #44

License Type: Permanent Food Service

10660 NW 19TH STREET, MIAMI 33172

Inspection Date: 09/16/2020

Inspection Number: 2993813

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2315581

BURGER KING 2531

License Type: Permanent Food Service

955 SW 107 AVE, MIAMI 331742504

Inspection Date: 09/16/2020

Inspection Number: 3002876

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in recharge zone located in front of walk in cooler. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2334335

GRAZIANO'S

License Type: Permanent Food Service

11421 & 11415 NW 41 STREET, DORAL 33178

Inspection Date: 09/14/2020

Inspection Number: 3018559

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: JA DE DIOS, YANLEE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Flagler County

License Number: 2800618

FLAGLER FISH COMPANY

License Type: Permanent Food Service

180 S DAYTONA AVE, FLAGLER BEACH 32136

Inspection Date: 09/15/2020

Inspection Number: 3052947

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: LOPEZ, ALEX

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Establishment has large 20 pound propane cylinder in adjacent addition.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4607229

ANTOJITOS Y MAS!

License Type: Permanent Food Service

27030 OLD 41 RD, BONITA SPRINGS 34135

Inspection Date: 09/15/2020

Inspection Number: 3053897

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: FERRY, WILLIAM

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301694

FAJITA BURRITO LLC

License Type: Permanent Food Service

3181 NW FEDERAL HWY, JENSEN BEACH 34957

Inspection Date: 09/14/2020

Inspection Number: 3026603

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Admin. complaint recommended

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. In kitchen and by back door. - From follow-up inspection 2020-09-14: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5350322

SUNSET SLIDERS

License Type: Mobile Food Dispensing Vehicle

3268 SE GOLDEN GATE AVE, STUART 34997

Inspection Date: 09/16/2020

Inspection Number: 1229105

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HORTON, TIMOTHY

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Counter top friers.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Nassau County

License Number: 5500981

FIVE.5 GRILLE

License Type: Permanent Food Service

551856 US 1 #110, HILLIARD 32046

Inspection Date: 09/15/2020

Inspection Number: 3024674

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5813703		GATORS DOCKSIDE	
License Type: Permanent Food Service		45 W CRYSTAL LAKE ST #176, ORLANDO 32806	
Inspection Date: 09/14/2020	Inspection Number: 3053707	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PLEICONES, KIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit door by east side of cook line is blocked by beer kegs **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5810143		PANERA BREAD 3318	
License Type: Permanent Food Service		7826 W SANDLAKE RD, ORLANDO 32819	
Inspection Date: 09/18/2020	Inspection Number: 3001739	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: BACHOO, SAVITRI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2020-09-18: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5810736		WORLD TRADING GROUP USA	
License Type: Permanent Food Service		6227 INTERNATIONAL DR, ORLANDO 32819	
Inspection Date: 09/15/2020	Inspection Number: 3033563	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Orange County

License Number: 5813847

RED ROBIN GOURMET BURGERS & BREWS

License Type: Permanent Food Service

6871 S SEMORAN BLVD, ORLANDO 32822

Inspection Date: 09/17/2020

Inspection Number: 3018018

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: RULLAN, ALFONSO

Violation CodeObservationViolation Citation

46-01-4 - From initial inspection : Marked exit/path to marked exit blocked. Emergency exit by bar area, blocked with unused chairs. For reporting purposes only. - From follow-up inspection 2020-09-17: **Time Extended**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

46-01-4 Marked exit/path to marked exit blocked. Emergency exit by bar area, blocked with unused chairs. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5808157

TRATTORIA AL FORNO

License Type: Permanent Food Service

2101 N EPCOT RESORT BLVD, BAY LAKE 32830

Inspection Date: 09/18/2020

Inspection Number: 3055070

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation CodeObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certification 5/10/2020 has expired Chef Andy notify engineering department.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Palm Beach County

License Number: 6022113	JO BISTRO		
License Type: Permanent Food Service	1800 FOREST HILL BLVD, BAY B16, WEST PALM BEACH	33406	
Inspection Date: 09/16/2020	Inspection Number: 3025850	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: KAMM, DARYL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6021252	DUNKIN DONUTS		
License Type: Permanent Food Service	13889 WELLINGTON TRACE STE A7, WELLINGTON	33414	
Inspection Date: 09/16/2020	Inspection Number: 2994592	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LANZALOTTO, JR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked by a speed rack. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 6008907	TACO BELL #123		
License Type: Permanent Food Service	865 S MAIN ST, BELLE GLADE	33430	
Inspection Date: 09/18/2020	Inspection Number: 2988975	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LANZALOTTO, JR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed a chair and vacuum blocking the back door emergency exit. Operator moved the items. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Pasco County

License Number: 6113036

WOLFS DEN

License Type: Permanent Food Service

27607 SR 56 #110, WESLEY CHAPEL 33544

Inspection Date: 09/17/2020

Inspection Number: 3054629

Inspection Type: Routine - Food

Inspection Disposition: Emergency
Order Callback Complied

Inspector Name: AIELLO, ROCCI

Violation Code

Observation

Violation Citation

45-02-4 - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Next to front door - From follow-up inspection 2020-09-17: Not done yet **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Next to front door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217177

RUTH'S CHRIS STEAK HOUSE

License Type: Permanent Food Service

131 2 AVE N, ST. PETERSBURG 33701

Inspection Date: 09/15/2020

Inspection Number: 3054107

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: VALENCIA, ASHLEY

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Flat top used to sear tuna with canola oil **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6218049

HOOTS

License Type: Permanent Food Service

204 1 AVENUE NORTH, ST. PETERSBURG 33701

Inspection Date: 09/15/2020

Inspection Number: 2990397

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: VALENCIA, ASHLEY

Violation CodeObservationViolation Citation

49-05-4

Increase in seating from 0 to 28. For reporting purpose only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217608

GRAIN & BERRY

License Type: Permanent Food Service

33840 US 19 N, PALM HARBOR 34684

Inspection Date: 09/14/2020

Inspection Number: 3001378

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Back kitchen area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Polk County

License Number: 6308528

NINETEEN61

License Type: Permanent Food Service

215 EAST MAIN STREET, LAKE LAND 33801

Inspection Date: 09/15/2020

Inspection Number: 3054073

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BEAULIEU, STEPHANIE

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
K fire extinguisher in recharge zone by back prep station across from ovens under first aid box.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6905294

EL FUEGO LATINO

License Type: Permanent Food Service

677 HUNT CLUB BLVD, LONGWOOD 32779

Inspection Date: 09/18/2020

Inspection Number: 3026395

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GUTTERMAN, KENNETH

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Operator has small table top fryer in back corn of kitchen area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6602787

SAMUNPRAI THAI RESTAURANT

License Type: Permanent Food Service

4903 S US 1, FORT PIERCE 34982

Inspection Date: 09/16/2020

Inspection Number: 3012282

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Admin. complaint recommended

Inspector Name: HARROD, JESSICA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-04-4	- From initial inspection : Flammables stored/debris present in laundry room. For reporting purposes only. Pressure washer with gas can stored in employee restroom. - From follow-up inspection 2020-09-16: **Time Extended**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.
49-04-4	Flammables stored/debris present in laundry room. For reporting purposes only. Pressure washer with gas can stored in employee restroom.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.