

Bay County

License Number: 1305392

DICK'S LAST RESORT

License Type: Permanent Food Service

16210 FRONT BEACH RD, PANAMA CITY BEACH 32413

Inspection Date: 01/08/2021

Inspection Number: 3074821

Inspection Type: Complaint Full

Inspection Disposition: Administrative complaint recommended

Inspector Name: LYNN, NICKOLAS

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher near server station make table in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Bradford County

License Number: 1400206

KRYSTAL

License Type: Permanent Food Service

582 N TEMPLE AVE, STARKE 32091

Inspection Date: 01/08/2021

Inspection Number: 3050935

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: DOTY, JOSEPH

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Fire extinguisher near ice machine

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1622992 TIJUANA FLATS BURRITO CO
 License Type: Permanent Food Service 12598 PINES BLVD #106, PEMBROKE PINES 33027

Inspection Date: 01/08/2021 Inspection Number: 3047920 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MARTINEZ, RHEANNE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed fire extinguisher by rear kitchen door in recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1618058 JRM CARIBBEAN CUISINE
 License Type: Permanent Food Service 1519 NE 4 AVE, FORT LAUDERDALE 33304

Inspection Date: 01/04/2021 Inspection Number: 3072020 Inspection Type: Routine - Food Inspection Disposition: Emergency order recommended
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked by take out containers. Operator removed and cleared exit. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
47-01-4	Observed spliced electrical wires next to television in dining room. Inspector will send inspection report to Fire Marshall for review. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-01-4	- From initial inspection : Observed spliced electrical wires next to television in dining room. Inspector will send inspection report to Fire Marshall for review. For reporting purposes only. - From follow-up inspection 2021-01-05: Observed spliced electrical wires next to television in dining room. Inspector will send inspection report to Fire Marshall for review. For reporting purposes only. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1612991 PEOPLES CHOICE RESTAURANT
 License Type: Permanent Food Service 1431 NW 31 AVE, FORT LAUDERDALE 33311-5000

Inspection Date: 01/05/2021 Inspection Number: 3056739 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MATTIELLO-ATASSI, MARIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. At Extinguisher by reach in freezer in kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Clay County

License Number: 2001222

PANERA BREAD 1182

License Type: Permanent Food Service

1510 COUNTY RD 220, FLEMING ISLAND 32003

Inspection Date: 01/08/2021

Inspection Number: 3051533

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

45-01-4

Fire alarm panel reading/in trouble. For reporting purposes only.
Fire panel in office is reading trouble, per manager they area aware and have notified technician for service.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2335640		CILANTRO AND LIMES	
License Type: Permanent Food Service		941 W PALM DR STE 7 AND 8, FLORIDA CITY 33034	
Inspection Date: 01/06/2021	Inspection Number: 3040662	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LEIDECKER, EDILMA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. Observed exit door locked at kitchen area. **Repeat Violation**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2324416		TAVERNA	
License Type: Permanent Food Service		719 LINCOLN RD, MIAMI BEACH 33139	
Inspection Date: 01/04/2021	Inspection Number: 3073971	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only, located near front entrance of restaurant establishment. Propane tanks were removed. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2334027		PLATE	
License Type: Permanent Food Service		2105 CORAL WAY, MIAMI 33145	
Inspection Date: 01/05/2021	Inspection Number: 3050629	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: GARCIA, B OSCAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. **Warning**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2335234		PIZZA NAPOLITANO	
License Type: Permanent Food Service		8481 NW S RIVER DR, MEDLEY 33166	
Inspection Date: 01/06/2021	Inspection Number: 3056678	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed small fryer on prep table inside kitchen being used with no hood suppression system. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2328532

PEKING ONE

License Type: Permanent Food Service

16229 SW 88 ST, MIAMI 33196

Inspection Date: 01/07/2021

Inspection Number: 3053952

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ELDER, AUDREY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Located next to back kitchen exit door. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2614674 BEST TASTE JAMAICAN & AMERICAN RESTAURANT
 License Type: Permanent Food Service 5045 SOUDEL DR STE 18, JACKSONVILLE 32208

Inspection Date: 01/04/2021 Inspection Number: 3051028 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. Back screen door near rear exit door.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2615897 DIAMOND LOUNGE
 License Type: Permanent Food Service 10749 MAIN ST, JACKSONVILLE 32218

Inspection Date: 01/05/2021 Inspection Number: 3047110 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Door in kitchen is blocked by large black bar. **Repeat Violation**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Gas tank inside kitchen for grill inside kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2612377 CASA LEON MEXICAN RESTAURANT
 License Type: Permanent Food Service 2260 MAYPORT RD, JACKSONVILLE 32233

Inspection Date: 01/04/2021 Inspection Number: 3010706 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ARMSTRONG, RICO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Person in charge removed propane tank from inside establishment. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3918046

CROWN AFFAIR

License Type: Permanent Food Service

4606 W BOY SCOUT BLVD, TAMPA 33607

Inspection Date: 01/07/2021

Inspection Number: 3071566

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning Issued

Inspector Name: CANNELLA, MARK

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. K class fire extinguisher on floor by back door .

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4606301

FIRST STREET RESTAURANT & BAR

License Type: Permanent Food Service

2236 FIRST STREET, FORT MYERS 33901

Inspection Date: 01/08/2021

Inspection Number: 2992877

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: WALTER, KAYLA

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 3 propane tanks stored in dining area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Leon County

License Number: 4703682

CHECKERS RESTAURANT

License Type: Permanent Food Service

3111 MAHAN DR, TALLAHASSEE 32308

Inspection Date: 01/07/2021

Inspection Number: 3012244

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: YANDELL, TIMOTHY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By entry door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5202985 SYMMETRY COFFEE & CRÊPES
 License Type: Permanent Food Service 108 N MAGNOLIA AVE SUITE 102, OCALA 34475

Inspection Date: 01/06/2021 Inspection Number: 3060750 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GRODEWALD, PAUL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 2 propane tanks stored in dry storage.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5203068 HIATUS BREWING COMPANY
 License Type: Permanent Food Service 6230 SW HWY 200 STE 4 & 5, OCALA 34476

Inspection Date: 01/08/2021 Inspection Number: 3059517 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GRODEWALD, PAUL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Two propane tanks next to back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6020002

H J O'CONNOR'S INC

License Type: Permanent Food Service

210 NE 2 ST, DELRAY BEACH 33444

Inspection Date: 01/06/2021

Inspection Number: 3009737

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOODWIN, NICHOLAS

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 2 counter top fryers being used with no hood suppression system

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6113071

BURGER MONGER

License Type: Permanent Food Service

1656 BRUCE B DOWNS BLVD, WESLEY CHAPEL 33543

Inspection Date: 01/06/2021

Inspection Number: 3043009

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: COLE, GABRIELLE

Violation CodeObservationViolation Citation

45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By hand wash sink in back of kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
---------	--	---

License Number: 6113117

SLICE OF LIFE PIZZERIA

License Type: Permanent Food Service

9123 LITTLE RD, NEW PORT RICHEY 34654

Inspection Date: 01/04/2021

Inspection Number: 2987336

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Extension given, pending

Inspector Name: TORRACO, MARIANNE

Violation CodeObservationViolation Citation

49-04-4	- From initial inspection : Operator increased restaurant size by obtaining the unit next store to original unit. 2 bathrooms were added, additional seating, coffee bar area and increase in walk in cooler . Seating increased to 86. - From follow-up inspection 2021-01-04: Plans have been submitted and approved but operator has not completed all requirements for the Fire Marshall. Reviewed with Senior Inspector Michele Dahl , 30 days extension given. **Time Extended**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.
---------	--	--

Pinellas County

License Number: 6212607

LARGO PIZZA LLC

License Type: Permanent Food Service

11411 STARKEY DR #5, LARGO 33773

Inspection Date: 01/07/2021

Inspection Number: 3046880

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: LOZANO, KELVIN

Violation Code

Observation

Violation Citation

49-05-4

Increase in seating from 0 to 3 seats.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6500513 BEACHCOMBER RESTAURANT
 License Type: Permanent Food Service 2 A ST, SAINT AUGUSTINE BEAC 32080

Inspection Date: 01/04/2021 Inspection Number: 3056346 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: FRANCO, RICHARD

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher next to kitchen entrance has gauge needle in the red.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6502331 GREAT AMERICAN COOKIES MARBLE SLAB CREAMERY
 License Type: Permanent Food Service 935 DURBIN PAVILION DRIVE, SUITE 102, ST. JOHNS 32259

Inspection Date: 01/07/2021 Inspection Number: 3033081 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by equipment.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7405261

DELICIAS CENTROAMERICANAS LLC

License Type: Permanent Food Service

722 MASON AVE, DAYTONA BEACH 32117

Inspection Date: 01/07/2021

Inspection Number: 3062313

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7407052

STEVE'S FAMOUS DINER

License Type: Permanent Food Service

2011 NORTH ATLANTIC AVENUE, DAYTONA BEACH 32118

Inspection Date: 01/06/2021

Inspection Number: 3055125

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WOOD, JUSTIN

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Next to prep sink in dishware area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.