

Alachua County

License Number: 1103413

SOHAO STREET FARE CAFE

License Type: Permanent Food Service

3045 SW 34 ST STE 16, GAINESVILLE 32608

Inspection Date: 01/25/2021

Inspection Number: 3034267

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PACE, PATRICK

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Emergency exit in small hallway near guest restrooms. Large number of items of varied size stored in area. To reach marked exit, multiple items must be stepped over and around.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Brevard County

License Number: 1500346

MCDONALD'S #669

License Type: Permanent Food Service

25 W HIBISCUS BLVD, MELBOURNE 32901

Inspection Date: 01/25/2021

Inspection Number: 3075936

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MITTEN, JAMES

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Emergency exit blocked by cart **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1500020

SLOW & LOW BBQ

License Type: Permanent Food Service

306 N. ORLANDO AVE., COCOA BEACH 32931

Inspection Date: 01/27/2021

Inspection Number: 3059205

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HICKS, GEORGE RANDY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. In office. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1612654

RED LOBSTER #0424

License Type: Permanent Food Service

296 N UNIVERSITY DR, PEMBROKE PINES 33024

Inspection Date: 01/29/2021

Inspection Number: 3056710

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: FEIGELES, MITCHELL

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. **Repeat Violation**61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1625168

1 MORE BITE CATERING

License Type: Permanent Food Service

4072 NE 5 TERR, OAKLAND PARK 33334

Inspection Date: 01/26/2021

Inspection Number: 3076067

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: BRANN, JUSTIN

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside
of the building. For reporting purposes only.
Observed approximately 8 propane tanks inside building next to rear exit door.
Inspector will email this report to Fire Marshall for review.509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

Clay County

License Number: 2001424

DAQ SHACK & PACKAGE STORE

License Type: Permanent Food Service

1754 WELLS RD, ORANGE PARK 32073

Inspection Date: 01/27/2021

Inspection Number: 3061431

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Four propane tanks stored in dry storage area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2359375		SALLYS FOOD TRUCK	
License Type: Mobile Food Dispensing Vehicle		29639 SW 158 PL, HOMESTEAD 33033	
Inspection Date: 01/28/2021	Inspection Number: 1231478	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: GONZALEZ, RICARDO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2335608		LENNOX MIAMI/PREP KITCHEN	
License Type: Permanent Food Service		1900 COLLINS AVE, MIAMI BEACH 33139	
Inspection Date: 01/26/2021	Inspection Number: 3076068	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. No boiler certificates provided for jurisdiction number's 095921 and 095920. Boiler Service Date completed on 12/3/2020, establishment waiting for certificates, expiration date not observed.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2335615		LENNOX MIAMI	
License Type: Permanent Food Service		1900 COLLINS AVE, MIAMI BEACH 33139	
Inspection Date: 01/26/2021	Inspection Number: 3076069	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. No boiler certificates provided for jurisdiction number's 095921 and 095920. Boiler Service Date completed on 12/3/2020, establishment waiting for certificates, expiration date not observed.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2336334		9BEACH LATIN RESTAURANT	
License Type: Permanent Food Service		1628 COLLINS AVE, MIAMI BEACH 33139	
Inspection Date: 01/28/2021	Inspection Number: 3034744	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Dade County

License Number: 2336462

PINK TACO

License Type: Permanent Food Service

1200 OCEAN DRIVE, MIAMI BEACH 33139

Inspection Date: 01/25/2021

Inspection Number: 3043613

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WILLIAMS, ALFREDA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near ware wash area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2331952

CHERY'S RESTAURANT

License Type: Permanent Food Service

12781 W DIXIE HWY, MIAMI 33161

Inspection Date: 01/26/2021

Inspection Number: 3052728

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SUAREZ, LEOPOLDO

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. A/C unit on hallway to the restroom, it's blocking half of the access to the restroom.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed. Propane tank inside kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2324832

POLLO TROPICAL 8

License Type: Permanent Food Service

4211 NW 36 ST, MIAMI SPGS 331667301

Inspection Date: 01/29/2021

Inspection Number: 3044996

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed garbage can blocking back exit door.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2335448

VICKY CAFE DORAL

License Type: Permanent Food Service

10740 NW 74 ST, DORAL 33178

Inspection Date: 01/27/2021

Inspection Number: 3054180

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: JA DE DIOS, YANLEE

Violation Code

Observation

Violation Citation

46-04-4 Exit door locked. For reporting purposes only. Tray holder, boxes. **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Duval County

License Number: 2613625

LITTLE JOE'S CAFE BY AKEL'S

License Type: Permanent Food Service

245 RIVERSIDE AVENUE #195, JACKSONVILLE 32202

Inspection Date: 01/28/2021

Inspection Number: 3058053

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Cooking eggs and frying chicken

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614119

HOMEWOOD SUITES BY HILTON JACKSONVILLE DOWNTOWN SOUTHBANK

License Type: Permanent Food Service

1201 KINGS AVE, JACKSONVILLE 32207

Inspection Date: 01/27/2021

Inspection Number: 3054346

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Admin. complaint recommended

Inspector Name: YOUNG, JENNIFER

Violation CodeObservationViolation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificates expired 10/18/19 - From follow-up inspection 2021-01-27: No change **Time Extended**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2615785

HIGHTIDE BURRITO

License Type: Permanent Food Service

4591 LAKESIDE DR #107, JACKSONVILLE 32210

Inspection Date: 01/29/2021

Inspection Number: 3057202

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MERCER, THOMAS

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 2 empty tanks for outside heaters.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Flagler County

License Number: 2800798

EL POLLO COLORAO

License Type: Permanent Food Service

227 ST JOES PLAZA DR STE A, PALM COAST 32164

Inspection Date: 01/26/2021

Inspection Number: 3062374

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Two small fryers placed outside hood site. (next to existing fryer which has adequate hood protection.) - From follow-up inspection 2021-01-26:
At callback : time needed to review. **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Gadsden County

License Number: 3000354

EL TAMAULIPECO

License Type: Permanent Food Service

40 PAVILION DRIVE, QUINCY 32351

Inspection Date: 01/26/2021

Inspection Number: 3029361

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: YANDELL, TIMOTHY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Entry door to kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Highlands County

License Number: 3800947

SEBRING DINER

License Type: Permanent Food Service

4040 US HWY 27 S, SEBRING 33870

Inspection Date: 01/28/2021

Inspection Number: 3064611

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

46-04-4 Exit door locked. For reporting purposes only. Observed heavy metal lever type locking device on freezer door. No way to open from inside if lever falls shut.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hillsborough County

License Number: 3918701	TAMPA MIDTOWN ALOFT & ELEMENT/FLR 6
License Type: Permanent Food Service	3650 MIDTOWN DR, TAMPA 33607
Inspection Date: 01/27/2021	Inspection Number: 3065198
Inspector Name: CANNELLA, MARK	Inspection Type: Food-Licensing Inspection
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.
	<u>Violation Citation</u>
	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 3918702	TAMPA MIDTOWN ALOFT & ELEMENT/FLR 7
License Type: Permanent Food Service	3650 MIDTOWN DR, TAMPA 33607
Inspection Date: 01/27/2021	Inspection Number: 3065200
Inspector Name: CANNELLA, MARK	Inspection Type: Food-Licensing Inspection
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.
	<u>Violation Citation</u>
	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 3910362	CHECKERS
License Type: Permanent Food Service	7545 W HILLSBOROUGH AVE, TAMPA 33615
Inspection Date: 01/26/2021	Inspection Number: 2986756
Inspector Name: EHLERS, MICHAEL	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By soda rack.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3918229	CUBAN FOODIES
License Type: Permanent Food Service	13855 W HILLSBOROUGH AVE, TAMPA 33635
Inspection Date: 01/29/2021	Inspection Number: 3040025
Inspector Name: EHLERS, MICHAEL	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lake County

License Number: 4508520

KALUA BEACH BAR

License Type: Permanent Food Service

181 S JOANNA, TAVARES 32778

Inspection Date: 01/27/2021

Inspection Number: 3060929

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONNOLLY, MADELINE

Violation Code

Observation

Violation Citation

47-01-4

Observed frayed/spliced electrical wires. For reporting purposes only in side door way of walk in freezer.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5603986

TOWNE PLACE SUITES

License Type: Permanent Food Service

843 EGLIN PARKWAY, FORT WALTON BEACH 32547

Inspection Date: 01/28/2021

Inspection Number: 3029644

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BURROUGHS, RICHARD

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
 For reporting purposes only.
 - establishment has 3 boilers and all 3 certificates are expired: 130385, 11/27/2019; 130386, 11/27/2019; 130387, 11/27/2019.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation
 - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Orange County

License Number: 5811180

THE ALFOND INN CATERING

License Type: Catering

300 EAST NEW ENGLAND AVE, WINTER PARK 32789

Inspection Date: 01/28/2021

Inspection Number: 1117543

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only, certificate not available for (1) boiler

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5813252

THE ALFOND INN

License Type: Permanent Food Service

300 E NEW ENGLAND AVE, WINTER PARK 32789

Inspection Date: 01/28/2021

Inspection Number: 3056813

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only, boiler certificate not available for (1) boiler

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5813268

THE ALFOND INN NOST

License Type: Permanent Food Service

300 NEW ENGLAND AVE, WINTER PARK 32789

Inspection Date: 01/28/2021

Inspection Number: 3056852

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only, certificate for (1) boiler not available

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5811631

CUBABANA'S CAFE

License Type: Permanent Food Service

6760 ALOMA AVE, WINTER PARK 32792

Inspection Date: 01/25/2021

Inspection Number: 3037853

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MONTGOMERY, DOREEN

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814901		PANDA EXPRESS UNIVERSITY AND QUADRANGLE	
License Type: Permanent Food Service		11871 UNIVERSITY BLVD UNIT 100, ORLANDO 32817	
Inspection Date: 01/29/2021	Inspection Number: 3070011	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DIOP, DONALD			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Trash can impeding access. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5814759		PANADERIA EL CAFETAL LLC	
License Type: Permanent Food Service		6125 SOUTH SEMORAN BLVD, SUITE 101 AND 102, ORLANDO 32822	
Inspection Date: 01/25/2021	Inspection Number: 3076037	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, hallway by walk in cooler blocked with pastry carts. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5811067		LEE WESLEY PANDA	
License Type: Permanent Food Service		9250 AIRPORT BLVD, ORLANDO 32827	
Inspection Date: 01/29/2021	Inspection Number: 3044293	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LORENZO, ANA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Palm Beach County

License Number: 6013853

CURLY'S CARIBBEAN FLAVA

License Type: Permanent Food Service

1892 B ABBEY RD, WEST PALM BEACH 33415

Inspection Date: 01/22/2021

Inspection Number: 3053983

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, DENNIS

Violation Code

Observation

Violation Citation

45-01-4 No portable fire extinguisher present. For reporting purposes only. By the smoker in back yard

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6102516

NIKO'S GRILL

License Type: Permanent Food Service

14100 HICKS RD, HUDSON 34669

Inspection Date: 01/25/2021

Inspection Number: 3069544

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: TORRACO, MARIANNE

Violation Code

Observation

Violation Citation

49-04-4

Establishment did not report seating change that affects the license fee, Clean Indoor Air Act, sewage system approval or other related requirements.

49 seats, 28 in booths, 5 at counter
Seating increase form given

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Pinellas County

License Number: 6217224

COURTYARD BY MARRIOTT MADEIRA BEACH

License Type: Permanent Food Service

601 AMERICAN LEGION DRIVE, MADEIRA BEACH 33708

Inspection Date: 01/25/2021

Inspection Number: 3060806

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BEACHAM, MICHELLE

Violation Code

Observation

Violation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only.
To the right of entrance

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Putnam County

License Number: 6400879

THIS & THAT CAFE

License Type: Permanent Food Service

700 ST JOHNS AVE, PALATKA 32177

Inspection Date: 01/25/2021

Inspection Number: 3057712

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DOTY, JOSEPH

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small flat top grill on counter next to oven. Used to cook eggs and heat bacon and sausage. Person in charge stated she has talked to Fire AHJ and they have not come out to inspect **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6903953

REY'S CUBAN CAFE

License Type: Permanent Food Service

7800 US 17-92 S #194, FERN PARK 32730

Inspection Date: 01/14/2021

Inspection Number: 3005407

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LEEMIS, REBECCA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

- no suppression nozzle for added table top fryer under hood

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6905335

ORANGE COUNTY BREWERS

License Type: Permanent Food Service

1117 INTERNATIONAL PKWY STE 1701, LAKE MARY 32746

Inspection Date: 01/27/2021

Inspection Number: 3048734

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GUTTERMAN, KENNETH

Violation CodeObservationViolation Citation

47-01-4

Observed frayed/spliced electrical wires. For reporting purposes only.
Wires hanging not capped off Next to 3 compartment sink

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6905195

THE DISTRICT

License Type: Permanent Food Service

112 W 2ND ST, SANFORD 32771

Inspection Date: 01/26/2021

Inspection Number: 3059188

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ANGEL, TERRY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6905246

CELERY CITY CRAFT

License Type: Permanent Food Service

118 S PALMETTO AVE, SANFORD 32771

Inspection Date: 01/25/2021

Inspection Number: 3046745

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: ANGEL, TERRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment uses table top fryers. Notified Dan Taylor, Sanford Fire Inspector. Voice Mail. 407-562-2788.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment uses table top fryers. Notified Dan Taylor, Sanford Fire Inspector. Voice Mail. 407-562-2788. - From follow-up inspection 2021-01-26:	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6605116

JBG'S RESTAURANT

License Type: Permanent Food Service

901 AVE D, FORT PIERCE 34950

Inspection Date: 01/29/2021

Inspection Number: 3065933

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HARROD, JESSICA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 3 fryers on table tin and on stove top on top of warning table. Called local fire Authority and spoke with Kelly she will be sending someone out today.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6602881

MALAIKA CARIBBEAN CUISINE AND BAKERY

License Type: Permanent Food Service

658 SW PORT SAINT LUCIE BLVD, PORT ST LUCIE 34953

Inspection Date: 01/27/2021

Inspection Number: 3058124

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HARROD, JESSICA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. By bread racks in kitchen

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7402552

JBS FISH CAMP

License Type: Permanent Food Service

859 POMPANO AVE, NEW SMYRNA BEACH 32169

Inspection Date: 01/27/2021

Inspection Number: 3048188

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PICHARDO, RENEE

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Verified current certificates on <https://www.citizenserve.com/120/CAPFor120?Action=ShowBoilersPage>

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.