

Alachua County

License Number: 1103493

GATOR CHINA

License Type: Permanent Food Service

3307 W UNIVERSITY AVE, GAINESVILLE 32607

Inspection Date: 02/23/2021

Inspection Number: 3061878

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: CASEY, KEITH

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed the silver K class is indicating less than full charge.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103614

RIKINS ROASTED PIGS

License Type: Permanent Food Service

12806 FL 45, ARCHER 32618

Inspection Date: 02/25/2021

Inspection Number: 3052461

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: GRODEWALD, PAUL

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Propane gas tank in kitchen.
Manager moved propane tank outside.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Bradford County

License Number: 1400117

SONNY'S BBQ

License Type: Permanent Food Service

230 TEMPLE AVE, STARKE 32091

Inspection Date: 02/22/2021

Inspection Number: 3061297

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: DOTY, JOSEPH

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Silver fire extinguisher near dish machine area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506313

MOM & POPS BAR AND GRILL

License Type: Permanent Food Service

900 N ATLANTIC AVE STE D, COCOA BEACH 32931

Inspection Date: 02/24/2021

Inspection Number: 3059414

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HICKS, GEORGE RANDY

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. According to State Fire Marshall boiler search report: Jurisdiction 122117 expired 12/7/17 although second boiler 099257 expires 3/17/22. Suggest to contact resort to obtain copy of boiler certificate. **Repeat Violation**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Broward County

License Number: 1617931	954 ULTRA RESTAURANT INC		
License Type: Permanent Food Service	6532 PEMBROKE RD, MIRAMAR 33023		
Inspection Date: 02/22/2021	Inspection Number: 3077774	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Call Back - Complied
Inspector Name: GANPAT, INDAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Ladies restroom light a switch not properly attached/ covered. Bathroom under remodeling at time of inspection. - From follow-up inspection 2021-02-22: Observed same **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 1617348	TACO BELL # 171		
License Type: Permanent Food Service	2466 N SR 7, MARGATE 33063		
Inspection Date: 02/25/2021	Inspection Number: 3078659	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GRAY, ANTHONY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -Observed exit door blocked with boxes. **Corrected On-Site**	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 1624575	J PETAL JAPANESE CREPE AND THAI ICE CREAM		
License Type: Permanent Food Service	1267 N UNIVERSITY DR, CORAL SPRINGS 33071		
Inspection Date: 02/23/2021	Inspection Number: 3063878	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GRAY, ANTHONY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. -Observed a counter top deep fryer in used in prep station. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 1611934	HISTORIC DOWNTOWNER SALOON		
License Type: Permanent Food Service	10 S NEW RIVER DR E, FORT LAUDERDALE 33301		
Inspection Date: 02/22/2021	Inspection Number: 3053509	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: BRANN, JUSTIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Prep area by pass through.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Broward County

License Number: 1620124		CORAL RIDGE YACHT CLUB POINT	
License Type: Permanent Food Service		2800 YACHT CLUB BLVD, FORT LAUDERDALE 33304	
Inspection Date: 02/26/2021	Inspection Number: 3055171	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BRANN, JUSTIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. By triple sink. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1621952		BLUE WATER RESTAURANT AND BAR	
License Type: Permanent Food Service		440 S SEABREEZE BLVD, FORT LAUDERDALE 33316	
Inspection Date: 02/23/2021	Inspection Number: 3067200	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: EVANS, EUGENE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Exp 8/4/2019: 059086 059163, 059083,	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1621955		SEABREEZE POOL BAR	
License Type: Permanent Food Service		440 S SEABREEZE BLVD, FORT LAUDERDALE 33316	
Inspection Date: 02/23/2021	Inspection Number: 3067199	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: EVANS, EUGENE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Exp 8/4/2019: 059086 059163, 059083, **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1623647		COURTYARD FT LAUDERDALE BEACH	
License Type: Permanent Food Service		440 S SEABREEZE BLVD, FORT LAUDERDALE 33316	
Inspection Date: 02/23/2021	Inspection Number: 3024327	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: EVANS, EUGENE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Exp 8/4/2019: 059086 059163, 059083, **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Clay County

License Number: 2001389

SAIGON WOK

License Type: Permanent Food Service

1810 TOWN CENTER BLVD STE 5, FLEMING ISLAND 32003

Inspection Date: 02/23/2021

Inspection Number: 3062159

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: BIAVA, GRANT

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Extinguisher near entrance to bathrooms in dining area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2001008

CHINA WOK

License Type: Permanent Food Service

1305 N ORANGE AVE STE 127, GREEN COVE SPRINGS 32043

Inspection Date: 02/22/2021

Inspection Number: 3063974

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: BIAVA, GRANT

Violation CodeObservationViolation Citation

45-01-4

Fire alarm panel in trouble mode/sounding alarm. For reporting purposes only.
Fire alarm panel of rear exit to kitchen on Pan Asian side is sounding alarm for what appears to be for a pull station, per manager this is the panel for the entire strip mall and it constantly goes off, no visible signs of pulled fire alarms in establishment

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2328518		ESTHER'S RESTAURANT	
License Type: Permanent Food Service		17751 NW 27 AVE, MIAMI GARDENS 33056	
Inspection Date: 02/25/2021	Inspection Number: 3074233	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. With cardboard boxes.	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2334808		NANCY	
License Type: Permanent Food Service		2007 SW 8 ST, MIAMI 33135	
Inspection Date: 02/26/2021	Inspection Number: 3061397	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GARCIA, B OSCAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	cooking equipment with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2333138		HOLIDAY INN HOTEL 4TH FLOOR	
License Type: Permanent Food Service		4333 COLLINS AVE, MIAMI BEACH 33140	
Inspection Date: 02/24/2021	Inspection Number: 3066194	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed expired certificates from 2/11/2021, as per Chief Engineering the inspection was done already, just waiting for the report and the certificates.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2332014		D¿LITE BISTRO & BAKERY	
License Type: Permanent Food Service		180 GRANDON BLVD #101-102, KEY BISCAYNE 33149	
Inspection Date: 02/24/2021	Inspection Number: 3049251	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SANCHEZ, JAVIER			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located in the kitchen area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2333590

KAZUMI

License Type: Permanent Food Service

260 CRANDON BLVD #16, KEY BISCAWAYNE 33149

Inspection Date: 02/26/2021

Inspection Number: 3060866

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SANCHEZ, JAVIER

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed two LP tanks inside of the lobby.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2331952

CHERY'S RESTAURANT

License Type: Permanent Food Service

12781 W DIXIE HWY, MIAMI 33161

Inspection Date: 02/25/2021

Inspection Number: 3052728

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Complied

Inspector Name: SUAREZ, LEOPOLDO

Violation CodeObservationViolation Citation

46-01-4

- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. A/C unit on hallway to the restroom, it's blocking halfway of the access to the restroom. - From follow-up inspection 2021-02-25: On 2/25/2021 at the time of callback inspection observed Marked exit/path to marked exit blocked. For reporting purposes only. A/C unit on hallway to the restroom, it's blocking halfway of the access to the restroom. **Time Extended**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

48-04-4

- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed. Propane tank inside kitchen. - From follow-up inspection 2021-02-25: Propane On 2/25/2021 at the time of callback inspection observed tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed. Propane tank inside kitchen. **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2314350

MARIACHI CHAPIN RESTAURANT

License Type: Permanent Food Service

10827 SW 40 ST, MIAMI 33165

Inspection Date: 02/23/2021

Inspection Number: 3064960

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CABANAS, NATALIE

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2329026

EL TAMBO GRILL

License Type: Permanent Food Service

7118 SW 117TH AVE, MIAMI 33183

Inspection Date: 02/22/2021

Inspection Number: 3070867

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ELDER, AUDREY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Located at kitchen entrance.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2608044

KRYSTAL

License Type: Permanent Food Service

5814 NORMANDY BLVD, JACKSONVILLE 32205

Inspection Date: 02/22/2021

Inspection Number: 3078249

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By ice machine **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615217

THE STOUT SNUG

License Type: Permanent Food Service

1198 EDGEWOOD AVE S, JACKSONVILLE 32205

Inspection Date: 02/24/2021

Inspection Number: 3078410

Inspection Type: Complaint Full

Inspection Disposition: Administrative complaint recommended

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Ice cream area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615759

SOUTHERN ROOTS

License Type: Permanent Food Service

32 SEMINOLE RD, ATLANTIC BEACH 32233

Inspection Date: 02/24/2021

Inspection Number: 3070695

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, MAYRA

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Back exit door locked.

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hernando County

License Number: 3700323

WILLY'S TROPICAL BREEZE

License Type: Permanent Food Service

PINE ISLAND PARK, BROOKSVILLE 34607

Inspection Date: 02/23/2021

Inspection Number: 3030357

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TORRACO, MARIANNE

Violation Code

Observation

Violation Citation

49-04-4

Establishment did not report seating change that affects the license fee, Clean Indoor Air Act, sewage system approval or other related requirements.
Establishment increased seating without municipal sewer approval. 42 seats
Repeat Violation

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Hillsborough County

License Number: 3913279

WHOLE BODY FUEL

License Type: Catering

1265 KINGSWAY RD, BRANDON 33510

Inspection Date: 02/22/2021

Inspection Number: 1117293

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SANDERS, CLEVELAND

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. K class fire stored on floor .

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3918182

BUBBAQUE'S #7007

License Type: Permanent Food Service

9990 S US HWY 301, RIVERVIEW 33578

Inspection Date: 02/26/2021

Inspection Number: 3069893

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SANDERS, CLEVELAND

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. Red fire extinguisher fell off wall and busted open. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3953058

GIO LATIN GRILL

License Type: Mobile Food Dispensing Vehicle

5224 S DALE MABRY HWY, TAMPA 33611

Inspection Date: 02/22/2021

Inspection Number: 1234169

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: KLUSENDORF, JEANNE

Violation CodeObservationViolation Citation

45-01-4

No portable fire extinguisher present. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3911683

MANGROVES GRILL

License Type: Permanent Food Service

3705 SPECTRUM BLVD, TAMPA 33612

Inspection Date: 02/25/2021

Inspection Number: 3064622

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCINTYRE, REGIS

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Establishment has had boiler inspection, they are waiting on the certificate.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Hillsborough County

License Number: 3917437

TROPICAL CUISINE

License Type: Permanent Food Service

9005 E ADAMO DR #B, TAMPA 33619

Inspection Date: 02/24/2021

Inspection Number: 3078645

Inspection Type: Complaint Full

Inspection Disposition: Administrative
complaint recommended

Inspector Name: COLEMAN, TONYA

Violation CodeObservationViolation Citation

49-05-4

Restaurant increased from 24 to 50 seats.
For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3915657

SPICE KITCHEN

License Type: Permanent Food Service

11653 COUNTRYWAY BLVD, TAMPA 33626

Inspection Date: 02/24/2021

Inspection Number: 3012791

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: EHLERS, MICHAEL

Violation CodeObservationViolation Citation

46-04-4

- From initial inspection : Exit door locked. Marked side exit door blocked by stacks of chairs. For reporting purposes only. - From follow-up inspection 2021-02-24: Still blocked. **Time Extended**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Lee County

License Number: 4606044

LUCIANO'S PIZZA

License Type: Permanent Food Service

728 SW PINE ISLAND RD UNIT 3, CAPE CORAL 33991

Inspection Date: 02/26/2021

Inspection Number: 3050137

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SOMMERS, KARA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5203072

PIE-O-MINE GREENS OCALA

License Type: Permanent Food Service

4414 SW COLLEGE RD STE 316, OCALA 34474

Inspection Date: 02/23/2021

Inspection Number: 3078549

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DRIGGERS, MANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located in hall near restrooms.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Near back door. Moved outside. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301694

FAJITA BURRITO LLC

License Type: Permanent Food Service

3181 NW FEDERAL HWY, JENSEN BEACH 34957

Inspection Date: 02/23/2021

Inspection Number: 3037927

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. One in kitchen and one by back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5319034

FARROS

License Type: Permanent Food Service

514 SE MARTIN LUTHER KING JR BLVD, STUART 34994

Inspection Date: 02/25/2021

Inspection Number: 3068891

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Observed small portable fat fryer on counter outside of hood system.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Observed small portable fat fryer on counter outside of hood system. - From follow-up inspection 2021-02-26: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5815209		THE AXETRAP	
License Type: Permanent Food Service		2600 LEE RD, WINTER PARK 32789	
Inspection Date: 02/26/2021	Inspection Number: 2982849	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MONTGOMERY, DOREEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5814824		LITTLE GREEK FRESH GRILL - SODO	
License Type: Permanent Food Service		3123 S ORANGE AVE STE 106, ORLANDO 32806	
Inspection Date: 02/22/2021	Inspection Number: 3034713	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: PLEICONES, KIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Back kitchen exit door blocked by boxes **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5810227		KFC Y309206	
License Type: Permanent Food Service		7155 S ORANGE BLOSSOM TRL, ORLANDO 32809	
Inspection Date: 02/24/2021	Inspection Number: 3060321	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, with trashcart. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5811858		TACO BELL 23486	
License Type: Permanent Food Service		1500 MCCOY RD, ORLANDO 32809	
Inspection Date: 02/24/2021	Inspection Number: 3058877	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, empty box of oil in front of back emergency exit. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Orange County

License Number: 5804053	WENDY'S #4450		
License Type: Permanent Food Service	11734 E COLONIAL DR, ORLANDO 32817		
Inspection Date: 02/23/2021	Inspection Number: 3053888	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DIOP, DONALD			

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Access to Rear door exit is impeded by rolling cart. **Corrected On-Site**	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5803621	BRISTOL CAFE		
License Type: Permanent Food Service	5750 T G LEE BLVD, ORLANDO 32822		
Inspection Date: 02/26/2021	Inspection Number: 3038304	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Palm Beach County

License Number: 6019891 ROXY'S PUB
 License Type: Permanent Food Service 309 CLEMATIS ST, WEST PALM BEACH 33401

Inspection Date: 02/23/2021 Inspection Number: 3065924 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOLDMAN, BARRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 3 LP tanks stored next to nitrogen generator - operator removed from building. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6019476 HAMPTON INN BREAKFAST
 License Type: Permanent Food Service 1601 WORTHINGTON RD, WEST PALM BEACH 33409

Inspection Date: 02/26/2021 Inspection Number: 3013886 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: DE JESUS, ARLENNY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate expired. For reporting purposes only. Boilers expired B00068068 exp 01/15/2021 & B00067957 exp 01/15/2021	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Pinellas County

License Number: 6217407

HAWKERS ST PETE

License Type: Permanent Food Service

1235 CENTRAL AVE, ST. PETERSBURG 33705

Inspection Date: 02/23/2021

Inspection Number: 3043547

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: RANVILLE, AMANDA

Violation CodeObservationViolation Citation

47-02-4 Observed scorch marks around electrical outlet. For reporting purposes only. On cook line.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

47-02-4 - From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. On cook line. - From follow-up inspection 2021-02-24:

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217994

THE FLORIBBEAN EATERY AND CATERING

License Type: Permanent Food Service

2410 CENTRAL AVE, ST. PETERSBURG 33712

Inspection Date: 02/24/2021

Inspection Number: 3049222

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HOBBS, ANDREW

Violation CodeObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator moved outside **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6215367

PIZZA HUT 4625

License Type: Permanent Food Service

1602 MISSOURI AVE, LARGO 33770

Inspection Date: 02/26/2021

Inspection Number: 3078486

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LANTIGUA, ROBERTO

Violation CodeObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked by trash and boxes. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Polk County

License Number: 6304072

POPEYES

License Type: Permanent Food Service

3815 S FLORIDA AVE, LAKELAND 33813

Inspection Date: 02/22/2021

Inspection Number: 3067097

Inspection Type: Routine - Food

Inspection Disposition: Emergency
Order Callback Not Complied

Inspector Name: BEAULIEU, STEPHANIE

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by back emergency door in recharge zone. Pin and tag were pulled - From follow-up inspection 2021-02-19: still in recharge zone **Time Extended** - From follow-up inspection 2021-02-22: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6802200

DAIQUIRI DECK RAW BAR

License Type: Permanent Food Service

325 JOHN RINGLING BLVD, SARASOTA 34236

Inspection Date: 02/23/2021

Inspection Number: 3054515

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 3 propane tanks stored in the dry storage area. Manager placed the tanks outside. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sumter County

License Number: 7000603

BIG BASS GRILL AND LAKEFRONT RESORT

License Type: Permanent Food Service

965 COUNTY RD 439, LAKE PANASOFFKEE 33538

Inspection Date: 02/23/2021

Inspection Number: 3078293

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: COLE, GABRIELLE

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. By front door and indoor bar.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.