

Alachua County

License Number: 1101623

DIANNE'S OLD TIME BARBEQUE

License Type: Permanent Food Service

US 301, HAWTHORNE 32640

Inspection Date: 03/04/2021

Inspection Number: 3060014

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DOTY, JOSEPH

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Fire extinguisher near ice machine

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1505772

DIVINE GRACE CARIBBEAN RESTAURANT

License Type: Permanent Food Service

214 ERMERSON DR NW STE-5, PALM BAY 32907

Inspection Date: 03/04/2021

Inspection Number: 3063929

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with small fryer replacing broken fryer not properly under hood educated and have place old fryer under hood suppression system. Notified Fire AHJ. Because fryer not sure it's a commercial fryer For reporting purposes only.
Called and left a message for Joy Palm Bay Fire inspector

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1611767		TACO BELL #3898	
License Type: Permanent Food Service		357 W ATLANTIC BLVD, POMPANO BEACH 33060	
Inspection Date: 03/05/2021	Inspection Number: 3067257	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher located next to back door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1614321		MIAMI SUBS #22	
License Type: Permanent Food Service		317 W ATLANTIC BLVD, POMPANO BEACH 33060	
Inspection Date: 03/05/2021	Inspection Number: 3003623	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-01-4	Flammables stored/debris present in meter room. For reporting purposes only. Red gasoline containers containing liquid stored in breaker storage room. Operator removed to outside of building **Corrected On-Site**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.	
License Number: 1624157		JUICE 2 U	
License Type: Permanent Food Service		2101 NW 33RD ST STE 900, POMPANO BEACH 33069	
Inspection Date: 03/02/2021	Inspection Number: 3068456	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher located next to back door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1609624		BAGEL SNACK	
License Type: Permanent Food Service		1237 SW 26 AVE, POMPANO BEACH 33069-4329	
Inspection Date: 03/05/2021	Inspection Number: 3072433	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher located across from ice machine	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Broward County

License Number: 1624589

GRAN FORNO PRONTO

License Type: Permanent Food Service

704 E LAS OLAS BLVD, FORT LAUDERDALE 33301

Inspection Date: 03/04/2021

Inspection Number: 3060339

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BRANN, JUSTIN

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Approximately 4 propane tanks by front door wine area. Inspector will email this inspection report to Fire Marshall for review. ****Corrective Action Taken****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Columbia County

License Number: 2200688

GATOR'S DOCKSIDE LAKE CITY

License Type: Permanent Food Service

313 NW COMMONS LOOP, LAKE CITY 32055

Inspection Date: 03/01/2021

Inspection Number: 3058585

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: BAILEY, KIMBERLY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Large extinguisher next to back door of kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2331214		CHEEN HUAYE SOUTHERN MEXICAN CUISINE	
License Type: Permanent Food Service		15400 BISCAYNE BLVD #118, GOLDEN BEACH 33160	
Inspection Date: 03/05/2021	Inspection Number: 3067503	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed a food cart with beef and other meat and poultry on it, blocking the path marked exit. Chef moved food cart. **Corrected On-Site**	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2328776		SPORTS GRILL	
License Type: Permanent Food Service		11481 SW 40 ST, MIAMI 33165	
Inspection Date: 03/03/2021	Inspection Number: 3072223	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ELDER, AUDREY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near walk in freezer.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332857		A-MARI-MIX	
License Type: Permanent Food Service		9700 SW 24 ST STE D, MIAMI 33165	
Inspection Date: 03/05/2021	Inspection Number: 3072983	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: AZPURUA, JULIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at kitchen area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332709		EL KONUCO CAFETERIA	
License Type: Permanent Food Service		8457 NW 61 ST, MIAMI 33166	
Inspection Date: 03/01/2021	Inspection Number: 3062046	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed propane tank inside room.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Duval County

License Number: 2613576

MOON RIVER PIZZA

License Type: Permanent Food Service

1176 EDGEWOOD AVE S #2, JACKSONVILLE 32205

Inspection Date: 03/01/2021

Inspection Number: 3078874

Inspection Type: Complaint Full

Inspection Disposition: Administrative
complaint recommended

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By
handsink next to triple sink509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

License Number: 2608493

PEPPER POT RESTAURANT

License Type: Permanent Food Service

4233 BRENTWOOD AVE, JACKSONVILLE 322066111

Inspection Date: 03/04/2021

Inspection Number: 3067102

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By rear
door509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

License Number: 2615437

FIT MEALS

License Type: Permanent Food Service

10916-22 ATLANTIC BLVD, JACKSONVILLE 32225

Inspection Date: 03/03/2021

Inspection Number: 3065742

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: THOMAS, PHILIP

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Fire extinguisher on wall next to dish machine has gauge in red zone.509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

Gadsden County

License Number: 3050113

MEADOWS GROCERY AND MARKET

License Type: Mobile Food Dispensing Vehicle

5335 GREENSBORO HWY, QUINCY 32351

Inspection Date: 03/05/2021

Inspection Number: 1233210

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SMITH, PAUL

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3917174

ON A ROLL SUSHI & THAI

License Type: Permanent Food Service

101 N FRANKLIN ST STE C, TAMPA 33602

Inspection Date: 03/04/2021

Inspection Number: 3071679

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: COLEMAN, TONYA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Cooking in back kitchen area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3915657

SPICE KITCHEN

License Type: Permanent Food Service

11653 COUNTRYWAY BLVD, TAMPA 33626

Inspection Date: 03/05/2021

Inspection Number: 3012791

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Admin. complaint recommended

Inspector Name: EHLERS, MICHAEL

Violation CodeObservationViolation Citation

46-04-4

- From initial inspection : Exit door locked. Marked side exit door blocked by stacks of chairs. For reporting purposes only. - From follow-up inspection 2021-02-24: Still blocked. **Time Extended** - From follow-up inspection 2021-03-05: **Time Extended**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Leon County

License Number: 4703835

MIRANDA'S

License Type: Permanent Food Service

5323 W TENNESSEE ST, TALLAHASSEE 32304

Inspection Date: 03/02/2021

Inspection Number: 3071762

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SMITH, PAUL

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5803742	DAIRYQUEEN OF APOPKA		
License Type: Permanent Food Service	803 E SEMORAN BLVD, APOPKA 32703		
Inspection Date: 03/03/2021	Inspection Number: 3054571	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. At the hand wash sink in the kitchen	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5804697	POPEYES LOUISIANA KITCHEN #114		
License Type: Permanent Food Service	402 E MAIN ST, APOPKA 327035352		
Inspection Date: 03/02/2021	Inspection Number: 3050527	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. At the 3 compartment sink	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5807922	RED LOBSTER #0838		
License Type: Permanent Food Service	8003 GOLDEN SKY LN, ORLANDO 32809		
Inspection Date: 03/03/2021	Inspection Number: 3061661	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked with empty boxes. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5810902	HOFFNER CATERING & SUPPLY		
License Type: Catering	4880 B DISTRIBUTION CT UNIT 1-2, ORLANDO 32822		
Inspection Date: 03/05/2021	Inspection Number: 1117529	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Admin. complaint recommended
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ, flat grill on top of prep table across cooking line. For reporting purposes only. - From follow-up inspection 2020-12-30: - From follow-up inspection 2021-03-05: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Orange County

License Number: 5810969

POLLO TROPICAL

License Type: Permanent Food Service

4085 MILLENIA BOULEVARD, ORLANDO 32839

Inspection Date: 03/03/2021

Inspection Number: 3042459

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: FRANZ, LISA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected
On-Site**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5814128

POPEYES LOUISIANA KITCHEN #179

License Type: Permanent Food Service

10923 W COLONIAL DR, OCOEE 34761

Inspection Date: 02/26/2021

Inspection Number: 3047891

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GREENE, MARVIN

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
- extinguisher by hand-sink in ware washing area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6020262		TRINDY GOURMET	
License Type: Permanent Food Service		407 N ROSEMARY AVE, WEST PALM BEACH 33401	
Inspection Date: 03/04/2021	Inspection Number: 3079045	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LANZALOTTO, JR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6000407		THE AMBASSADOR GRILL	
License Type: Permanent Food Service		2730 S OCEAN BLVD, PALM BEACH 33480	
Inspection Date: 03/05/2021	Inspection Number: 3072309	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: AHLE, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 6019497		THE BEACH CLUB	
License Type: Permanent Food Service		755 N COUNTY RD, PALM BEACH 33480	
Inspection Date: 03/04/2021	Inspection Number: 3062398	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: AHLE, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 6000072		THE_BEACH CLUB RESTAURANT	
License Type: Permanent Food Service		755 N COUNTY RD, PALM BEACH 33480-3313	
Inspection Date: 03/04/2021	Inspection Number: 3062676	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: AHLE, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Pasco County

License Number: 6113042

TIJUANA FLATS BURRITO CO

License Type: Permanent Food Service

27709 SR 56 #101, WESLEY CHAPEL 33543

Inspection Date: 03/02/2021

Inspection Number: 3056302

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: COLE, GABRIELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By back exit door. - From follow-up inspection 2021-03-02: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By back exit door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217938

SOUL SICILIAN FUSION

License Type: Permanent Food Service

516 CLEVELAND ST, CLEARWATER 33755

Inspection Date: 03/02/2021

Inspection Number: 3073304

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BENEDICT, TRACY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Propane tank inside building by back door, employee put outside **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Polk County

License Number: 6304072

POPEYES

License Type: Permanent Food Service

3815 S FLORIDA AVE, LAKELAND 33813

Inspection Date: 03/04/2021

Inspection Number: 3067097

Inspection Type: Routine - Food

Inspection Disposition: Emergency
Order Callback Complied

Inspector Name: BEAULIEU, STEPHANIE

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by back emergency door in recharge zone. Pin and tag were pulled - From follow-up inspection 2021-02-19: still in recharge zone **Time Extended** - From follow-up inspection 2021-02-22: **Time Extended** - From follow-up inspection 2021-03-04: Maintenance scheduled **Time Extended** **Corrective Action Taken**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6903550

TIJUANA FLATS #102

License Type: Permanent Food Service

444 S HUNT CLUB BLVD, APOPKA 32703

Inspection Date: 03/03/2021

Inspection Number: 3049356

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Exit/hail way path partial blocked by chairs. Manager moved chairs in front of door. **Corrective Action Taken**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

St. Lucie County

License Number: 6605089

HPG

License Type: Permanent Food Service

31 PIAZZA DR, PORT ST LUCIE 34986

Inspection Date: 03/05/2021

Inspection Number: 3014638

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HYNES, MONICA

Violation Code

Observation

Violation Citation

48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.