

Broward County

License Number: 1623328

VANNUCCHI BROTHERS PIZZERIA

License Type: Permanent Food Service

2725 A HOLLYWOOD BLVD, HOLLYWOOD 33020

Inspection Date: 03/30/2021

Inspection Number: 3061405

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: BARTON, GEOFFREY

Violation CodeObservationViolation Citation

45-02-4 - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher by restroom door to be in discharge range. - From follow-up inspection 2021-03-30: Observed at callback inspection same. **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher by restroom door to be in discharge range.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1624954

JULIA'S KITCHEN

License Type: Permanent Food Service

6747 SUNSET STRIP, SUNRISE 33313

Inspection Date: 03/30/2021

Inspection Number: 3012811

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: ROGERS, VERNEL

Violation CodeObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Main kitchen rear exit door- Observed exit door blocked by mop and mop bucket. Operator moved mop and mop bucket. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2327071

FRITZ & FRANZ BIERHAUS

License Type: Permanent Food Service

60 MERRICK WAY, CORAL GABLES 33134

Inspection Date: 03/30/2021

Inspection Number: 3053911

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GONZALEZ, ALEJANDRO

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2330421

THE RITZ CARLTON SOUTH BEACH DILIDO BEACH

License Type: Permanent Food Service

1 LINCOLN RD, MIAMI BEACH 33139

Inspection Date: 03/29/2021

Inspection Number: 3068056

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: HODGE, KRISTEN

Violation CodeObservationViolation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification number's 094558;094557;094556;094555;094554;094553 All expired 12/11/2020. - From follow-up inspection 2021-03-29: **Time Extended**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Duval County

License Number: 2615511

HEAVEN IN A BOX FOOD FOR THE SOUL

License Type: Permanent Food Service

5150 TIMUQUANA PLAZA STE 19, JACKSONVILLE 32210

Inspection Date: 04/02/2021

Inspection Number: 2994150

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: BIAVA, GRANT

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment using two small fryers on prep table in kitchen not under hood system

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2613067

BAR-B-Q STICKS

License Type: Permanent Food Service

120 1/2 LEMON ST, NEPTUNE BEACH 32266

Inspection Date: 03/30/2021

Inspection Number: 3076883

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GONZALEZ, MAYRA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. There are multiple cooking equipment throughout kitchen without a hood system. There is a lot of smoke in kitchen, and grease buildup on walls and ceiling.
Repeat Violation

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lake County

License Number: 4508747

PIZZANO'S PIZZA & GRINDERZ

License Type: Permanent Food Service

11240 NORTHERN AVE STE 101, LEESBURG 34788

Inspection Date: 03/31/2021

Inspection Number: 3066963

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONNOLLY, MADELINE

Violation Code

Observation

Violation Citation

46-04-4

Exit door locked. For reporting purposes only.
Fire door blocked in kitchen with a in window air conditioning unit, pizza make table and prep table.

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Orange County

License Number: 5803158

GREENHOUSE CAFE

License Type: Permanent Food Service

2300 MAITLAND CENTER PKWY STE 120, MAITLAND 32751

Inspection Date: 04/01/2021

Inspection Number: 3066503

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: LEEMIS, REBECCA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. - stove, griddle, and press added and producing grease laden vapors as evidenced by stained ceiling tiles and vents. Observed operator frying bacon on press. No hood system.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5814943

TABLA WINTER PARK

License Type: Permanent Food Service

216 N PARK AVE SUITE #H, WINTER PARK 32789

Inspection Date: 03/29/2021

Inspection Number: 3067099

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only, propane tank under hand sink inside kitchen by back door, operator removed from building **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5815097

BASHU HOTPOT

License Type: Permanent Food Service

5600 W COLONIAL DR, #103, ORLANDO 32808

Inspection Date: 03/29/2021

Inspection Number: 3065018

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DIOP, DONALD

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Rear exit door. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

License Number: 6215476	NEW CHINA CHINESE RESTAURANT
License Type: Permanent Food Service	5448 58 ST N, KENNETH CITY 33709
Inspection Date: 04/02/2021	Inspection Number: 3069249
Inspector Name: WILMOT, TASHARA	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217242	CEDARS GRILL
License Type: Permanent Food Service	6549 54 AVE N, ST.PETERSBURG 33709
Inspection Date: 03/31/2021	Inspection Number: 3072984
Inspector Name: LOZANO, KELVIN	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. In dry storage room. Operator removed from building. **Corrected On-Site**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216630	ASIAN PEARL OF CLEARWATER LLC
License Type: Permanent Food Service	2551 DREW ST #104, CLEARWATER 33765
Inspection Date: 04/02/2021	Inspection Number: 3071022
Inspector Name: BENEDICT, TRACY	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In recharge next to back door **Repeat Violation**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6207267	JIMMYS FISH HOUSE AND IGUANA BAR
License Type: Permanent Food Service	521 S GULFVIEW BLVD, CLEARWATER BEACH 33767
Inspection Date: 04/02/2021	Inspection Number: 3081301
Inspector Name: LANTIGUA, ROBERTO	Inspection Type: Complaint Full
	Inspection Disposition: Warning Issued
<u>Violation Code</u>	<u>Observation</u>
47-01-4	Observed frayed/spliced electrical wires by cook line where operator said an emergency light used to be. For reporting purposes only.
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6805259

ISLAND HOUSE TAP AND GRILL

License Type: Permanent Food Service

5110 OCEAN BLVD, SARASOTA 34242

Inspection Date: 03/31/2021

Inspection Number: 3054221

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: HOWARTH, ROSALIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2021-03-31: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6903228

PAPA JOHN'S PIZZA #265

License Type: Permanent Food Service

5808 RED BUG LAKE ROAD, WINTER SPRINGS 327085082

Inspection Date: 03/30/2021

Inspection Number: 3076594

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: THORNCROFT, ROBERT

Violation Code

Observation

Violation Citation

47-03-4

Missing cover for a outlet in storage

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6603177

MEATING STREET STEAKHOUSE & SEAFOOD

License Type: Permanent Food Service

10553 MEETING STREET, PORT SAINT LUCIE 34987

Inspection Date: 03/31/2021

Inspection Number: 3080831

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: HYNES, MONICA

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7402665

ORIGINAL FIRST TURN STEAKHOUSE

License Type: Permanent Food Service

5236 S RIDGEWOOD AVE, PORT ORANGE 32127

Inspection Date: 03/30/2021

Inspection Number: 3013974

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only.
Rear excited in dining locked with pad lock.
Manager removed look. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7407147

PLANET PIZZA

License Type: Permanent Food Service

634 E 3 AVE, NEW SMYRNA BEACH 32169

Inspection Date: 04/01/2021

Inspection Number: 3069087

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: PICHARDO, RENEE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Curtain

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.