

Brevard County

License Number: 1505444

BIG ISLAND BURRITO

License Type: Permanent Food Service

814 HWY A1A, INDIALANTIC 32903

Inspection Date: 04/22/2021

Inspection Number: 3073029

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
By ice machine

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1611934

HISTORIC DOWNTOWNER SALOON

License Type: Permanent Food Service

10 S NEW RIVER DR E, FORT LAUDERDALE 33301

Inspection Date: 04/23/2021

Inspection Number: 3053509

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: BRANN, JUSTIN

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only.
 Prep area by pass through. - From follow-up inspection 2021-04-23: Portable fire extinguisher gauge in red zone. For reporting purposes only.
 Prep area by pass through. **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1622824

NEW YORK GRILLED CHEESE CO LLC

License Type: Permanent Food Service

2207 WILTON DR, WILTON MANORS 33305

Inspection Date: 04/19/2021

Inspection Number: 3082821

Inspection Type: Complaint Full

Inspection Disposition: Warning
Issued

Inspector Name: GOODWIN, NICHOLAS

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 4 table top fryers being used without a hood suppression system. Large buildup of grease present on surrounding surfaces

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2336222		EGGS AND BAKERY	
License Type: Permanent Food Service		900 S MIAMI AVE STE 130, MIAMI 33130	
Inspection Date: 04/05/2021	Inspection Number: 3025854	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: CABANAS, NATALIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed establishment has a flat grill, oven and four induction stoves no hood system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2319683		TONY'S TOKYO CUISINE	
License Type: Permanent Food Service		1208 WASHINGTON AVE, MIAMI BEACH 331394614	
Inspection Date: 04/22/2021	Inspection Number: 3077439	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2358572		VY FOOD DESIGN	
License Type: Mobile Food Dispensing Vehicle		10470 SW 187 ST, CUTLER BAY 33157	
Inspection Date: 04/22/2021	Inspection Number: 1235454	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: AZPURUA, JULIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2326795		JAMAICA HOUSE REST	
License Type: Permanent Food Service		19555 NW 2 AVE, MIAMI 331693335	
Inspection Date: 04/19/2021	Inspection Number: 3082804	Inspection Type: Complaint Full	Inspection Disposition: Administrative complaint recommended
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed multiple dirty pots are on kitchen floor blocking the marked exit.	61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Dixie County

License Number: 2500132

HUNGRY HOWIE'S

License Type: Permanent Food Service

25861 SE US HWY 19, OLD TOWN 32680

Inspection Date: 04/20/2021

Inspection Number: 3078104

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: BAILEY, KIMBERLY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Extinguisher next to Handwash sink near front door in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615079

RIVER CITY BONOS

License Type: Permanent Food Service

731 DUVAL STATION RD, JACKSONVILLE 32218

Inspection Date: 04/20/2021

Inspection Number: 3082858

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: PERRY, DENNIS

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Large propane tank by pit in front counter area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Flagler County

License Number: 2800638

LA PIAZZA CAFE

License Type: Permanent Food Service

101 PALM HARBOR PKWY #110, PALM COAST 32137

Inspection Date: 04/21/2021

Inspection Number: 3077335

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BADDING, MELANIE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Boxes and other items stored in front of exit to the rear of the building by the reach in coolers.

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hillsborough County

License Number: 3912427

BUBBAQUE'S 7005

License Type: Permanent Food Service

3858 SUN CITY CTR BLVD, RUSKIN 33573

Inspection Date: 04/21/2021

Inspection Number: 3073762

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: SANDERS, CLEVELAND

Violation CodeObservationViolation Citation

45-05-4

- From initial inspection : Portable fire extinguisher missing from its designated location. For reporting purposes only. - From follow-up inspection 2021-04-21:
Time Extended

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3912267

CCRC OPCO SUN CITY CENTER LLC

License Type: Permanent Food Service

1010 AMERICAN EAGLE BLVD, SUN CITY CENTER 33573

Inspection Date: 04/20/2021

Inspection Number: 3036430

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SANDERS, CLEVELAND

Violation CodeObservationViolation Citation

45-05-4

Observed portable fire extinguisher stored underneath preparation table away from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3917203

BAY GARDENS RETIREMENT VILLAGE

License Type: Permanent Food Service

1415 E 124TH AVE, TAMPA 33612

Inspection Date: 04/21/2021

Inspection Number: 3063966

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: JAIME, ANTONY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver Extinguisher by back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3917791

LOLIS 2 LLC

License Type: Permanent Food Service

10011 W HILLSBOROUGH AVE, TAMPA 33615

Inspection Date: 04/20/2021

Inspection Number: 3047719

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Admin. complaint recommended

Inspector Name: ZHANG, JACKY

Violation CodeObservationViolation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment uses 2 flat top grills, next to office. One flat top grill used in front service area. - From follow-up inspection 2021-04-20:
Time Extended

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3918606

MAIKEL'S KITCHEN EXPRESS

License Type: Permanent Food Service

5635 MEMORIAL HWY, TAMPA 33615

Inspection Date: 02/04/2021

Inspection Number: 3082851

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: EHLERS, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Observed: Portable fire extinguisher gauge in red zone. For reporting purposes only.
Priority: Reporting

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4604489

TACO BELL #24558

License Type: Permanent Food Service

2714 LEE BLVD, LEHIGH ACRES 33971

Inspection Date: 04/20/2021

Inspection Number: 3082951

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JOHNSON, JONATHAN

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Manatee County

License Number: 5100092

WOODY'S RIVER ROO PUB & GRILL

License Type: Permanent Food Service

5717 E 18TH ST, ELLENTON 34222

Inspection Date: 04/23/2021

Inspection Number: 3083043

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: ROBERSON, JAMAL

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. Observed large boom sound and pressure to pants legs from gas powered fryer, at center of fry station. Employee stated it happens often when it tries to self start. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5201904

YE OLDE SUB & PIZZA PUB

License Type: Permanent Food Service

11223 NW WILLIAMS ST, DUNNELLON 344328340

Inspection Date: 04/20/2021

Inspection Number: 3069299

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: FIGUEROA-ROBLES, TATIANA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Next to pizza oven, fire extinguisher in red zone (recharge).

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814164

THE ORLANDO LUTHERAN TOWERS

License Type: Permanent Food Service

300 E CHURCH ST, ORLANDO 32801

Inspection Date: 04/21/2021

Inspection Number: 3067078

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GUTTERMAN, KENNETH

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5806350

ANF GYRO LOCATION 3

License Type: Permanent Food Service

2420 W OAK RIDGE RD, ORLANDO 32809

Inspection Date: 04/21/2021

Inspection Number: 3070328

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: PASIECKI, VICTORIA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Back exit

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5814247

WORLD'S MAGIC INC

License Type: Permanent Food Service

7044 INTERNATIONAL DR, ORLANDO 32819

Inspection Date: 04/23/2021

Inspection Number: 3074182

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MANTI, KATHRYN

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. K class extinguisher on floor under hand sink **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5813431

AL'S PIZZA 2

License Type: Permanent Food Service

11757 S ORANGE BLOSSOM TRL, ORLANDO 32837

Inspection Date: 04/21/2021

Inspection Number: 3075860

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: BACHOO, SAVITRI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. - From follow-up inspection 2021-04-21: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Osceola County

License Number: 5911120

ANTOJOS BORICUAS II

License Type: Permanent Food Service

2914 PLEASANT HILL RD, KISSIMMEE 34746

Inspection Date: 04/19/2021

Inspection Number: 3067008

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. 25x tank at restroom door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217803 DR. BBQ
 License Type: Permanent Food Service 1101 1ST AVE SOUTH, ST PETERSBURG 33705

Inspection Date: 04/21/2021 Inspection Number: 3074055 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended
 Inspector Name: WILMOT, TASHARA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. -fire extinguisher in bar area - From follow-up inspection 2021-04-21: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217165 SHLOMO SUBS LLC
 License Type: Permanent Food Service 2706 ALTERNATE 19 STE 108, PALM HARBOR 34683

Inspection Date: 04/22/2021 Inspection Number: 3083068 Inspection Type: Complaint Full Inspection Disposition: Administrative complaint recommended
 Inspector Name: DODGE, DAVID

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. 2 Gas powered motor vehicles parked in the dining room.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7406927

509 LOUNGE

License Type: Permanent Food Service

509 SEABREEZE BLVD, DAYTONA BEACH 32118

Inspection Date: 04/21/2021

Inspection Number: 3019918

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WOOD, JUSTIN

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

Type K extinguisher on wall near entrance to kitchen

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.