

Brevard County

License Number: 1506363

COUNTRY COOKIN' DINER

License Type: Permanent Food Service

616 BARNES BLVD, ROCKLEDGE 32955

Inspection Date: 05/04/2021

Inspection Number: 3083643

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: WILSON, LANETTE

Violation Code

Observation

Violation Citation

46-01-4

- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Back exit near restrooms blocked by ladders and table - From follow-up inspection 2021-05-04: still blocked by table and chair **Time Extended**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1652989

WHAT A JERK!

License Type: Mobile Food Dispensing Vehicle

9837 W SAMPLE RD, CORAL SPRINGS 33065

Inspection Date: 05/03/2021

Inspection Number: 1230149

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MARTINEZ, RHEANNE

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed fire extinguisher in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2326758

ROCK BOY PIZZA

License Type: Permanent Food Service

30 SW 8 ST, MIAMI 33130

Inspection Date: 05/05/2021

Inspection Number: 3084210

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: WILLIAMS, ALFREDA

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Tanks were removed. **Corrective Action Taken**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2330501

MARIO THE BAKER DOWNTOWN INC

License Type: Permanent Food Service

43 W FLAGLER ST, MIAMI 33130

Inspection Date: 05/06/2021

Inspection Number: 3084293

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GARCIA, B OSCAR

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

DeSoto County

License Number: 2400280

TURNER AGRI-CIVIC CENTER #134

License Type: Permanent Food Service

2250 NE ROAN ST, ARCADIA 34266

Inspection Date: 05/06/2021

Inspection Number: 3028112

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JACKS, ALBERT

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2609701

KUSINA

License Type: Permanent Food Service

4190 BELFORT RD SUITE 120, JACKSONVILLE 32216

Inspection Date: 05/05/2021

Inspection Number: 3083157

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VILBRUN, JOSUE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. No hood suppression system over flat top and fryer area in kitchen. How ever there is one over the stove area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3917054

LOS AMIGOS RESTAURANT

License Type: Permanent Food Service

17 7TH STREET NE, RUSKIN 33570

Inspection Date: 05/07/2021

Inspection Number: 3066691

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SANDERS, CLEVELAND

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.
Observed fire extinguisher stored on the floor next to reach in freezer and exterior door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4651058

FAMILY FOOD TRUCK

License Type: Mobile Food Dispensing Vehicle

11770-A METRO PKWY, FORT MYERS 33966

Inspection Date: 05/05/2021

Inspection Number: 1232394

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: WALTER, KAYLA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed fire extinguisher in red zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Manatee County

License Number: 5105854

SOLORZANOS PIZZERIA LBK

License Type: Permanent Food Service

5610 GULF OF MEXICO DR STE 4, LONGBOAT KEY 34228

Inspection Date: 05/04/2021

Inspection Number: 3050192

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GREENE, MARVIN

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer in back of kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5103689

HARRY'S CONTINENTAL KITCHEN (DELI)

License Type: Permanent Food Service

548 ST JUDES DR, LONGBOAT KEY 342281810

Inspection Date: 05/05/2021

Inspection Number: 3050210

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GREENE, MARVIN

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 2 fryers on table.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814873

CINCINNATI CHILI COMPANY

License Type: Permanent Food Service

151 E WASHINGTON ST STE 200, ORLANDO 32801

Inspection Date: 05/06/2021

Inspection Number: 3077622

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTESANO, MISTI

Violation Code ObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
-088955 4/25/21

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5804085

SHERATON ORLANDO LAKE BUENA VISTA RESORT

License Type: Permanent Food Service

12205 S APOPKA VINELAND RD, ORLANDO 32836

Inspection Date: 05/04/2021

Inspection Number: 3080438

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation Code ObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
Boiler certificates has expired 131562 4/21/2018, 131561 4/21/2018

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5813822

SHERATON ORLANDO LAKE BUENA VISTA RESORT

License Type: Permanent Food Service

12205 S APOPKA VINELAND RD, ORLANDO 32836

Inspection Date: 05/04/2021

Inspection Number: 3081882

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation Code ObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
Boiler certificates are expired 4/21/2018 spoke with engineering Manager on the status.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Osceola County

License Number: 5905921

GRANDSTAND SPIRITS

License Type: Permanent Food Service

1701 W WEST BUENA VISTA DR, BAY LAKE 32830

Inspection Date: 05/06/2021

Inspection Number: 3029617

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.
Boiler certificates has expired 7/16/2020 Manager notify engineering. **Corrective Action Taken**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5905978

INTERMISSION FOOD COURT

License Type: Permanent Food Service

1811 W WEST BUENA VISTA DR, BAYLAKE 32830

Inspection Date: 05/06/2021

Inspection Number: 3029731

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.
Boiler certificates has expired 7/16/2020 engineering notify. **Corrective Action Taken**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Sarasota County

License Number: 6805048

HYDE PARK PRIME STEAKHOUSE

License Type: Permanent Food Service

35 S LEMON DR, SARASOTA 34236

Inspection Date: 05/07/2021

Inspection Number: 3076648

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
4 propane tanks stored in the dry storage area.
Manager removed the tanks. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6501740

BURGER KING

License Type: Permanent Food Service

141 GATEWAY CIR, ST. JOHNS 32259

Inspection Date: 05/04/2021

Inspection Number: 3083743

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.
Rear exits blocked by boxes. Moved by manager. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.