

**Brevard County**

License Number: 1504412

NEW ENGLAND EATERY & PUB

License Type: Permanent Food Service

5670 S HWY A1A, MELBOURNE BCH 329513308

Inspection Date: 09/02/2021

Inspection Number: 3087613

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

46-04-4

Exit door locked. For reporting purposes only.  
By the lobster tank bank room \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1621850 POOL BAR  
 License Type: Permanent Food Service 1 N FT LAUDERDALE BEACH BLVD, FORT LAUDERDALE 33304

Inspection Date: 08/31/2021 Inspection Number: 3113334 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1621852 BURLOCK COAST  
 License Type: Permanent Food Service 1 N FT LAUDERDALE BEACH BLVD, FORT LAUDERDALE 33304

Inspection Date: 08/31/2021 Inspection Number: 3113368 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2021-09-01: No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624082 ACKEE TREE JAMAICAN RESTAURANT  
 License Type: Permanent Food Service 2121 W OAKLAND PARK BLVD, OAKLAND PARK 33311

Inspection Date: 09/01/2021 Inspection Number: 3097274 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: MATTIELLO-ATASSI, MARIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Collier County**

License Number: 2102605

CHINA PLACE

License Type: Permanent Food Service

4631 TAMIAMI TRL N, NAPLES 34103

Inspection Date: 08/31/2021

Inspection Number: 3111731

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PENN, BRIAN

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 15 lb propane tank stored under dry storage shelf near water heater. Educated operator on the importance of keeping propane tanks stored in a safe spot outside. Operator moved tank outside. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2332507 THE COCINITA MIAMI  
 License Type: Permanent Food Service 500 BRICKELL AVE #106, MIAMI 33131

Inspection Date: 09/02/2021 Inspection Number: 3122974 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed the establishment has a portable single grease fryer in use sweet potatoe fries. Operator unplugged during the inspection. Placed a sign do not use. As per operator, will remove when the unit is not hot. Observed the establishment has a flat top grill underneath the ware a hood system should be. **Corrective Action Taken**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2335048 NEW YORK/ROMA PIZZA & PASTA  
 License Type: Permanent Food Service 125 SE 2 AVE, MIAMI 33131

Inspection Date: 09/01/2021 Inspection Number: 3153459 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed establishment has a portable double grease fryer in the kitchen set up on top of a flip top reach in cooler.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2329374 JJ CATERING FOOD & SERVICES CORP  
 License Type: Catering 414 SW 22 AVE, MIAMI 33135

Inspection Date: 09/01/2021 Inspection Number: 1118746 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GARCIA, B OSCAR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2359860 LA PICANA GRILL  
 License Type: Mobile Food Dispensing Vehicle 1810 NW 21 TER, MIAMI 33142

Inspection Date: 08/31/2021 Inspection Number: 1243412 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CONCEPCION, ADRIEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.  Observed fire extinguisher empty located at back door of mobile unit.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2315860

WENDY'S OLD FASHIONED HAMBURGERS

License Type: Permanent Food Service

10829 SW 72 ST, MIAMI 33173

Inspection Date: 09/02/2021

Inspection Number: 3102034

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ORDONEZ, CATALINA

Violation Code

Observation

Violation Citation

45-02-4      Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**DeSoto County**

License Number: 2400217

DUNKIN

License Type: Permanent Food Service

1329 E OAK ST, ARCADIA 34266

Inspection Date: 08/31/2021

Inspection Number: 3135383

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JACKS, ALBERT

Violation Code    Observation

Violation Citation

45-02-4    Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2603878 WENDY'S OLD FASHIONED HAMBURGERS #80  
 License Type: Permanent Food Service 2006 PARK ST, JACKSONVILLE 32204

Inspection Date: 09/01/2021 Inspection Number: 3094925 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. K class - From follow-up inspection 2021-09-01: Same	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614208 KITCHEN KETTLE DELI  
 License Type: Permanent Food Service 4251 LENOX AVENUE UNIT #7, JACKSONVILLE 32205

Inspection Date: 08/31/2021 Inspection Number: 3100708 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. With box and step stool, employee moved them from rear door path **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2608131 KFC  
 License Type: Permanent Food Service 1146 DUNN AVE., JACKSONVILLE 32218

Inspection Date: 08/31/2021 Inspection Number: 3102671 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher by front counter.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2652047 ORIENTAL FAST FOOD & MORE  
 License Type: Mobile Food Dispensing Vehicle 5291 COLLINS RD LOT 407, JACKSONVILLE 32244

Inspection Date: 09/03/2021 Inspection Number: 1239207 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: TORRES, WILLIAM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building/MFDV. For reporting purposes only. Propane tanks stored inside MFDV under gas stove	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2610781

TACO BELL #23703

License Type: Permanent Food Service

10400 PHILIPS HWY, JACKSONVILLE 32256

Inspection Date: 09/01/2021

Inspection Number: 3115259

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VILBRUN, JOSUE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
 Back door block with trash can filled with garbage. Moved by manager.  
 \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Flagler County**

License Number: 2800778

MOONRISE BREWING COMPANY

License Type: Permanent Food Service

101 PALM HARBOR PKWY STE 123, PALM COAST 32137

Inspection Date: 09/03/2021

Inspection Number: 3130506

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BADDING, MELANIE

Violation Code

Observation

Violation Citation

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only.  
At back door, fire extinguisher blocked by stored items.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Lee County**

License Number: 4603808

KENTUCKY FRIED CHICKEN

License Type: Permanent Food Service

4336 PALM BEACH BLVD, FORT MYERS 339053415

Inspection Date: 09/03/2021

Inspection Number: 3155037

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FREED, JOSEPH

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
\*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Manatee County**

License Number: 5105325

BEEF O BRADYS

License Type: Permanent Food Service

8913 US 301 NORTH, PARRISH 34219

Inspection Date: 09/03/2021

Inspection Number: 3126151

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BECHTOLD, NEIL

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
 Observed side exit door blocked with empty beer kegs near beer cooler entrance.  
 Operator removed kegs and restored exit path. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Palm Beach County**

License Number: 6009928 LA BELENCIANA CORP  
 License Type: Permanent Food Service 4634 FOREST HILL BLVD, WEST PALM BEACH 33415

Inspection Date: 09/01/2021 Inspection Number: 3111501 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: MONTILLA, NATHALIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top fryer in use near hand sink.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022425 TANUKI  
 License Type: Permanent Food Service 33 SE 3 AVEN UNIT 21, DELRAY BEACH 33483

Inspection Date: 09/03/2021 Inspection Number: 3130395 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: GOODWIN, NICHOLAS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6013439 APPLE TEN HOSPITALITY MANAGEMENT INC  
 License Type: Permanent Food Service 8201 CONGRESS AVE, BOCA RATON 33487

Inspection Date: 09/01/2021 Inspection Number: 3104517 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GOODWIN, NICHOLAS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located on right side of cook line	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Discussed with operator. Boilers going through recertification **Corrective Action Taken**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Pasco County**

License Number: 6113277

RED ROBIN GOURMET BURGERS

License Type: Permanent Food Service

28222 WILLET WAY, WESLEY CHAPEL 33543

Inspection Date: 09/02/2021

Inspection Number: 3094728

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: COLE, GABRIELLE

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By kitchen exit door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6113166

ARBY'S #7826

License Type: Permanent Food Service

8301 LITTLE RD, NEW PORT RICHEY 34654

Inspection Date: 09/02/2021

Inspection Number: 3134338

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: TORRACO, MARIANNE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Garbage pail and cardboard boxes, removed \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Seminole County**

License Number: 6902174

WENDY'S #4473

License Type: Permanent Food Service

3717 S ORLANDO BLVD, SANFORD 32773

Inspection Date: 09/03/2021

Inspection Number: 3154627

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: THORNCROFT, ROBERT

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. At the end of the line the unit is missing, extinguisher placed in the stock room meddle is in the red

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Lucie County**

License Number: 6602957

ONE LOVE CARIBBEAN CUISINE & SEAFOOD, LLC

License Type: Permanent Food Service

3453 SW DARWIN BLVD, PORT SAINT LUCIE 34953

Inspection Date: 08/31/2021

Inspection Number: 3153680

Inspection Type: Routine - Food

Inspection Disposition: Emergency order recommended

Inspector Name: HARROD, JESSICA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 2 household fryers on prep table not under hood system. Called local AHJ spoke with gentleman he will send someone out tomorrow. Explained to operator that these should not be utilized and should be removed from premises.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 2 household fryers on prep table not under hood system. Called local AHJ spoke with gentleman he will send someone out tomorrow. Explained to operator that these should not be utilized and should be removed from premises. - From follow-up inspection 2021-08-31: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Volusia County**

License Number: 7404966

PEGGYS COUNTRY KITCHEN

License Type: Permanent Food Service

2100 S RIDGEWOOD AVE, EDGEWATER 32141

Inspection Date: 09/03/2021

Inspection Number: 3153094

Inspection Type: Complaint Full

Inspection Disposition: Emergency  
Order Callback Time Extension

Inspector Name: WOOD, JUSTIN

Violation Code

Observation

Violation Citation

47-02-4

- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only.  
  
-inside kitchen next to wall ventilation system next to fryers/hood system. Light switch, and exposed wires around affected area where visible fire damage exists.  
- From follow-up inspection 2021-09-03: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.