

**Alachua County**

License Number: 1103499

DRURY INN &amp; SUITES - GAINESVILLE

License Type: Permanent Food Service

4000 SW 40 BLVD, GAINESVILLE 32608

Inspection Date: 11/19/2021

Inspection Number: 3103535

Inspection Type: Routine - Food

Inspection Disposition: Administrative  
complaint recommended

Inspector Name: TORRES, WILLIAM

Violation Code    ObservationViolation Citation

48-02-5      Insurance inspector boiler report not posted in boiler room. For reporting purposes only.  
Observed no boiler inspector report posted in boiler room and no current boiler certificate available.

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1103595

TUNIS SEAFOOD WINGS &amp; SUBS

License Type: Permanent Food Service

1818 NE WALDO RD, GAINESVILLE 32609

Inspection Date: 11/19/2021

Inspection Number: 3098277

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Admin. complaint recommended

Inspector Name: CASEY, KEITH

Violation Code    ObservationViolation Citation

45-02-4      - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only.  
Observed the Silver fire extinguisher, the indicator is in the red zone. - From follow-up inspection 2021-09-10: No change \*\*Time Extended\*\* - From follow-up inspection 2021-11-19: No change \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Bay County**

License Number: 1305131 DEE'S HANGOUT  
 License Type: Permanent Food Service 527 N RICHARD JACKSON BLVD, PANAMA CITY BEACH 32407

Inspection Date: 11/18/2021 Inspection Number: 3099066 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: LYNN, NICKOLAS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. K class near dish washer in recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1305307 DAIRY QUEEN GRILL & CHILL  
 License Type: Permanent Food Service 134 ALF COLEMAN RD, PANAMA CITY BEACH 32407

Inspection Date: 11/16/2021 Inspection Number: 3098168 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: LYNN, NICKOLAS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. K class and red extinguisher on ice machine in recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Brevard County**

License Number: 1504984 PORT CANAVERAL YACHT CLUB INC.  
 License Type: Permanent Food Service 910 MULLETT RD, CAPE CANAVERAL 32920

Inspection Date: 11/19/2021 Inspection Number: 3104459 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: HICKS, GEORGE RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Using table top fryer without fan on. Educated employee that fan must be on. . Downstairs room behind bar observed frying pan and table top fryer that I was told is used on weekends for wings, cheesesteaks etc. no hood system. . **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1501787 TACO CITY 3 INC  
 License Type: Permanent Food Service 2955 S ATLANTIC AVE, COCOA BEACH 32931

Inspection Date: 11/18/2021 Inspection Number: 3134627 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: HICKS, GEORGE RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1506313 MOM & POPS BAR AND GRILL  
 License Type: Permanent Food Service 900 N ATLANTIC AVE STE D, COCOA BEACH 32931

Inspection Date: 11/18/2021 Inspection Number: 3134987 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: HICKS, GEORGE RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Resort boiler certification expired 12/7/17 and 3/17/22 **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1506337 LUNA  
 License Type: Permanent Food Service 9 S ATLANTIC AVE, COCOA BEACH 32931

Inspection Date: 11/16/2021 Inspection Number: 3121972 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: HICKS, GEORGE RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Electric table top fryer not fully under hood suppression system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1623588 JUNIPER ON THE WATER  
 License Type: Permanent Food Service 1975 S OCEAN DR, HALLANDALE BEACH 33009

Inspection Date: 11/17/2021 Inspection Number: 3095518 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: GANPAT, INDAR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tanks (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1621577 CHICK-FIL-A  
 License Type: Permanent Food Service 3211 SW 160 AVE, MIRAMAR 33027

Inspection Date: 11/17/2021 Inspection Number: 3137976 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: MARTINEZ, RHEANNE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed fire extinguisher in recharge zone in rear kitchen area next to back exit door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1624281 WINGSTOP RESTAURANT  
 License Type: Permanent Food Service 15999 PINES BLVD SUITE 101, PEMBROKE PINES 33027

Inspection Date: 11/18/2021 Inspection Number: 3145107 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: MARTINEZ, RHEANNE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in overcharged zone- hanging on wall next to ice bucket. <b>**Repeat Violation**</b>	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1623902 JERSEY MIKE'S SUBS  
 License Type: Permanent Food Service 2945 SW 160TH AVE, MIRAMAR 33027-4212

Inspection Date: 11/16/2021 Inspection Number: 3138021 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: MARTINEZ, RHEANNE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed hood exhaust not functioning at this time. Operator stated that water damage occurred and work order in for repairs. Operator stated suppression system is working. <b>**Corrective Action Taken**</b>	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1615158 AND FISH KITCHEN AND BAR  
 License Type: Permanent Food Service 1200-1208 N OCEAN BLVD, POMPANO BEACH 33062

Inspection Date: 11/19/2021 Inspection Number: 3103173 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BURGGRABE, BROCK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boilers with jurisdiction #124039 and 124040 both expire on 12/19/2021.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624487 WENDY'S  
 License Type: Permanent Food Service 2281 W SAMPLE RD, DEERFIELD BEACH 33073

Inspection Date: 11/17/2021 Inspection Number: 3139138 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -Observed exit door block by garbage container. **Corrected On-Site** **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1623582 JIMMY JOHNS  
 License Type: Permanent Food Service 2531 SAMPLE RD, MARGATE 33073

Inspection Date: 11/17/2021 Inspection Number: 3136976 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. -Observed exit door block with cardboard boxes. - From follow-up inspection 2021-11-17: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1614710 SUBWAY  
 License Type: Permanent Food Service 1930 E SUNRISE BLVD, FORT LAUDERDALE 33304

Inspection Date: 11/15/2021 Inspection Number: 3170322 Inspection Type: Complaint Full Inspection Disposition: Warning Issued  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door pad locked - table in front of door. For reporting purposes only. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
46-04-4	- From initial inspection : Exit door pad locked - table in front of door. For reporting purposes only. **Repeat Violation** - From follow-up inspection 2021-11-16: Exit door pad locked - table in front of door. For reporting purposes only. **Repeat Violation** **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1621851 BANQUET KITCHEN  
 License Type: Permanent Food Service 1 N FT LAUDERDALE BEACH BLVD, FORT LAUDERDALE 33304

Inspection Date: 11/17/2021 Inspection Number: 3088621 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1622847 THE CLUB LOUNGE  
 License Type: Permanent Food Service 1 N FT LAUDERDALE BLVD, FORT LAUDERDALE 33304

Inspection Date: 11/17/2021 Inspection Number: 3111138 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Broward County**

License Number: 1622090 MC DONALDS L/C #009-2321  
 License Type: Permanent Food Service 11200 SR 84, DAVIE 33325

Inspection Date: 11/15/2021 Inspection Number: 3129654 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: SEWELL, SANGAY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.  Observed path to exit blocked by rolling garbage bin and empty boxes.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Collier County**

License Number: 2103109

HERITAGE BAY GOLF & COUNTRY CLUB

License Type: Permanent Food Service

10154 HERITAGE BAY BLVD, NAPLES 34120

Inspection Date: 11/15/2021

Inspection Number: 3125558

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DOMKOWSKI, DANIEL

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone near storage area at back door of kitchen to loading dock. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Columbia County**

License Number: 2200474

NORTH FLORIDA SPEEDWAY

License Type: Permanent Food Service

287 SE RACE TRACK LN, LAKE CITY 32025

Inspection Date: 11/18/2021

Inspection Number: 3125229

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BAILEY, KIMBERLY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Small white extinguisher in side room.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2331966 LA CARRETA MIA C-26-A  
 License Type: Permanent Food Service 4200 NW 21 ST, CONC D-37, MIAMI 33122

Inspection Date: 11/15/2021 Inspection Number: 3170635 Inspection Type: Complaint Full Inspection Disposition: Call Back - Complied  
 Inspector Name: SANCHEZ, JAVIER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. FL 003481 Expired on 05/22/21 **Repeat Violation** - From follow-up inspection 2021-11-15: No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. FL 003481 Expired on 05/22/21 **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2334955 MELINDA'S  
 License Type: Permanent Food Service 1306 N MIAMI AVE, MIAMI 33136

Inspection Date: 11/16/2021 Inspection Number: 3130649 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2336283 GROOVIN' BEAN  
 License Type: Permanent Food Service 801 NW 3RD AVENUE, MIAMI 33136

Inspection Date: 11/16/2021 Inspection Number: 3091455 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed cardboard boxes blocking the back exit door. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2358602 TOMORROWLAND  
 License Type: Mobile Food Dispensing Vehicle 1368 N MIAMI AVE, MIAMI 33136

Inspection Date: 11/18/2021 Inspection Number: 1240191 Inspection Type: Routine - Food Inspection Disposition: Call Back -  
 Inspector Name: CUDEMOS, VIRNA Complied

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. - From follow-up inspection 2021-11-18: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2327551 TRATTORIA DELLA SPIAGGIA  
 License Type: Permanent Food Service 3010 COLLINS AVE, MIAMI BEACH 33140

Inspection Date: 11/15/2021 Inspection Number: 3091908 Inspection Type: Routine - Food Inspection Disposition: Call Back -  
 Inspector Name: UNZAGA, MILADYS Complied

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation** - From follow-up inspection 2021-11-15: **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2334027 PLATE  
 License Type: Permanent Food Service 2105 CORAL WAY, MIAMI 33145

Inspection Date: 11/16/2021 Inspection Number: 3122718 Inspection Type: Routine - Food Inspection Disposition: Call Back -  
 Inspector Name: GARCIA, B OSCAR Complied

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. **Repeat Violation** - From follow-up inspection 2021-11-16: Observed vapors smoke While cooking potatoes. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2334080

WINGSTOP

License Type: Permanent Food Service

1452-1454 NE 163 ST, NORTH MIAMI BEACH 33162

Inspection Date: 11/16/2021

Inspection Number: 3090749

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: STUBBS, CHRISTINE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked with empty boxes. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2330581

ZAKA MODERN JAPANESE CUISINE

License Type: Permanent Food Service

10832 NW 58TH ST, DORAL 33178

Inspection Date: 11/17/2021

Inspection Number: 3099613

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: CURRAS, YANLEE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Ladder, boxes, cones blocking Exit path.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2614780 WILD ATLANTIC SEAFOOD  
 License Type: Permanent Food Service 622 CASSAT AVE #11-12, JACKSONVILLE 32205

Inspection Date: 11/15/2021 Inspection Number: 3114214 Inspection Type: Routine - Food Inspection Disposition: Call Back - Extension given, pending  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Boxes, mgr removed boxes **Corrected On-Site** - From follow-up inspection 2021-11-15: Not seen **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615604 EL JEFE TEX MEX  
 License Type: Permanent Food Service 947 EDGEWOOD AVE S, JACKSONVILLE 32205

Inspection Date: 11/16/2021 Inspection Number: 3097202 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. By walk in cooler, mgr took it outside **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2607778 POPEYES LOUISIANA KITCHEN #148  
 License Type: Permanent Food Service 5715 NORMANDY BLVD, JACKSONVILLE 322056263

Inspection Date: 11/15/2021 Inspection Number: 3106211 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By triple sink - From follow-up inspection 2021-09-15: Not seen - From follow-up inspection 2021-11-15: Fixed	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2609701 KUSINA  
 License Type: Permanent Food Service 4190 BELFORT RD SUITE 120, JACKSONVILLE 32216

Inspection Date: 11/16/2021 Inspection Number: 3137038 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: VILBRUN, JOSUE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Operator has 2 electric stove tops on cook line used to cook foods that are not under a hood system **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2609811 THE MITT TEX-MEX CAFE  
 License Type: Permanent Food Service 4130 SALISBURY RD STE 1000, JACKSONVILLE 32216

Inspection Date: 11/16/2021 Inspection Number: 3089820 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: VILBRUN, JOSUE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Operator uses stove and flat top plug in electrical grill in kitchen area with no hood system	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615212 CHIPOTLE MEXICAN GRILL #2644  
 License Type: Permanent Food Service 13920 OLD ST AUGUSTINE RD #105, JACKSONVILLE 32258

Inspection Date: 11/18/2021 Inspection Number: 3171167 Inspection Type: Complaint Full Inspection Disposition: Warning Issued  
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by boxes. Moved by manager. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Flagler County**

License Number: 2800494 REHAB SPORTS BAR  
 License Type: Permanent Food Service 616 N STATE ST, BUNNELL 32110

Inspection Date: 11/16/2021 Inspection Number: 3098042 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: BADDING, MELANIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Two propane tanks stored indoors in the storage area with freezer, ice machine, air conditioner.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2800677 MAMALING'S  
 License Type: Permanent Food Service 1280 PALM COAST PKWY SW, PALM COAST 32137

Inspection Date: 11/16/2021 Inspection Number: 3091514 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: BADDING, MELANIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Marked exit blocked by shelving by guest restrooms. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3915627 LORD BRADLEY'S TAVERN  
 License Type: Permanent Food Service 3345 LITHIA PINECREST RD, VALRICO 33596

Inspection Date: 11/17/2021 Inspection Number: 3128446 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: MOULDER, BRITTANY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher next to managers office in red section labeled "recharge"	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3918105 ILLY CAFE E  
 License Type: Permanent Food Service 4100 GEORGE J BEAN PKWY, TAMPA INTERNATIONAL AIRPORT, TAMPA 33607

Inspection Date: 11/19/2021 Inspection Number: 3110863 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CANNELLA, MARK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. , corrected manager replaced fire extinguisher at designated location. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3912260 POPEYES CHICKEN & BISCUITS # 95  
 License Type: Permanent Food Service 2216 E FLETCHER AVE, TAMPA 33612

Inspection Date: 11/16/2021 Inspection Number: 3100071 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CESAR, RACHEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. B2 10 fire extinguisher on floor by walk in cooler and freezer .	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3913420 CATER BUDDY LLC  
 License Type: Catering 13415 N NEBRASKA AVE, TAMPA 33612

Inspection Date: 11/16/2021 Inspection Number: 1120288 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CESAR, RACHEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Observed K-class fire extinguisher on floor in kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Lee County**

License Number: 4606942 RODIZIO GRILL  
 License Type: Permanent Food Service 8017 PLAZA DEL LAGO DR 101, ESTERO 33928

Inspection Date: 11/17/2021 Inspection Number: 3146084 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: JOHNSON, JONATHAN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4603752 PAPA JOHNS PIZZA  
 License Type: Permanent Food Service 27990 S TAMIAMI TRL, BONITA SPRINGS 34134

Inspection Date: 11/19/2021 Inspection Number: 3170606 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: DOMKOWSKI, DANIEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher next to pizza oven, gauge in red zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Leon County**

License Number: 4703437

PANERA BREAD 1504

License Type: Permanent Food Service

3523 THOMASVILLE RD & VILLAGE SQ RD, TALLAHASSEE 32309

Inspection Date: 11/18/2021

Inspection Number: 3120055

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SMITH, PAUL

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Manatee County**

License Number: 5105358

BURGER KING #17294

License Type: Permanent Food Service

8502 SR 70 E, BRADENTON 34202

Inspection Date: 11/16/2021

Inspection Number: 3170926

Inspection Type: Complaint Full

Inspection Disposition: Administrative complaint recommended

Inspector Name: EASLER, VERONICA

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only. Jug of gasoline next to hot water heater. Gas was moved outside. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Orange County**

License Number: 5855398 REY TEQUENO  
 License Type: Mobile Food Dispensing Vehicle 929 W MICHIGAN STREET, VIN 6407, ORLANDO 32805

Inspection Date: 11/18/2021 Inspection Number: 1242218 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: PASIECKI, VICTORIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 2 inside trailer	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5809363 JULIA'S PIZZA RESTAURANT  
 License Type: Permanent Food Service 5075 EDGEWATER DR, ORLANDO 32810

Inspection Date: 11/19/2021 Inspection Number: 3114201 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Light switch in the stock room is not secured and the switch is broken	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Osceola County**

License Number: 5910519

ROYAL ST CLOUD GOLF LINKS

License Type: Permanent Food Service

5310 MICHIGAN AVE, ST. CLOUD 34772

Inspection Date: 11/16/2021

Inspection Number: 3118807

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only. Boxes and other combustible items at water heater.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Palm Beach County**

License Number: 6019062 PANERA BREAD #4707  
 License Type: Permanent Food Service 4540 PGA BLVD, PALM BEACH GARDENS 33418

Inspection Date: 11/16/2021 Inspection Number: 3141094 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: ROTONDI, VICTOR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only.cover plate missing/walk in cooler#1/outlet.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6011000 CHEESECAKE FACTORY (THE)  
 License Type: Permanent Food Service 5530 GLADES RD, BOCA RATON 33431

Inspection Date: 11/19/2021 Inspection Number: 3172017 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CUDEMOS, HAIDA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificate is expired since 03-25-2021.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6022380 THE HOWLIN OWL BAR  
 License Type: Permanent Food Service 527 N DIXIE HWY, LAKE WORTH 33460

Inspection Date: 11/18/2021 Inspection Number: 3093090 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: SINGH, GAJENDRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	2 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Manager moved both to outside. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6021903 MARGARITAS MEXICAN RESTAURANT  
 License Type: Permanent Food Service 6418 LAKE WORTH RD, LAKE WORTH 33467

Inspection Date: 11/15/2021 Inspection Number: 3103178 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended  
 Inspector Name: AHLE, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 3 15 lbs propane tanks connect to portable stove in kitchen. - From follow-up inspection 2021-11-15: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Palm Beach County**

License Number: 6011882

FRATELLIS ITALIAN RESTAURANT

License Type: Permanent Food Service

1684 S FEDERAL HWY, DELRAY BEACH 33483

Inspection Date: 11/17/2021

Inspection Number: 3140381

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GOODWIN, NICHOLAS

Violation Code   ObservationViolation Citation

45-02-4      Portable fire extinguisher gauge in red zone. For reporting purposes only. Located at wait station

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4      - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Located at wait station      - From follow-up inspection 2021-11-18: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022256

CIAO BELLA PIZZA ITALIAN EATERY LLC

License Type: Permanent Food Service

3025 S FEDERAL HWY, DELRAY BEACH 33483

Inspection Date: 11/18/2021

Inspection Number: 3167649

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOODWIN, NICHOLAS

Violation Code   ObservationViolation Citation

45-02-4      Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher located next rear kitchen door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022449

DELRAY BEACH MARKET

License Type: Permanent Food Service

33 SE 3 AVE #12, DELRAY BEACH 33483

Inspection Date: 11/16/2021

Inspection Number: 3124391

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOODWIN, NICHOLAS

Violation Code   ObservationViolation Citation

48-01-5      No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Putnam County**

License Number: 6400907

CORA'S PLACE

License Type: Permanent Food Service

1016 MADISON STREET, PALATKA 32177

Inspection Date: 11/18/2021

Inspection Number: 3106042

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small portable fryer in kitchen not under hood system.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Sarasota County**

License Number: 6805652

ORIGIN CRAFT BEER AND PIZZA CAFE

License Type: Permanent Food Service

1837 HILLVIEW ST, SARASOTA 34239

Inspection Date: 11/18/2021

Inspection Number: 3171482

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CATTLEY, RAYMOND

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher next to back kitchen door not in the green range.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Seminole County**

License Number: 6903870

KOY WAN HIBACHI BUFFET

License Type: Permanent Food Service

945 W SR 436 #1179, ALTAMONTE SPRINGS 32714

Inspection Date: 11/16/2021

Inspection Number: 3126106

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MARTIN, LESLIE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. -portable fryer on table behind front line. Employee moved equipment to under the hood.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7405318 POOLSIDE BAR AND GRILL  
 License Type: Permanent Food Service 600 N ATLANTIC AVE, DAYTONA BEACH 32118

Inspection Date: 11/16/2021 Inspection Number: 3130072 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: WOOD, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical line inside kitchen in disrepair. For reporting purposes only. -next to ice machine	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7407311 BACI PIZZERIA & RISTORANTE  
 License Type: Permanent Food Service 830 N DIXIE FREEWAY, NEW SMYRNA BEACH 32168

Inspection Date: 11/17/2021 Inspection Number: 3128276 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: COREY, DEREK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. In pizza oven area of tiki bar - From follow-up inspection 2021-11-17: Manager stated that they ordered new extinguisher. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In pizza oven area of tiki bar	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.