

**Alachua County**

License Number: 1100159 GAINESVILLE GOLF & COUNTRY CLUB INC  
 License Type: Permanent Food Service 7300 SW 35 WAY, GAINESVILLE 32608

Inspection Date: 11/24/2021 Inspection Number: 3121732 Inspection Type: Routine - Food Inspection Disposition: Call Back - Extension given, pending  
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed lack of a current boiler certificate for 2 boilers. **Repeat Violation** From follow-up inspection 2021-11-24: No change **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1103233 LIMEROCK ROAD  
 License Type: Permanent Food Service 9158 SW 51 RD J-101&102, GAINESVILLE 32608

Inspection Date: 11/30/2021 Inspection Number: 3113238 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed the fire extinguisher by the back door is in the red zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103413 SOHAO STREET FARE CAFE  
 License Type: Permanent Food Service 3045 SW 34 ST STE 16, GAINESVILLE 32608

Inspection Date: 12/03/2021 Inspection Number: 3127788 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: TORRES, WILLIAM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed back exit door behind restroom pathway and back exit door blocked with boxes of single serve items. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Brevard County**

License Number: 1505423

CHINA PARK

License Type: Permanent Food Service

2301 SR 524 #115, COCOA 32926

Inspection Date: 11/29/2021

Inspection Number: 3171463

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FRANZ, LINDA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Entrance and exit structure built to block entry for guest, bolted into place and not movable.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1622103	PANERA BREAD #4717		
License Type: Permanent Food Service	4328 N SR 7, CORAL SPRINGS	33067	
Inspection Date: 11/30/2021	Inspection Number: 3151224	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LEWIS, LYNDEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Observed at back door fire extinguisher on floor.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1653167	TRAVELIN' BONES BBQ		
License Type: Mobile Food Dispensing Vehicle	2083 N POWERLINE RD , STE 4, POMPANO BEACH	33069	
Inspection Date: 12/03/2021	Inspection Number: 1242627	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1622712	WAYBACK BURGERS		
License Type: Permanent Food Service	4690 N SR 7 STE 103, COCONUT CREEK	33073	
Inspection Date: 11/30/2021	Inspection Number: 3173133	Inspection Type: Complaint Full	Inspection Disposition: Emergency order recommended
Inspector Name: GRAY, ANTHONY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -Observed exit door blocked with garbage and cardboard boxes.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1613087	DOMINO'S PIZZA 4910		
License Type: Permanent Food Service	1331 SUNSET STRIP, SUNRISE	33313-6111	
Inspection Date: 12/01/2021	Inspection Number: 3132179	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROGERS, VERNEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed main kitchen exit door being blocked by trash can and empty boxes.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Broward County**

License Number: 1623021		PINCHO	
License Type: Permanent Food Service		133 NW 136 AVE B100, SUNRISE 33325	
Inspection Date: 11/30/2021	Inspection Number: 3153643	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: NEALY, VALENCIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. -Observed exit door blocked by discarded cardboard boxes in kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1611333		BANQUET KITCHEN	
License Type: Permanent Food Service		250 RACQUET CLUB RD, WESTON 33326	
Inspection Date: 12/01/2021	Inspection Number: 3119773	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BRADY, OSSIAN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.  Observed Boiler Certificates: 134459 Active 09/04/2021, 096910 09/04/2021. Boiler certifications are expired.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1624248		CREAMS AND CRACKERS	
License Type: Permanent Food Service		8000 W BROWARD BLVD STE FC2, PLANTATION 33388	
Inspection Date: 12/01/2021	Inspection Number: 3173406	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Warning Issued
Inspector Name: SMITH, CORETTA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring exposed and blue tape around electrical outlets at front counter.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Clay County**

License Number: 2001071

LONGHORN STEAKHOUSE OF FLEMING ISLAND

License Type: Permanent Food Service

1605 CR 220, ORANGE PARK 32003

Inspection Date: 12/01/2021

Inspection Number: 3133096

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By door to women's bathroom in dining area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2323069 LITTLE CAESARS PIZZA 2267  
 License Type: Permanent Food Service 17223 NW 27 AVE, MIAMI 330564418

Inspection Date: 11/30/2021 Inspection Number: 3093860 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: STUBBS, CHRISTINE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed dough trays are blocking marked exit. Employee removed all trays. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2357887 GRANNY B'Z  
 License Type: Mobile Food Dispensing Vehicle 292 NW 54TH ST, MIAMI 33127

Inspection Date: 11/30/2021 Inspection Number: 1243014 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-01-4	No portable fire extinguisher present. For reporting purposes only. Observed extinguisher in recharge zone inside MFDV.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2332592 BRAVA CONSTELLATION CULINARY  
 License Type: Permanent Food Service 1300 BISCAYNE BLVD, MIAMI 33132

Inspection Date: 12/01/2021 Inspection Number: 3166986 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CUDEMOS, VIRNA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2332002 CAFE CHUNG KING  
 License Type: Permanent Food Service 1250 NW 54 STREET, MIAMI 33142

Inspection Date: 11/30/2021 Inspection Number: 3127327 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended  
 Inspector Name: PICO, JORGE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Observed electrical wires hanging from the ceiling of the establishment . **Repeat Violation** - From follow-up inspection 2021-09-29: Observed scorch marks around electrical outlet. For reporting purposes only. Observed electrical wires hanging from the ceiling of the establishment . **Time Extended** - From follow-up inspection 2021-11-30: Observed electrical wires hanging from the ceiling of the establishment . **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2322952 OLD LISBON RESTAURANT & BAR LLC  
 License Type: Permanent Food Service 1698 SW 22 ST, MIAMI 33145

Inspection Date: 12/03/2021 Inspection Number: 3158087 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GARCIA, B OSCAR

Violation Code ObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2332576 XIXON  
 License Type: Permanent Food Service 2101 SW 22 ST, MIAMI 33145

Inspection Date: 11/29/2021 Inspection Number: 3148991 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GARCIA, B OSCAR

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed fryers Producing vapors with no hood Desert station.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2330206 MICHY'S KITCHEN  
 License Type: Permanent Food Service 4635 SW 75 AVE, MIAMI 33155

Inspection Date: 12/01/2021 Inspection Number: 3093340 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: ELDER, AUDREY

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near reach in cooler at preparation area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2325086 LUIS GALINDO LATIN AMERICAN 2  
 License Type: Permanent Food Service 10700 SW 24 ST, MIAMI 33165

Inspection Date: 11/29/2021 Inspection Number: 3173138 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: ELDER, AUDREY

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near walk in freezer.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2325136

PAPA JOHNS #555

License Type: Permanent Food Service

20312 NW 2 AVE, MIAMI 33169

Inspection Date: 11/29/2021

Inspection Number: 3088061

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: STUBBS, CHRISTINE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed 2 garbage bins are blocking marked exit. Employee removed garbage bags.  
\*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



---

**Duval County**

---

License Number: 2608119

BONO'S PIT BAR B Q

License Type: Permanent Food Service

5903 NORWOOD AVE, JACKSONVILLE 322084345

Inspection Date: 11/30/2021

Inspection Number: 3161922

Inspection Type: Routine - Food

Inspection Disposition: Administrative  
complaint recommended

Inspector Name: PERRY, DENNIS

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.  
One large tank by pit at front counter. \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614580

GREEK YAMAS CUISINE RESTAURANT

License Type: Permanent Food Service

9753 DEER LAKE CT, JACKSONVILLE 32246

Inspection Date: 11/29/2021

Inspection Number: 3132097

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. A couple by bar

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Flagler County**

License Number: 2800738

A1A BURRITO WORK'S TACO SHOP

License Type: Permanent Food Service

1490 PALM COAST PKWY NW SUITE 5, PALM COAST 32137

Inspection Date: 12/03/2021

Inspection Number: 3138165

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BADDING, MELANIE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed flattop grill with no hood system. Person in charge states has been previously inspected by fire authority with no issues.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3907112	BURGER KING #5923		
License Type: Permanent Food Service	2019 E LUMSDEN RD, BRANDON	33511	
Inspection Date: 11/29/2021	Inspection Number: 3159606	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MOULDER, BRITTANY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Observed red extinguisher stored under 3-compartment sink	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 3952475	TACO DE ORO # 2		
License Type: Mobile Food Dispensing Vehicle	1209 E BEARSS AVE, LUTZ	33549	
Inspection Date: 11/30/2021	Inspection Number: 1238286	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: COLE, GABRIELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone by door. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 3952810	LECKERSCHMECKER		
License Type: Mobile Food Dispensing Vehicle	2612 N TAMPA ST, TAMPA	33602	
Inspection Date: 12/03/2021	Inspection Number: 1246050	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ZHANG, JACKY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 15 lbs propane tank inside the food truck. Recommended to moved outside.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 3918299	THE BOOZY PIG		
License Type: Permanent Food Service	3255 W CYPRESS ST, TAMPA	33607	
Inspection Date: 12/01/2021	Inspection Number: 3109520	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: EHLERS, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	- From initial inspection : Establishment increased seating from 10 to 26 without fire approval. Provided operator seating change evaluation form at time of inspection. - From follow-up inspection 2021-12-01: Form not completed and submitted. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Hillsborough County**

License Number: 3917791

LOLIS 2 LLC

License Type: Permanent Food Service

10011 W HILLSBOROUGH AVE, TAMPA 33615

Inspection Date: 11/29/2021

Inspection Number: 3128875

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Admin. complaint recommended

Inspector Name: ZHANG, JACKY

Violation Code

Observation

Violation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.  
Establishment uses 2 flat top grills, next to office. **\*\*Repeat Violation\*\*** - From follow-up inspection 2021-11-29: **\*\*Time Extended\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Indian River County**

License Number: 4105157

SUBWAY #36886

License Type: Permanent Food Service

2190 45 ST, VERO BEACH 32960

Inspection Date: 11/29/2021

Inspection Number: 3097017

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Admin. complaint recommended

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

46-01-4

- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Door on south side of facility Blocked and locked. - From follow-up inspection 2021-11-29: South side door locked, no entry or exit even though it is marked for exit. **\*\*Admin Complaint\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Marion County**

License Number: 5202118 ZAXBY'S  
 License Type: Permanent Food Service 2175 E SILVER SPRINGS BLVD, OCALA 34470

Inspection Date: 12/01/2021 Inspection Number: 3090453 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: DRIGGERS, MANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Near side door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5202763 AMRIT PALACE INDIAN RESTAURANT  
 License Type: Permanent Food Service 3415 SW COLLEGE ROAD, OCALA 34474

Inspection Date: 11/23/2021 Inspection Number: 3125746 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GARNER, DHANIQUA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed gray kitchen fire extinguisher located across from reach in freezer in "over charge zone"	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Martin County**

License Number: 5301507		ROCKY'S SUB SHOP & CAFE	
License Type: Permanent Food Service		3219 SW MAPP RD, PALM CITY 34990	
Inspection Date: 11/29/2021	Inspection Number: 3145662	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PETROW, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed electric oil fryer in kitchen, no fire suppression system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 5301385		DUNKIN DONUTS/BASKIN ROBBINS	
License Type: Permanent Food Service		2101 SE OCEAN BLVD, STUART 34996	
Inspection Date: 11/30/2021	Inspection Number: 3118386	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PETROW, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher by Three-compartment sink. Fire extinguisher by back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By back door, and by Three-compartment sink.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Orange County**

License Number: 5813399		MAITLAND CAFE	
License Type: Permanent Food Service		500 WINDERLEY PL, SUITE 109, MAITLAND 32751	
Inspection Date: 12/01/2021	Inspection Number: 3129879	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GUTTERMAN, KENNETH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812943		4R CENTRAL KITCHEN	
License Type: Permanent Food Service		2810 W KENNEDY BLVD, EATONVILLE 32810	
Inspection Date: 11/29/2021	Inspection Number: 3132200	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. - near smoker	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5808122		PIRATES DINNER ADVENTURE	
License Type: Permanent Food Service		6400 CARRIER DR, ORLANDO 32819	
Inspection Date: 12/03/2021	Inspection Number: 3107880	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. K class extinguisher	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812946		THE BRONZE KINGDOM	
License Type: Permanent Food Service		6464 INTERNATIONAL DR, ORLANDO 32819	
Inspection Date: 12/03/2021	Inspection Number: 3117829	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. K class extinguisher blocked by storage containers **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	



**Orange County**

License Number: 5802860

BURGER KING

License Type: Permanent Food Service

13500 W COLONIAL DR, WINTER GARDEN 34787

Inspection Date: 12/03/2021

Inspection Number: 3152158

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning Issued

Inspector Name: FREY, RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with damaged hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Excessive steam and vapors in kitchen caused by damaged hood system over fryers.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguisher on floor by rear door. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Osceola County**

License Number: 5911668

GRAND HOTEL KISSIMMEE - BREAKFAST

License Type: Permanent Food Service

3104 PARKWAY BOULEVARD, KISSIMMEE 34747

Inspection Date: 11/29/2021

Inspection Number: 3130373

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: IRVEN, RYAN

Violation Code

Observation

Violation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2021-11-29: \*\*Time Extended\*\*

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Palm Beach County**

License Number: 6021105		TIKI BAR 52	
License Type: Permanent Food Service		18487 SE FEDERAL HWY, TEQUESTA 33469	
Inspection Date: 12/03/2021	Inspection Number: 3142937	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROTONDI, VICTOR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryers/by prep area/kitchen	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6003849		SINCLAIR'S	
License Type: Permanent Food Service		5 N A1A, JUPITER 33477	
Inspection Date: 12/01/2021	Inspection Number: 3143437	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROTONDI, VICTOR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.099577, 099578, 098381 all exp 5/20/2021. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 6007350		SANDBAR	
License Type: Permanent Food Service		5 N A1A, JUPITER 33477	
Inspection Date: 12/01/2021	Inspection Number: 3143471	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROTONDI, VICTOR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 099577, 099578, 098381 all exp5/20/21 **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 6007461		EMPLOYEE DINING AREA	
License Type: Permanent Food Service		5 N A1A, JUPITER 33477	
Inspection Date: 12/01/2021	Inspection Number: 3143525	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROTONDI, VICTOR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 099577, 099578, 098381 all exp 05/20/2021 **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

**Pinellas County**

License Number: 6217800		SOUTHIE COFFEE	
License Type: Permanent Food Service		1500 S MISSOURI AVE, CLEARWATER 33756	
Inspection Date: 12/03/2021	Inspection Number: 3103511	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: LOZANO, KELVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	Increased seating from 0 to 45 seats	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6217202		NORTH ISLAND BAR AND GRILLE	
License Type: Permanent Food Service		600 MANDALAY AVE., CLEARWATER 33767	
Inspection Date: 12/02/2021	Inspection Number: 3160777	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: KOUSTIS, TIMOTHY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-02-4	Flammables stored/debris present in kitchen. LP 20# propane store in kitchen. Items removed. For reporting purposes only. **Corrected On-Site**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.	
License Number: 6216812		WESTSHORE PIZZA	
License Type: Permanent Food Service		2989 W BAY DR, BELLEAIR BLUFFS 33770	
Inspection Date: 11/30/2021	Inspection Number: 3096415	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: KOUSTIS, TIMOTHY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Entrance to kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Sarasota County**

License Number: 6805362

LA MUCCA BALLERINA

License Type: Permanent Food Service

1668 MAIN ST, SARASOTA 34236

Inspection Date: 11/30/2021

Inspection Number: 3127601

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only.  
Exposed electrical wires in the dry storage area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Seminole County**

License Number: 6903479 TEXAS ROADHOUSE  
 License Type: Permanent Food Service 100 TOWNE CENTER BLVD, SANFORD 32771

Inspection Date: 12/03/2021 Inspection Number: 3121873 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: ANGEL, TERRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-03-4	Flammables stored/debris present in hot water heater room. For reporting purposes only. Wiping cloths. **Corrected On-Site**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 6903415 WILLOW TREE CAFE  
 License Type: Permanent Food Service 205 E 1 ST, SANFORD 32771-1372

Inspection Date: 11/30/2021 Inspection Number: 3130364 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: ANGEL, TERRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. By dumpsters.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Lucie County**

License Number: 6600795

AT CRAZY FISH

License Type: Permanent Food Service

211 AVE A, FORT PIERCE 34950

Inspection Date: 11/30/2021

Inspection Number: 3147306

Inspection Type: Routine - Food

Inspection Disposition: Emergency  
order recommended

Inspector Name: HARROD, JESSICA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Hood not working has a call in for someone to fix today.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6603033

PIZZA HUT

License Type: Permanent Food Service

1436 S US HWY 1, FORT PIERCE 34950

Inspection Date: 11/29/2021

Inspection Number: 3111879

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: HARROD, JESSICA

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7406842 NY KOREAN BBQ AND CHICKEN  
 License Type: Permanent Food Service 2225 S RIDGEWOOD AVE, SOUTH DAYTONA 32119

Inspection Date: 11/30/2021 Inspection Number: 3172474 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: COREY, DEREK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke not aligned under hood suppression system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7407121 CS WAFFLES  
 License Type: Permanent Food Service 4166 S ATLANTIC AVE, NEW SMYRNA BEACH 32169

Inspection Date: 11/29/2021 Inspection Number: 3124172 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: PICHARDO, RENEE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Exposed wires from electrical panel	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.