

Alachua County

License Number: 1101474

PERKINS RESTAURANT & BAKERY

License Type: Permanent Food Service

6825 W NEWBERRY RD, GAINESVILLE 32605

Inspection Date: 12/17/2021

Inspection Number: 3176408

Inspection Type: Complaint Full

Inspection Disposition: Administrative complaint recommended

Inspector Name: CASEY, KEITH

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only.
 Observed a stack of cardboard boxes stored up against the gas hot water heater.
 A staff member was asked to relocate. ****Corrective Action Taken****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Baker County

License Number: 1200182

HAMPTON INN & SUITES

License Type: Permanent Food Service

5242 GEORGE HODGES RD, MACCLENNY 32063

Inspection Date: 12/14/2021

Inspection Number: 3136580

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PERRY, DENNIS

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
In small air handler closet off kitchen, fire extinguisher in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Bay County

License Number: 1305916

HOOK'D PREP KITCHEN

License Type: Permanent Food Service

17618 ASHLEY DRIVE UNIT 105D, PANAMA CITY BEACH 32413

Inspection Date: 12/15/2021

Inspection Number: 3136645

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HAASE, TINA

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506372

JOANNE'S BEACHSIDE CAFE INC

License Type: Permanent Food Service

6006 N ATLANTIC AVE, CAPE CANAVERAL 32920

Inspection Date: 12/15/2021

Inspection Number: 3091385

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HICKS, GEORGE RANDY

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring exposed in breaker box. Breaker box missing cover. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1622991

FIRST WATCH RESTAURANT #277

License Type: Permanent Food Service

12598 PINES BLVD STE 103, PEMBROKE PINES 33027

Inspection Date: 12/13/2021

Inspection Number: 3145667

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MARTINEZ, RHEANNE

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed fire extinguisher in recharge zone- hanging on wall next to mop sink.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Charlotte County

License Number: 1801963

FIN SUSHI PORT CHARLOTTE

License Type: Permanent Food Service

24123 PEACHLAND BLVD UNITS C2 & C3, PORT CHARLOTTE 33954

Inspection Date: 12/10/2021

Inspection Number: 3151194

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: KEATING, PATRICK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Observed: Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit hall way blocked with boxes. Priority: Reporting	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
46-04-4	Observed: Exit door locked. For reporting purposes only. Observed exit door locked. Priority: Reporting	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Collier County

License Number: 2103143

BURGER KING #17646

License Type: Permanent Food Service

2427 TARPON BAY BLVD, NAPLES 34119

Inspection Date: 12/17/2021

Inspection Number: 3176154

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SOMMERS, KARA

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. Observed damaged extension cord in use. Operator switched extension cords. For reporting purposes only. **Corrective Action Taken**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2334492 100 MONTADITOS
 License Type: Permanent Food Service 6801 MAIN ST STE C106-C107, MIAMI LAKES 33014

Inspection Date: 12/15/2021 Inspection Number: 3164038 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: VILCHEZ, NABEL

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed cooking sausage on potable stove without hood.
 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2336895 SYNDICATE WYNWOOD
 License Type: Permanent Food Service 2451 NW 5 AVE, MIAMI 33127

Inspection Date: 12/15/2021 Inspection Number: 3112262 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GONZALEZ, ERIK

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in recharge zone inside kitchen.
 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2326422 LAS PALMAS CAFETERIA
 License Type: Permanent Food Service 209 SE 1 ST, MIAMI 33131

Inspection Date: 12/14/2021 Inspection Number: 3159265 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended
 Inspector Name: HENLEY, LATONYA

Violation Code ObservationViolation Citation

45-04-4 - From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed two portable fryers not underneath the hood. Observed the hood no
 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2330448 4D
 License Type: Permanent Food Service 500 S POINTE DR #190, MIAMI BEACH 33139

Inspection Date: 12/14/2021 Inspection Number: 3131910 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: WILLIAMS, ALFREDA

Violation Code ObservationViolation Citation

45-02-4 - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near restroom. - From follow-up inspection 2021-12-14: **Time Extended**
 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2323726	CARVEL		
License Type: Permanent Food Service	9330 SW 56 ST, MIAMI	331656529	
Inspection Date: 12/15/2021	Inspection Number: 2688122	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: LEIDECKER, EDILMA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	- From initial inspection : Exit door locked. For reporting purposes only. - From follow-up inspection 2021-12-15: Exit door locked. For reporting purposes only. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2328912	POLLO TROPICAL #59		
License Type: Permanent Food Service	10705 W FLAGLER ST, MIAMI	33174	
Inspection Date: 12/14/2021	Inspection Number: 3144210	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2334159	PANERA BREAD #1704		
License Type: Permanent Food Service	10061 W FLAGLER ST, MIAMI	33174	
Inspection Date: 12/15/2021	Inspection Number: 3141453	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. observed empty boxes blocking the exit door. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2329211	PCS EVENTS - SPECIAL EVENT CATERING & DESIGN TEAM		
License Type: Catering	12205 SW 131 AVE, MIAMI	33186	
Inspection Date: 12/17/2021	Inspection Number: 1120040	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LODENQUAI, BARRINGTON			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed in the back storage.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Duval County

License Number: 2614780 WILD ATLANTIC SEAFOOD
 License Type: Permanent Food Service 622 CASSAT AVE 11-12, JACKSONVILLE 32205

Inspection Date: 12/17/2021 Inspection Number: 3114214 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Boxes, mgr removed boxes **Corrected On-Site** - From follow-up inspection 2021-11-15: Not seen **Time Extended** - From follow-up inspection 2021	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614668 FARM TO TABLE CAFE
 License Type: Permanent Food Service 807 CHILDRENS WAY, JACKSONVILLE 32207

Inspection Date: 12/17/2021 Inspection Number: 3128592 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: YOUNG, JENNIFER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment cook food products on stove with out a hood suppression system	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615383 LA NOPALERA MEXICAN RESTAURANT
 License Type: Permanent Food Service 1434 HENDRICKS AVE, JACKSONVILLE 32207

Inspection Date: 12/17/2021 Inspection Number: 3137312 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: YOUNG, JENNIFER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 15lb propane tank near elevator across from bar area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2651967 V N S SOUL FOOD
 License Type: Mobile Food Dispensing Vehicle 10435 CENTERWOOD CT, JACKSONVILLE 32218

Inspection Date: 12/13/2021 Inspection Number: 1245423 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Flagler County

License Number: 2800692

HOULIGAN'S SPIRITED SPORTS GRILLE

License Type: Permanent Food Service

50 PLAZA DR STE 106, PALM COAST 32137

Inspection Date: 12/13/2021

Inspection Number: 3141111

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: BADDING, MELANIE

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
At fire extinguisher by back door, in red zone. Person in charge states did need to be used recently.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2850102

ASERE Q BOLA

License Type: Mobile Food Dispensing Vehicle

3 KINGS WAY, PALM COAST 32137

Inspection Date: 12/16/2021

Inspection Number: 1247437

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: BADDING, MELANIE

Violation CodeObservationViolation Citation

45-01-4

No portable fire extinguisher present. For reporting purposes only.
At the time of inspection establishment has small one time use fire extinguisher with no gauge, is about the size of a water bottle.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3904594

BURGER KING #3066

License Type: Permanent Food Service

2302 N 21 ST, TAMPA 33605

Inspection Date: 12/17/2021

Inspection Number: 3121479

Inspection Type: Routine - Food

Inspection Disposition: Inspection

Inspector Name: SANDERS, CLEVELAND

Completed - No Further Action

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed fire extinguisher gauge in the red. Extinguisher located across from rear exterior door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3916900

RAMADA WEST SHORE TAMPA

License Type: Permanent Food Service

1200 N WESTSHORE BLVD, TAMPA 33607

Inspection Date: 12/15/2021

Inspection Number: 3137803

Inspection Type: Routine - Food

Inspection Disposition: Inspection

Inspector Name: CANNELLA, MARK

Completed - No Further Action

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 3915517

PACHS PLACE RESTAURANT LLC

License Type: Permanent Food Service

601 S DALE MABRY HWY, TAMPA 33609

Inspection Date: 12/15/2021

Inspection Number: 3137995

Inspection Type: Routine - Food

Inspection Disposition: Inspection

Inspector Name: KLUSENDORF, JEANNE

Completed - No Further Action

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Indian River County

License Number: 4105343

ASIAN FUSION

License Type: Permanent Food Service

4807 HWY A1A, VERO BEACH 32963

Inspection Date: 12/15/2021

Inspection Number: 3171727

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical outlet missing plate around such.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4606401		HAPPY SUN ICE CREAM	
License Type: Permanent Food Service		1421 ORTIZ AVE, FORT MYERS 33905	
Inspection Date: 12/15/2021	Inspection Number: 3122230	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: FREED, JOSEPH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 4607253		HUNGARIAN KITCHEN	
License Type: Permanent Food Service		4529 BAYSHORE RD, NORTH FORT MYERS 33917	
Inspection Date: 12/14/2021	Inspection Number: 3128806	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: FREED, JOSEPH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed items in front of rear exit.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Manatee County

License Number: 5105618

THAI SEED

License Type: Permanent Food Service

5215 UNIVERSITY PKWY, UNIVERSITY PARK 34201

Inspection Date: 12/13/2021

Inspection Number: 3128963

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EASLER, VERONICA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone at the end of the cook line. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5811879		PIZZA HUT	
License Type: Permanent Food Service		1148 N ROCK SPRINGS RD, APOPKA 32712	
Inspection Date: 12/15/2021	Inspection Number: 3111181	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Magnetic car delivery signs are hanging on the back door, the emergency exit door should be free of these obstruction	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812122		ROME'S FLAVOURS	
License Type: Permanent Food Service		124 E MORSE BLVD, WINTER PARK 32789	
Inspection Date: 12/16/2021	Inspection Number: 3120151	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MONTGOMERY, DOREEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 3 propane tanks in storage room across the street in unit B	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812460		AMWAY CENTER - THE CARVERY (CLUB)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3133058	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812461		AMWAY CENTER SEAR & SIZZLE CLUB LEVEL	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3108105	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Orange County

License Number: 5812462 PREMIUM LOGE SUITE & PANTRY CLUB LEVEL
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3113244 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812491 AMWAY ICON
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3088512 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PLEICONES, KIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 122816 & 122823 both expire 6/22/23 136477, 122839, 122859 & 1822864 No certificates	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812492 AMWAY FIELDS ULTIMATE LOUNGE
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3119420 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PLEICONES, KIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only. 122816 & 122823 both expire 6/22/23 136477, 122839, 122859 & 1822864 No certificates	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812496 AMWAY CENTER PREMIUM PANTRY B
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3111811 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Orange County

License Number: 5812497		AMWAY CENTER - O-TOWN GRILL AND PAPA JOHNS (TERRACE)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3131898	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812498		AMWAY CENTER-COORS LIGHT MOUNTAIN BAR & SILVER SPOON GRILL (TERR)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3119414	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812499		CRAFT BAR	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3090928	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812500		AMWAY CENTER - NORTH CLUB BAR AND SEAFOOD GRILL (CLUB)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3133008	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Orange County

License Number: 5812503		AMWAY CENTER INSEAT PANTRY (EVENT)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3131937	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PLEICONES, KIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 122816 & 122823 both expire 6/22/23 136477, 122839, 122859 & 1822864 No certificates	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812504		AMWAY CENTER - SILVER SPARK GRILL (TERRACE)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3131897	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812505		AMWAY CENTER- PINSTRIPES (TERRACE)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3108113	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812506		BLACK BEAN DELI (TERRACE)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3120512	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Orange County

License Number: 5812507		AMWAY CENTER - TERRACE VENDING/COMMISSARY	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3126750	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812508		GRINGOS LOCOS	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3100914	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812509		AMWAY CENTER - MENCHIES (TERRACE)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3125675	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5812510		AMWAY CENTER - SLAM DUNK (TERRACE)	
License Type: Permanent Food Service		400 WEST CHURCH, ORLANDO 32801	
Inspection Date: 12/15/2021	Inspection Number: 3108112	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 136477 122839 122859 122864 138435 no certificate	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Orange County

License Number: 5812511 AMWAY CENTER - GLO BOWL (TERRACE)
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3119413 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.
 136477 122839 122859 122864 138435 no certificate

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812537 AMWAY CENTER MAIN KITCHEN/ CLUB REST/ TOWER BAR/ SKY BAR (CLUB)
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3114820 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812644 PREMIUM PANTRY A
 License Type: Permanent Food Service 400 WEST CHURCH, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3112049 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812661 AMWAY CENTER - 'ON A ROLL' CARVERY CART #2 (TERRACE)
 License Type: Permanent Food Service 400 W CHURCH ST, ORLANDO 32801

Inspection Date: 12/15/2021 Inspection Number: 3131952 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PLEICONES, KIM

Violation Code ObservationViolation Citation

48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes only.
 122816 & 122823 both expire 6/22/23
 136477, 122839, 122859 & 1822864 No certificates

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Orange County

License Number: 5815266	KOOK'N WITH KIM		
License Type: Permanent Food Service	307 WEST KENNEDY BOULEVARD, ORLANDO 32810		
Inspection Date: 12/15/2021	Inspection Number: 3124417	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator removed from the building 22 tanks , tanks removed **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5813093	CENTERPLATE PORTABLE FOOD CART #3		
License Type: Permanent Food Service	9800 INTERNATIONAL DR, ORLANDO 32819		
Inspection Date: 12/17/2021	Inspection Number: 3130253	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SPEIGHTS, BLANCHIE MACHELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification 131317 1/12/2020 has expired	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5813180	NATHANS 3		
License Type: Permanent Food Service	9800 INTL DR & 9400 UNIVERSAL BLVD, ORLANDO 32819		
Inspection Date: 12/17/2021	Inspection Number: 3123945	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SPEIGHTS, BLANCHIE MACHELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification 131317 1/12/2020 expired	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5813183	HAAGEN DAZS 3		
License Type: Permanent Food Service	9800 INTL DR & 9400 UNIVERSAL BLVD, ORLANDO 32819		
Inspection Date: 12/17/2021	Inspection Number: 3123944	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SPEIGHTS, BLANCHIE MACHELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification has expired 1/12/2020	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Orange County

License Number: 5854570 NMXH SERVICES
 License Type: Mobile Food Dispensing Vehicle 4880 DISTRIBUTION CT, ORLANDO 32822

Inspection Date: 12/15/2021 Inspection Number: 1242427 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LORENZO, ANA

Violation Code Observation

Violation Citation

45-01-4 No portable fire extinguisher present. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5803810 MARTIN MARIETTA INFO SYSTEMS
 License Type: Permanent Food Service 100 GLOBAL INNOVATION CIRCLE, ORLANDO 328255002

Inspection Date: 12/15/2021 Inspection Number: 3133401 Inspection Type: Routine - Food Inspection Disposition: Call Back - Extension given, pending
 Inspector Name: VAZQUEZ, JULITZA

Violation Code Observation

Violation Citation

45-02-4 - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver by main walk in cooler. Maintenance man inspected, going to replace but no extra on hand. - From follow-up inspection 2021-12-15: **Time

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6022232		TURN 3 SPORTS BAR	
License Type: Permanent Food Service		23032 SANDALFOOT PLAZA, BOCA RATON 33428	
Inspection Date: 12/13/2021	Inspection Number: 3156539	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LEWIS, LYNDEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6020948		PAPAS TAPAS	
License Type: Permanent Food Service		259 NE 2 AVE, DELRAY BEACH 33444	
Inspection Date: 12/14/2021	Inspection Number: 3149336	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 2 LP gas tanks stored on top of walk in cooler. Operator removed **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6008353		BIG ALS STEAKS	
License Type: Permanent Food Service		450 E ATLANTIC AVE, DELRAY BEACH 33483	
Inspection Date: 12/16/2021	Inspection Number: 3144998	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: GOODWIN, NICHOLAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at fire extinguisher at register - From follow-up inspection 2021-12-16: Next unannounced **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at fire extinguisher at register	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Pinellas County

License Number: 6218109		BUFFALO CITY	
License Type: Permanent Food Service		5631 PARK STREET NORTH, ST. PETERSBURG 33709	
Inspection Date: 12/17/2021	Inspection Number: 3176414	Inspection Type: Complaint Full	Inspection Disposition: Emergency Order Callback Not Complied
Inspector Name: HEFFNER, CHRISTOPHER			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Gas can, blower, pressure washers stored indoors - From follow-up inspection 2021-12-17: **	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Gas can, blower, pressure washers stored indoors	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6217063		SMILEY'S DELI	
License Type: Permanent Food Service		3441 CENTRAL AVE, ST. PETERSBURG 33713	
Inspection Date: 12/14/2021	Inspection Number: 3165102	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: HEFFNER, CHRISTOPHER			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	Increased seating from 0 to 4 seats **Warning**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
49-05-4	- From initial inspection : Increased seating from 0 to 4 seats **Warning** - From follow-up inspection 2021-12-15: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6217043		BANQUET MASTERS RESTAURANT	
License Type: Permanent Food Service		13355 49TH STREET NORTH, CLEARWATER 33762	
Inspection Date: 12/13/2021	Inspection Number: 3132947	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILMOT, TASHARA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. -shopping cart blocking exit door next to linen room	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Pinellas County

License Number: 6217451

BELLEAIR COFFEE COMPANY

License Type: Permanent Food Service

100 INDIAN ROCKS ROAD SUITE J, BELLEAIR BLUFFS 33770

Inspection Date: 12/14/2021

Inspection Number: 3098860

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: KOUSTIS, TIMOTHY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Propane tank located in back storage room next to exit door. Item moved outside.
Corrected On-Site **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217167

SANTA FE MEXICAN GRILL

License Type: Permanent Food Service

800 CLEARWATER LARGO, LARGO 33770

Inspection Date: 12/16/2021

Inspection Number: 3108449

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: KOUSTIS, TIMOTHY

Violation CodeObservationViolation Citation

49-03-4

Flammables stored/debris present in boiler room. For reporting purposes only.
Can of gasoline stored in hot water tank room. **Corrected On-Site**

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Putnam County

License Number: 6400830

PAPA JOHNS PIZZA

License Type: Permanent Food Service

1817 REID STREET, PALATKA 32177

Inspection Date: 12/15/2021

Inspection Number: 3129406

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: PERRY, DENNIS

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.
Fire extinguisher by front counter. Manager states clip for extinguisher was knocked off wall. Fire extinguisher is present by manager desk.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6804642

JUICY CRAB SEAFOOD

License Type: Permanent Food Service

560 N WASHINGTON BLVD UNIT E, SARASOTA 34236

Inspection Date: 12/15/2021

Inspection Number: 3137797

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation CodeObservationViolation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only.
Exposed wiring in the walk in cooler next to the condenser.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6805296

BOONBON RESTAURANT AND LOUNGE

License Type: Permanent Food Service

1118 N WASHINGTON BLVD, SARASOTA 34236

Inspection Date: 12/15/2021

Inspection Number: 3149998

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Back exit door in the kitchen is blocked by a dry storage shelf.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7407680		BETTER JERK JAMAICAN RESTAURANT	
License Type: Permanent Food Service		1480 SOUTH RIDGEWOOD AVE, DAYTONA BEACH 32114	
Inspection Date: 12/14/2021	Inspection Number: 3136698	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: PICHARDO, RENEE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Near back door - From follow-up inspection 2021-12-09: **Time Extended** - From follow-up inspection 2021-12-14: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 7406438		JOY LUCK CAFE	
License Type: Permanent Food Service		5000 S CLYDE MORRIS BLVD STE 8, PORT ORANGE 32127	
Inspection Date: 12/14/2021	Inspection Number: 3123365	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: FRANZ, LINDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Structure built and blocking front entrance to location so that guests can not enter.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Structure built and blocking front entrance to location so that guests can not enter. - From follow-up inspection 2021-12-15: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 7407022		ASIAN SAUCE BOX	
License Type: Permanent Food Service		5535 S WILLIAMSON BLVD SUITE 652, PORT ORANGE 32128	
Inspection Date: 12/13/2021	Inspection Number: 3128932	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: COREY, DEREK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Children's toys on floor blocking access to back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Walton County

License Number: 7602053		SIMPLY GOOD BBQ	
License Type: Permanent Food Service		67 LEISURE LAKE RD, DEFUNIAK SPRINGS 32433	
Inspection Date: 12/16/2021	Inspection Number: 3088594	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SHANKLIN, CYNTHIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. 1 gallon gas tank stored on floor 2 foot next to in use smoker in back kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 7601974		JIN JIN 66 CHINESE RESTAURANT INC	
License Type: Permanent Food Service		1310 US 331 UNIT 105, DEFUNIAK SPRINGS 32435	
Inspection Date: 12/17/2021	Inspection Number: 3122720	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: SHANKLIN, CYNTHIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Frayed wiring hanging from ceiling in walk way leading to back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 7650104		PELON FOOD TRAILER LLC	
License Type: Mobile Food Dispensing Vehicle		18655 US-331, FREEPORT 32439	
Inspection Date: 12/17/2021	Inspection Number: 1239453	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SHANKLIN, CYNTHIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. Stored on floor behind trash can next to fryer.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 7602145		MAMA CLEMENZA	
License Type: Permanent Food Service		12273 US HWY 98 SUITE 102, MIRAMAR BEACH 32550	
Inspection Date: 12/16/2021	Inspection Number: 3089310	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILSON, MISTY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Fry daddy on a table not under the hood. Not in use during inspection. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	