

Alachua County

License Number: 1102817 MCDONALDS
 License Type: Permanent Food Service 9260 NW 39 AVE, GAINESVILLE 32606

Inspection Date: 01/19/2022 Inspection Number: 3179428 Inspection Type: Complaint Full Inspection Disposition: Administrative complaint recommended
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed the silver fire extinguisher in the recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1101698 SONNY'S BBQ
 License Type: Permanent Food Service 3635 SW ARCHER RD, GAINESVILLE 32608

Inspection Date: 01/20/2022 Inspection Number: 3108937 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: TORRES, WILLIAM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed back exit door blocked with garbage can and card board boxes. Manager instructed employee to dispose of the card board boxes and remove garbage can. Employee removed all items. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1624820 POKE SUSHI INC
 License Type: Permanent Food Service 1000 N BROADWALK STE 5 B, HOLLYWOOD 33019

Inspection Date: 01/21/2022 Inspection Number: 3166078 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BRADY, OSSIAN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed grease laden vapors on Wall and A/C vent in rear kitchen area above small fryer for tempura.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1624240 TABANKA-A TRINI KITCHEN
 License Type: Permanent Food Service 1645-1647 S SR 7, NORTH LAUDERDALE 33068

Inspection Date: 01/19/2022 Inspection Number: 3157444 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: ROGERS, VERNEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed main kitchen exit door being blocked by speed rack. Operator removed speed rack. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1621558 LA PAISA RESTAURANT & BAKERY
 License Type: Permanent Food Service 5337-5339 SR 7, TAMARAC 33319

Inspection Date: 01/19/2022 Inspection Number: 3164567 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ROGERS, VERNEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed main kitchen exit door being blocked by empty boxes, case of plantains and bag of onions.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2332507 THE COCINITA MIAMI
 License Type: Permanent Food Service 70 SE 5 ST #107W, MIAMI 33131

Inspection Date: 01/19/2022 Inspection Number: 3155537 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed in the kitchen a flat top grill and grease fryer with no hood suppression system. - From follow-up inspection 2022-01-11: Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed in the kitchen a flat top grill and grease fryer with no hood suppression system. **Time Extended** - From follow-up inspection 2022-01-19: Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed in the kitchen a flat top grill and grease fryer with no hood suppression system **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2335846 CANA RESTAURANT
 License Type: Permanent Food Service 1102 BRICKELL BAY DR, MIAMI 33131

Inspection Date: 01/21/2022 Inspection Number: 3151823 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed the back door blocked by cardboard boxes. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2328841 BANQUET PANTRY
 License Type: Permanent Food Service 1545 COLLINS AVE, MIAMI BEACH 33139

Inspection Date: 01/19/2022 Inspection Number: 3132150 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: HODGE, KRISTEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current/expired insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler jurisdiction number's 120333 (kitchen); 120330; 120331; 120332, 120335 All expired on 4/23/2021	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2336670 TASTY BEACH CAFE
 License Type: Permanent Food Service 4041 ROYAL PALM AVE, MIAMI BEACH 33140

Inspection Date: 01/19/2022 Inspection Number: 3149062 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: UNZAGA, MILADYS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed accumulation of smoke in the kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2318261

INTERNATIONAL HOUSE OF PANCAKES 36-01

License Type: Permanent Food Service

1101 NE 163 ST, NORTH MIAMI BEACH 33162-4502

Inspection Date: 01/19/2022

Inspection Number: 3163990

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: STUBBS, CHRISTINE

Violation Code ObservationViolation Citation46-04-4 Exit door locked. For reporting purposes only. In the dining area. Manager
unlocked door. **Warning**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2334256

DUNKIN DONUTS #34

License Type: Permanent Food Service

95 NW 167 ST, NORTH MIAMI BEACH 33169

Inspection Date: 01/18/2022

Inspection Number: 3173508

Inspection Type: Routine - Food

Inspection Disposition: Emergency
order recommended

Inspector Name: STUBBS, CHRISTINE

Violation Code ObservationViolation Citation46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed
mop bucket, and garbage bag blocking door marked exit. **Warning**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2318864

YUMWICH, INC.

License Type: Permanent Food Service

11400 N KENDALL DR STE 111, MIAMI 33176

Inspection Date: 01/19/2022

Inspection Number: 3150954

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: ORDONEZ, CATALINA

Violation Code ObservationViolation Citation45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood
suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2328762 DR LIMON CEVICHE BAR
 License Type: Permanent Food Service 13766 SW 84 ST, MIAMI 33183

Inspection Date: 01/20/2022 Inspection Number: 3179698 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: ELDER, AUDREY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located at ware washing area and near walk in cooler.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Located at ware washing area and near walk in cooler. - From follow-up inspection 2022-01-21: Portable fire extinguisher gauge in red zone. For reporting purposes only. Located at ware washing area and near walk in cooler. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2357419 COLOMBIAN EXTREME FOOD
 License Type: Mobile Food Dispensing Vehicle 13380 SW 131 ST UNIT 116, MIAMI 33186

Inspection Date: 01/21/2022 Inspection Number: 1245805 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in recharge zone inside MFDV. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2603622

WENDY'S #58

License Type: Permanent Food Service

3910 UNIVERSITY BLVD W, JACKSONVILLE 32217

Inspection Date: 01/20/2022

Inspection Number: 3149168

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GOSAI, MATT

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Rear exit blocked by boxes. Moved by manager. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2612282

SIMPLY TASTY THAI

License Type: Permanent Food Service

2292 MAYPORT RD #8, JACKSONVILLE 32233

Inspection Date: 01/21/2022

Inspection Number: 3107643

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: GONZALEZ, MAYRA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Pathway to marked exit door blocked with miscellaneous large items in dining room area. Reviewed policy with manager.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3912144

CHIPOTLE MEXICAN GRILL #1626

License Type: Permanent Food Service

829 EAST BLOOMINGDALE AVE, BRANDON 33511

Inspection Date: 01/18/2022

Inspection Number: 3177960

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MOULDER, BRITTANY

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed near back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3916065

LIBORIO'S LATIN CAFE AND CATERING

License Type: Permanent Food Service

8210 E CAUSEWAY BLVD, TAMPA 33619

Inspection Date: 01/18/2022

Inspection Number: 3179298

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SANDERS, CLEVELAND

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire
extinguisher at cook line dry storage area gauge is in the red. Located next to
handwash sink.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Jefferson County

License Number: 4300134

BURGER KING MONTICELLO

License Type: Permanent Food Service

1209 SOUTH JEFFERSON STREET, MONTICELLO 32344

Inspection Date: 01/18/2022

Inspection Number: 3129734

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SMITH, PAUL

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. Both extinguishers on floor.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lake County

License Number: 4508383

GOLDEN KRUST CARRIBEAN BAKERY & GRILL

License Type: Permanent Food Service

1020 E HWY 50, CLERMONT 34711

Inspection Date: 01/21/2022

Inspection Number: 3145723

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FREY, RANDY

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
By rear exit door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4607436

WINGSTOP

License Type: Permanent Food Service

2505 SANTA BARBARA BLVD, CAPE CORAL 33914

Inspection Date: 01/19/2022

Inspection Number: 3158906

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MOREHEAD, PHILIP

Violation Code ObservationViolation Citation

46-04-4 Exit door locked. For reporting purposes only. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4607367

EL PATRON RESTAURANTE INC

License Type: Permanent Food Service

3639-3641 PALM BEACH BLVD, FORT MYERS 33916

Inspection Date: 01/13/2022

Inspection Number: 3104615

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FREED, JOSEPH

Violation Code ObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door with chair in front of it. Operator moved chair during inspection. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Manatee County

License Number: 5105509

MICHELANGELO PIZZA

License Type: Permanent Food Service

2957 UNIVERSITY PKWY, SARASOTA 34243

Inspection Date: 01/19/2022

Inspection Number: 3120351

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: EASLER, VERONICA

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only.
Badger silver fire extinguisher gauge in red zone. Stored to the left of the mop sink next to the ice machine. - From follow-up inspection 2022-01-19: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5604142

EL TORREONENSE GORDITAS, TACOS Y MENUDO

License Type: Permanent Food Service

298 EGLIN PKWY NE, FORT WALTON BEACH 32547

Inspection Date: 01/18/2022

Inspection Number: 3147445

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BURROUGHS, RICHARD

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5815360

CHIPOTLE MEXICAN GRILL

License Type: Permanent Food Service

13935 LANDSTAR BLVD #120, ORLANDO 32824

Inspection Date: 01/18/2022

Inspection Number: 3154728

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ALVIS, DAVID

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.- trash cans
Corrected On-Site

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6019319 LOPEZ CAFE
 License Type: Permanent Food Service 572 E CANAL ST S, BELLE GLADE 33430

Inspection Date: 01/19/2022 Inspection Number: 3144657 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: SEVILLA, FREDDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022283 VIET ROLLS
 License Type: Permanent Food Service 901 WEST INDIANTOWN RD BAY #16, JUPITER 33458

Inspection Date: 01/20/2022 Inspection Number: 3153197 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: ROTONDI, VICTOR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer/to cook tofu/cookline	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022423 FRESHOP
 License Type: Permanent Food Service 33 SE 3 AVE UNIT 16, DELRAY BEACH 33483

Inspection Date: 01/19/2022 Inspection Number: 3178400 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOODWIN, NICHOLAS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Pinellas County

License Number: 6205231

BURGER KING #1180

License Type: Permanent Food Service

23904 US 19 N, CLEARWATER 33765

Inspection Date: 01/19/2022

Inspection Number: 3131583

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LOZANO, KELVIN

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher on cook line in recharge zone. Employee replaced fire extinguisher during inspection **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7407242

JIMMY JOHN'S

License Type: Permanent Food Service

3661 S CLYDE MORRIS BLVD #101, PORT ORANGE 32129

Inspection Date: 01/19/2022

Inspection Number: 3089566

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: COREY, DEREK

Violation Code

Observation

Violation Citation

49-03-4 Flammables stored/debris present in boiler room. For reporting purposes only.
-cardboard boxes stored next to hot water heater

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.