

**Brevard County**

License Number: 1504679

FLORIDA'S SEAFOOD BAR AND GRILL

License Type: Permanent Food Service

480 W COCOA BEACH CSWY, COCOA BEACH 32931

Inspection Date: 04/21/2022

Inspection Number: 3164355

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HICKS, GEORGE RANDY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver by double bay sink.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1625524 SANTIAGO'S BODEGA  
 License Type: Permanent Food Service 445 NE 4 ST, FORT LAUDERDALE 33301

Inspection Date: 04/22/2022 Inspection Number: 3082188 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1608794 SUBWAY  
 License Type: Permanent Food Service 201 E SUNRISE BLVD, FORT LAUDERDALE 33304

Inspection Date: 04/20/2022 Inspection Number: 3113942 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Back Exit door locked. For reporting purposes only. Board across door. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Exit sign at back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1622710 THASOS ISLAND RESTAURANT LLC  
 License Type: Permanent Food Service 3330 E OAKLAND PARK BLVD, FORT LAUDERDALE 33308

Inspection Date: 04/21/2022 Inspection Number: 3167162 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: LEWIS, LYNDEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1621108

CATERING AT CHEFS TABLE LLC

License Type: Catering

3840 INVERRARY BLVD, LAUDERHILL 33319

Inspection Date: 04/19/2022

Inspection Number: 1120588

Inspection Type: Routine - Food

Inspection Disposition: Emergency order recommended

Inspector Name: ROGERS, VERNEL

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Main kitchen dry storage area- observed electrical outlet created inside wall. Observed wood board created to cover electrical outlet inside wall. Outlet is noticeable by wiring outside wood board cover.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Citrus County**

License Number: 1900660

PIZZA HUT OF HOMOSASSA SPGS

License Type: Permanent Food Service

4845 N SUNCOAST BLVD, HOMOSASSA SPGS 344479999

Inspection Date: 04/19/2022

Inspection Number: 3186344

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DEMARCO, AMBER

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing smoke with hood suppression system in disrepair. Notified Fire AHJ. For reporting purposes only. Operator states repair company has ordered parts for the hood to be repaired. Establishment currently has vacuum like machine at the oven vent that is attached to yellow tubing that is venting out the back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Clay County**

License Number: 2000016

CLUB CONTINENTAL DINING ROOM

License Type: Permanent Food Service

2143 ASTOR ST, ORANGE PARK 32073

Inspection Date: 04/21/2022

Inspection Number: 3152497

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Certification expired 1/14/2022

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Collier County**

License Number: 2101109 AURA RESTAURANT  
 License Type: Permanent Food Service 475 SEAGATE DR, NAPLES 34103

Inspection Date: 04/20/2022 Inspection Number: 3184693 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: DILLON, TIMOTHY

Violation Code ObservationViolation Citation

48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed no boiler certificate for the location.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
---------	--	--

License Number: 2102467 DOUBLETREE GUEST SUITES  
 License Type: Permanent Food Service 12200 TAMIAMI TRAIL, NAPLES 34110

Inspection Date: 04/18/2022 Inspection Number: 3152954 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BARKLEY, KENDELL

Violation Code ObservationViolation Citation

48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed no boiler certificate for the establishment with in the hotel.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
---------	---	--

**Columbia County**

License Number: 2250098

BLESSED BBQ AND CATERING

License Type: Mobile Food Dispensing Vehicle

803 SW HARTFORD WAY, LAKE CITY 32024

Inspection Date: 04/21/2022

Inspection Number: 1246449

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BAILEY, KIMBERLY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Recharge zone by Three compartment sink.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2333245 01.22.04 MAIN KITCHEN/ 1 ST BASE CLUB  
 License Type: Permanent Food Service 1501 NW 3 ST, MIAMI 33125

Inspection Date: 04/19/2022 Inspection Number: 3143577 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: SAENZ, HILDA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. FI 123887 01/21/2022 FI 123888. 01/21/2022  Boilers were inspected on 01/21/2022 but they are missing the Boiler certificate.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2333248 01.15.02 THE CLUB  
 License Type: Permanent Food Service 1501 NW 3 ST, MIAMI 33125

Inspection Date: 04/19/2022 Inspection Number: 3143560 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: SAENZ, HILDA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed FI 123887 and FI 123888 Inspected on 01/21/2022.  Boilers were inspected on 01/21/2022 but they are missing the Boiler certificate.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2327551 TRATTORIA DELLA SPIAGGIA  
 License Type: Permanent Food Service 3010 COLLINS AVE, MIAMI BEACH 33140

Inspection Date: 04/22/2022 Inspection Number: 3162559 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: UNZAGA, MILADYS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.



**Duval County**

License Number: 2615527 JIMMY HULA'S  
 License Type: Permanent Food Service 9711 APPECROSS RD, JACKSONVILLE 32222

Inspection Date: 04/20/2022 Inspection Number: 3162354 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GRODEWALD, PAUL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Bare wire in wall outlet next to make line.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614482 LITTLE CAESARS PIZZA  
 License Type: Permanent Food Service 13740 BEACH BLVD #111, JACKSONVILLE 32224

Inspection Date: 04/19/2022 Inspection Number: 3109233 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: VILBRUN, JOSUE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Block with card board boxes for trash at kitchen. Back door area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2610864 CHILI'S SOUTHWEST GRILL & BAR  
 License Type: Permanent Food Service 9350 ATLANTIC BLVD, JACKSONVILLE 322258219

Inspection Date: 04/18/2022 Inspection Number: 3173082 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: THOMAS, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Electrical outlet near hand wash sink near preparation area is loose and dangling away from wall in an exposed manner. Discussed with manager on duty	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614982 NORDSTROM BAZILLE  
 License Type: Permanent Food Service 4835 TOWN CROSSING DR, JACKSONVILLE 32246

Inspection Date: 04/19/2022 Inspection Number: 3168390 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: VILBRUN, JOSUE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Manager is new and unaware of location of boiler. Boiler site shows one active boiler and certificate is expired.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Escambia County**

License Number: 2706264

MR TERIYAKI INCORPORATED

License Type: Permanent Food Service

41 S NAVY BLVD, PENSACOLA 32507

Inspection Date: 04/22/2022

Inspection Number: 3185763

Inspection Type: Complaint Full

Inspection Disposition: Emergency order recommended

Inspector Name: JIMENEZ, MARCO

Violation Code

Observation

Violation Citation

49-01-4

Flammables stored inside storage room off kitchen.  
Gas can containing fuel .

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

**Flagler County**

License Number: 2850091

KING BMA FOOD SERVICE

License Type: Mobile Food Dispensing Vehicle

37 ROYAL LEAF LN, PALM COAST 32164

Inspection Date: 04/22/2022

Inspection Number: 1238896

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HARTMANN, MICHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment has a grill without a hood and cooks raw hamburgers.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Establishment has a 5lb propane tank hooked up to gas grill.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Highlands County**

License Number: 3800111

MARYLAND FRIED CHICKEN

License Type: Permanent Food Service

904 W MAIN ST, AVON PK 338253312

Inspection Date: 04/15/2022

Inspection Number: 3181853

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Observed light in walk-in cooler which had condensation inside bulb and flickered on and off .

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3916697

URBAN CANTINA

License Type: Permanent Food Service

200 E MADISON ST, TAMPA 33602

Inspection Date: 04/21/2022

Inspection Number: 3162987

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: EHLERS, MICHAEL

Violation Code    ObservationViolation Citation

47-02-4    Observed scorch marks around electrical outlet. For reporting purposes only. By back prep area where cans are stored.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3912268

THINH AN KITCHEN &amp; TOFU

License Type: Permanent Food Service

8104 W WATERS AVE, TAMPA 33615

Inspection Date: 04/21/2022

Inspection Number: 3182990

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Call Back - Extension given, pending

Inspector Name: ZHANG, JACKY

Violation Code    ObservationViolation Citation

48-01-5    - From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2022-04-21: \*\*Time Extended\*\*

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5    No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 3907293

HUNTERS GREEN ATHLETIC CENTER

License Type: Permanent Food Service

18050 HUNTERS OAK CR, TAMPA 33647

Inspection Date: 04/22/2022

Inspection Number: 3142945

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: POWELL, DAVID

Violation Code    ObservationViolation Citation

48-01-5    No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler inspection report expired 11/6/2021

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Hillsborough County**

License Number: 3906985

TAMPA PALMS GOLF & CC

License Type: Permanent Food Service

5811 TAMPA PALMS BLVD, TAMPA 336471090

Inspection Date: 04/19/2022

Inspection Number: 3168152

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: POWELL, DAVID

Violation Code

Observation

Violation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2022-04-19: No current insurance inspector boiler report or boiler certificate available for boiler \*\*Time Extended\*\*

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Manatee County**

License Number: 5105843

THE SHORE ON LONGBOAT

License Type: Permanent Food Service

800 BROADWAY ST, LONGBOAT KEY 34228

Inspection Date: 04/20/2022

Inspection Number: 3096859

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.  
3 propane tanks stored inside the establishment.  
Manager placed the tanks outside. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Monroe County**

License Number: 5428263

THE SAINT HOTEL KEY WEST

License Type: Permanent Food Service

417 EATON ST, KEY WEST 33040

Inspection Date: 04/19/2022

Inspection Number: 3114290

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HENLEY, LATONYA

Violation Code    Observation

Violation Citation

45-04-4    Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed a portable gas fryers on a table next to the cook line without hood suppression system. Observed the operator disconnect the gas portable fryer during the inspection. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Orange County**

License Number: 5810528 OOTOYA SUSHI.LOUNGE  
 License Type: Permanent Food Service 621 E CENTRAL BLVD, ORLANDO 32801

Inspection Date: 04/19/2022 Inspection Number: 3136211 Inspection Type: Routine - Food Inspection Disposition: Call Back -  
 Inspector Name: ASSEFA, MARKIA Complied

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. - From follow-up inspection 2022-04-19: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5855133 1 FISHMAN SUB HELSHIRE JAMAICA  
 License Type: Mobile Food Dispensing Vehicle 6898 SILVERSTAR ROAD, VIN#9304, ORLANDO 32818

Inspection Date: 04/22/2022 Inspection Number: 1243253 Inspection Type: Routine - Food Inspection Disposition: Warning  
 Inspector Name: GREENE, MARVIN Issued

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer next to 3 compartment sink.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5814635 @ THE DINER  
 License Type: Permanent Food Service 9938 UNIVERSAL BLVD, ORLANDO 32819

Inspection Date: 04/19/2022 Inspection Number: 3148445 Inspection Type: Routine - Food Inspection Disposition: Warning  
 Inspector Name: BACHOO, SAVITRI Issued

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguisher stored on floor in dry storage	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Electric cover over door and across from dish machine - From follow-up inspection 2022-04-20: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Electric cover over door and across from dish machine	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pinellas County**

License Number: 6213987 NATURE'S TABLE CITY CENTER  
 License Type: Permanent Food Service 100 2 AVE S, SAINT PETERSBURG 33701

Inspection Date: 04/19/2022 Inspection Number: 3164957 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: MURPHY, JAMES

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. In front counter area, eggs are being cooked on an induction oven and no hood system present.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. In front counter area, eggs are being cooked on an induction oven and no hood system present. - From follow-up inspection 2022-04-20: No cooking observed during call back inspection but induction burner is in same location in lobby area **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. In self service coffee area in dining room, wall outlet next to coffee maker has scorch marks. - From follow-up inspection 2022-04-20: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. In self service coffee area in dining room, wall outlet next to coffee maker has scorch marks.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216936 DALGISFLAMFO BROILED BURGERS LLC  
 License Type: Permanent Food Service 10754 70 AVE N UNIT C, SEMINOLE 33772

Inspection Date: 04/20/2022 Inspection Number: 3149412 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended  
 Inspector Name: WILMOT, TASHARA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	- From initial inspection : Exit door locked. For reporting purposes only. -blocked with boxes and chair - From follow-up inspection 2022-04-20: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**St. Johns County**

License Number: 6501963

MOJOS TACO

License Type: Permanent Food Service

551 ANASTASIA BLVD, SAINT AUGUSTINE 32080

Inspection Date: 04/19/2022

Inspection Number: 3174339

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: PERRY, DENNIS

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.  
Multiple gas tanks stored in dry storage area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Lucie County**

License Number: 6603177

MEATING STREET STEAKHOUSE & SEAFOOD

License Type: Permanent Food Service

10553 MEETING STREET, PORT SAINT LUCIE 34987

Inspection Date: 04/18/2022

Inspection Number: 3170960

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HYNES, MONICA

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **\*\*Corrected On-Site\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7403436 1888  
 License Type: Permanent Food Service 600 N ATLANTIC AVE, DAYTONA BEACH 32118

Inspection Date: 04/22/2022 Inspection Number: 3171251 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: WOOD, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. -abc next to ice machine -k next to dish pit	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7407079 DAYS INN SPEEDWAY  
 License Type: Permanent Food Service 2904 W INTERNATIONAL SPEEDWAY BLVD, DAYTONA BEACH 32124

Inspection Date: 04/18/2022 Inspection Number: 3128630 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: COREY, DEREK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.