

Bay County

License Number: 1305414

PANERA BREAD #1353

License Type: Permanent Food Service

908 E 23 STREET, PANAMA CITY 32405

Inspection Date: 07/06/2022

Inspection Number: 3191036

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LYNN, NICKOLAS

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Extinguisher by office in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1302266

BAY POINT GOLF

License Type: Permanent Food Service

4701 BAY POINT RD, PANAMA CITY BCH 32408

Inspection Date: 07/06/2022

Inspection Number: 3239580

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LYNN, NICKOLAS

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Extinguisher over three compartment sink in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Bradford County

License Number: 1400204

LINGUI #1 CHINESE RESTAURANT

License Type: Permanent Food Service

1371 S WALNUT STREET #1300, STARKE 32091

Inspection Date: 07/06/2022

Inspection Number: 3240239

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BADDING, MELANIE

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Fire extinguisher by hot holding line in red zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506313 MOM & POPS BAR AND GRILL
 License Type: Permanent Food Service 900 N ATLANTIC AVE STE D, COCOA BEACH 32931

Inspection Date: 07/06/2022 Inspection Number: 3190260 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: HICKS, GEORGE RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top grill in use for eggs, etc. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificates expired 12/7/17 and 3/17/22. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1504971 RIVER ROCKS LLC
 License Type: Permanent Food Service 6485 S US HWY 1, ROCKLEDGE 32955

Inspection Date: 07/08/2022 Inspection Number: 3197619 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: FICHTER, GARRICK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher in kitchen is in the red zone	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1619413

CHOW ONE KOREAN BBQ & BUFFET

License Type: Permanent Food Service

8369 PINES BLVD, PEMBROKE PINES 33024

Inspection Date: 07/06/2022

Inspection Number: 3242017

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: GANPAT, INDAR

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

Water boiling for bubble tea in tea station next to entrance door in dining area. Operator turned off electric stove, move pot under hood on stove in cook line. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Collier County

License Number: 2102981

EINSTEIN BROS BAGELS #3457

License Type: Permanent Food Service

1210 9 STREET N, NAPLES 34102

Inspection Date: 07/08/2022

Inspection Number: 3203450

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DILLON, TIMOTHY

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed the fire exit blocked by the side door across from the bagel oven.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2150413

THE DOG HOUSE

License Type: Mobile Food Dispensing Vehicle

3940 CITY GATE BLVD N, NAPLES 34117

Inspection Date: 07/06/2022

Inspection Number: 1256931

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DILLON, TIMOTHY

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed a propane tank in the mobile truck.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2329123 RICKY AREPAS AND HOT DOGS
 License Type: Catering 414 SW 22 AVE, MIAMI 33135

Inspection Date: 07/05/2022 Inspection Number: 1122177 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GARCIA, B OSCAR

Violation Code Observation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed propane tank inside kitchen area. **Repeat Violation**

Violation Citation

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2334739 GATES HOTEL
 License Type: Permanent Food Service 2360 COLLINS AVENUE, MIAMI 33139

Inspection Date: 07/07/2022 Inspection Number: 3227595 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: HODGE, KRISTEN

Violation Code Observation

48-01-5 No current insurance inspector boiler report or expired boiler certificate available for boiler. Observed boiler jurisdiction number's 132931, 132932, 132933, 132934 exp. 6/11/2022. For reporting purposes only.

Violation Citation

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2330642 COURTYARD FOOD SERVICE
 License Type: Permanent Food Service 1530 WASHINGTON AVE, MIAMI BEACH 33139

Inspection Date: 07/05/2022 Inspection Number: 3203028 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: HODGE, KRISTEN

Violation Code Observation

48-01-5 No current insurance inspector boiler report or boiler certificate expired. For reporting purposes only. Observed boiler jurisdiction number's 094477 & 094566; All expired on 5/28/2022. As per boiler safety search, Division of State Fire Marshall, boiler are in the process of being replaced.

Violation Citation

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2334783 OLA
 License Type: Permanent Food Service 2360 COLLINS AVE, MIAMI BEACH 33139

Inspection Date: 07/07/2022 Inspection Number: 3223317 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: HODGE, KRISTEN

Violation Code Observation

48-01-5 No current insurance inspector boiler report or expired boiler certificate available for boiler. Observed boiler jurisdiction number's 132931, 132932, 132933, 132934 exp. 6/11/2022. For reporting purposes only.

Violation Citation

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Dade County

License Number: 2326601 BURGER KING
 License Type: Permanent Food Service 15170 SW 72 ST, MIAMI 33193

Inspection Date: 07/05/2022 Inspection Number: 3202778 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ELDER, AUDREY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Locate at front counter area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2336886 SHAWARMA MIAMI
 License Type: Permanent Food Service 9165 SW 162 AVE STE 100, MIAMI 33196

Inspection Date: 07/08/2022 Inspection Number: 3195849 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ELDER, AUDREY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed table blocking back exit door. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

DeSoto County

License Number: 2400314

PIZZA HUT 4600

License Type: Permanent Food Service

2527 SE HWY 70, ARCADIA 34266

Inspection Date: 07/05/2022

Inspection Number: 3201401

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615224 BURGER FI
 License Type: Permanent Food Service 108 RIVERSIDE AVENUE, SUITE 501, JACKSONVILLE 32202

Inspection Date: 07/08/2022 Inspection Number: 3212477 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Front counter	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2613975 SUBWAY
 License Type: Permanent Food Service 1440 DUNN AVE STE 12A, JACKSONVILLE 32218

Inspection Date: 07/08/2022 Inspection Number: 3234067 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Back door blocked by large piece of wood.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2603466 BURGER KING #1197
 License Type: Permanent Food Service 250 MONUMENT RD, JACKSONVILLE 32225

Inspection Date: 07/05/2022 Inspection Number: 3240925 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THOMAS, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. Double side door has only one door open. One door opens and other door does not open when pushed or pulled	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2603554 SHEIK (THE)
 License Type: Permanent Food Service 9720 ATLANTIC BLVD, JACKSONVILLE 322258223

Inspection Date: 07/07/2022 Inspection Number: 3240675 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THOMAS, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. Double door main entrance has one door locked. Operator opened **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615419 TAZIKIS MEDITERRANEAN CAFE
 License Type: Permanent Food Service 14035 BEACH BLVD SUITE 8, JACKSONVILLE 32250

Inspection Date: 07/06/2022 Inspection Number: 3198939 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: GONZALEZ, MAYRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Path to marked kitchen exit door blocked by trash cans and empty cardboard boxes. Reviewed policy with manager	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615212 CHIPOTLE MEXICAN GRILL #2644
 License Type: Permanent Food Service 13920 OLD ST AUGUSTINE RD #105, JACKSONVILLE 32258

Inspection Date: 07/07/2022 Inspection Number: 3198747 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by multiple broken down boxes. Moved by manager. **Corrected On-Site** **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4607032

PIZZA HUT #2253

License Type: Permanent Food Service

1751 NE PINE ISLAND RD, SUITE 145, CAPE CORAL 33909

Inspection Date: 07/05/2022

Inspection Number: 3218977

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MOREHEAD, PHILIP

Violation Code ObservationViolation Citation

46-04-4 Exit door locked. For reporting purposes only in storage area. The manager removed storage racks from in-front of door. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4603423

SHUCKERS AT GULFSHORE/GULFSHORE GRILL/THE COTTAGE BAR

License Type: Permanent Food Service

1250 ESTERO BLVD, FORT MYERS BEACH 33931

Inspection Date: 07/07/2022

Inspection Number: 3241995

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONDERMANN, FRANK

Violation Code ObservationViolation Citation

47-03-4 Observed electrical wiring in disrepair. For reporting purposes only. Light fixture above dish machine in disrepair with exposed wires.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4601936

SUNSET GRILL

License Type: Permanent Food Service

6536 PINE AVE, SANIBEL 339572034

Inspection Date: 07/06/2022

Inspection Number: 3224220

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONDERMANN, FRANK

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher located at entrance to dish area from dining room.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5855717 MUNDI
 License Type: Mobile Food Dispensing Vehicle 1461 N GOLDENROD RD STE 149, ORLANDO 32807

Inspection Date: 07/06/2022 Inspection Number: 1258219 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: VALERIO, GRACE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. - Operator intends to cook burgers and sausages on flat grill. Operator will prepare fries in fryer.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5811516 PIZZA HUT
 License Type: Permanent Food Service 563 S CHICKASAW TRL, ORLANDO 32825

Inspection Date: 07/08/2022 Inspection Number: 3230003 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: VAZQUEZ, JULITZA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.Exit path block by multiple garbage bags and boxes.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6021486

CUCINA PIZZA BY DESIGN

License Type: Permanent Food Service

1855 PALM BEACH LAKES BLVD STE B09, WEST PALM BEACH 33401

Inspection Date: 07/05/2022

Inspection Number: 3215935

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: AHLE, ROBERT

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observe one double fry on table next to steam table. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022340

CHIPOTLE #3523

License Type: Permanent Food Service

7000 OKEECHOBEE BLVD, WEST PALM BEACH 33411

Inspection Date: 07/05/2022

Inspection Number: 3218021

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GOODWIN, NICHOLAS

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at fire extinguisher across from ice machine, fire extinguisher next to back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6905104

WAKO TACO

License Type: Permanent Food Service

480 S. RONALD REAGAN BLVD., SUITE 1028, LONGWOOD 32750

Inspection Date: 07/05/2022

Inspection Number: 3238769

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: THORNCROFT, ROBERT

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. K class extinguisher in the red

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6904648

TIJUANA FLATS BURRITO CO

License Type: Permanent Food Service

2401 W SR 434 #117, LONGWOOD 32779

Inspection Date: 07/06/2022

Inspection Number: 3197343

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: THORNCROFT, ROBERT

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Garbage can at the back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6502250

JERSEY MIKE'S

License Type: Permanent Food Service

833 S PONCE DE LEON BLVD UNIT 2, SAINT AUGUSTINE 32084

Inspection Date: 07/06/2022

Inspection Number: 3235543

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MAKOWSKI, JARED

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Back door blocked by boxes. Discussed with person in charge.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6602898

MOYA RESTAURANTS AND CAFE

License Type: Permanent Food Service

100 N 26 STREET, FORT PIERCE 34947

Inspection Date: 07/06/2022

Inspection Number: 3227690

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HARROD, JESSICA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with hood suppression system not properly working. Notified Fire AHJ. For reporting purposes only.

Called fire they are sending someone out. As I was finishing inspection gentleman came out and said he was servicing hood earlier and he thinks hood belt is broke and is fixing it.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.