

Bay County

License Number: 1305716

GOLDEN CHICK

License Type: Permanent Food Service

3710 HWY 98, PANAMA CITY 32401

Inspection Date: 09/06/2022

Inspection Number: 3205803

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LYNN, NICKOLAS

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Extinguisher in dish area in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506313

MOM & POPS BAR AND GRILL

License Type: Permanent Food Service

900 N ATLANTIC AVE STE D, COCOA BEACH 32931

Inspection Date: 09/07/2022

Inspection Number: 3190260

Inspection Type: Complaint Full

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: HICKS, GEORGE RANDY

Violation Code

Observation

Violation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificates expired 12/7/17 and 3/17/22. ****Repeat Violation**** - From follow-up inspection 2022-09-07: ****Time Extended****

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Broward County

License Number: 1624637

LAZO EMPANADAS

License Type: Permanent Food Service

908 NE 62 ST, OAKLAND PARK 33334

Inspection Date: 09/06/2022

Inspection Number: 3241574

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: LEWIS, LYNDEN

Violation Code

Observation

Violation Citation

45-05-4 Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Collier County

License Number: 2102850

AJI LIMON PERUVIAN KITCHEN

License Type: Permanent Food Service

11985 COLLIER BLVD STE 9, NAPLES 34116

Inspection Date: 09/06/2022

Inspection Number: 3231154

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MEADE, ARTHUR

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. 4 way outlet near hand sink and pickup window open with no cover, exposed wires.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Columbia County

License Number: 2200691

ZEBO'S CRAB SHACK 3

License Type: Permanent Food Service

1002 EAST DUVAL ST, LAKE CITY 32055

Inspection Date: 09/06/2022

Inspection Number: 3210884

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BAILEY, KIMBERLY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Large extinguisher near ice machine in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2612656

JACKSONVILLE SPRINGHILL SUITES

License Type: Permanent Food Service

4385 SOUTHSIDE BLVD, JACKSONVILLE 32216

Inspection Date: 09/07/2022

Inspection Number: 3237280

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VILBRUN, JOSUE

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Both certificates are currently expired. Jurisdiction 135005 exp 06/06/2021 & Jurisdiction 135006 exp 06/06/2021
Repeat Violation

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2614121

BOJANGLES #1005

License Type: Permanent Food Service

4463 DEERWOOD LAKE PKWY, JACKSONVILLE 32216

Inspection Date: 09/08/2022

Inspection Number: 3196674

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: VILBRUN, JOSUE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Back kitchen door block with trash cab bin

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Highlands County

License Number: 3801041

PIZZANOS PIZZA

License Type: Permanent Food Service

4141 US HWY 27 N STE# 10, SEBRING 33870

Inspection Date: 09/08/2022

Inspection Number: 3203530

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

47-02-4 Observed cover missing around electrical outlet. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4602634

FRANCESCO'S RESTAURANTE AND PIZZERIA

License Type: Permanent Food Service

7205 ESTERO BLVD STE 705, FORT MYERS BEACH 33931

Inspection Date: 09/08/2022

Inspection Number: 3259675

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning Issued

Inspector Name: GONDERMANN, FRANK

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Junction box open with exposed wires at exhaust hood.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5808502 MILLER'S ALE HOUSE INC
 License Type: Permanent Food Service 2600 E COLONIAL DR, ORLANDO 32803

Inspection Date: 09/06/2022 Inspection Number: 3206163 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: VALERIO, GRACE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 133776 expired 01-08-22 **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 133776 expired 01-08-22 **Repeat Violation** - From follow-up inspection 2022-09-07: **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 133776 expired 01-08-22 **Repeat Violation** - From follow-up inspection 2022-09-07: **Time Extended** - From follow-up inspection 2022-09-08: **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5804571 EL POTRO MEXICAN RESTAURANT
 License Type: Permanent Food Service 4666 S KIRKMAN RD, ORLANDO 32811

Inspection Date: 09/06/2022 Inspection Number: 3220795 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: ARANA, MIRIAN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Stored in the floor by dry storage area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-05-4	- From initial inspection : Portable fire extinguisher missing from its designated location. For reporting purposes only. Stored in the floor by dry storage area. - From follow-up inspection 2022-09-07: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5809419		TACO BELL 39596	
License Type: Permanent Food Service		2050 S SEMORAN BLVD, ORLANDO 32822	
Inspection Date: 09/06/2022	Inspection Number: 3225683	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LORENZO, ANA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Trash and boxes in front of the exit back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812650		CHOP 5	
License Type: Permanent Food Service		4498 N ALAFAYA TRL, ORLANDO 32826	
Inspection Date: 09/06/2022	Inspection Number: 3212840	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: VAZQUEZ, JULITZA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.Back exit door blocked by boxes and garbage can. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5803415		LETTER PRESS	
License Type: Permanent Food Service		1900 BUENA VISTA DR, LAKE BUENA VISTA 32830	
Inspection Date: 09/07/2022	Inspection Number: 3229901	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SPEIGHTS, BLANCHIE MACHELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification expired 8/13/2022	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5814028		CITRUS 28 GRAB N GO	
License Type: Permanent Food Service		1900 E BUENA VISTA DR, LAKE BUENA VISTA 32830	
Inspection Date: 09/07/2022	Inspection Number: 3222131	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SPEIGHTS, BLANCHIE MACHELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certificates expired 8/13/2022 Engineering notify. **Corrective Action Taken**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Osceola County

License Number: 5907509 PAPA JOHNS PIZZA #919
 License Type: Permanent Food Service 5345 W IRLO BRONSON HWY, KISSIMMEE 34746

Inspection Date: 09/09/2022 Inspection Number: 3197571 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: ZAPATA, MAUREEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5902155 TACO BELL #39584
 License Type: Permanent Food Service 3601 13 ST, SAINT CLOUD 34769-6711

Inspection Date: 09/06/2022 Inspection Number: 3202012 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: DAVIS, DIANNA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. New mop head on top of gas type water heater. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6213686

DOE DOES DINER

License Type: Permanent Food Service

9395 BAY PINES BLVD, ST. PETERSBURG 33708

Inspection Date: 09/03/2022

Inspection Number: 3209714

Inspection Type: Routine - Food

Inspection Disposition: Emergency
Order Callback Time Extension

Inspector Name: LOZANO, KELVIN

Violation CodeObservationViolation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Beef being cooked in side prep area producing grease laden vapors and no hood fire suppression system above it. - From follow-up inspection 2022-09-02: -
From follow-up inspection 2022-09-03:

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217762

PHOLICIOUS

License Type: Permanent Food Service

7839 113 ST STE D, SEMINOLE 33772

Inspection Date: 09/07/2022

Inspection Number: 3195873

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CORRADO, NICHOLAS

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Pot with fry oil on induction burner in kitchen used to fry tofu, no hood system, evidence of grease on wall and shelving above pot.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Santa Rosa County

License Number: 6701403

RIO BRAVO MEXICAN RESTAURANT GULF BREEZE INC

License Type: Permanent Food Service

3755 GULF BREEZE PKWY UNITS I, J, H, GULF BREEZE 32563

Inspection Date: 09/06/2022

Inspection Number: 3238924

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: ALBRITTON, GREGORY

Violation Code

Observation

Violation Citation

47-03-4 - From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only.
Circuit breaker box next to walk in cooler door kitchen. - From follow-up inspection 2022-09-06: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.