

Alachua County

License Number: 1103090 NOBLE ON NEWBERRY BLDG 6
 License Type: Apartment 658 NW 120TH TERR, GAINESVILLE 32607

Inspection Date: 02/01/2022 Inspection Number: 1534182 Inspection Type: Lodging-Licensing Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH Inspection

Violation Code Observation Violation Citation

01-05-4 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1101817 DOUBLE TREE BY HILTON GAINESVILLE
 License Type: Hotel 3726 SW 40 BLVD, GAINESVILLE 32608

Inspection Date: 02/03/2022 Inspection Number: 1162639 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: TORRES, WILLIAM

Violation Code Observation Violation Citation

08-03-4 61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1603966

COHEN MYRON B & TINA B

License Type: Apartment

400 NE 1 ST, HALLANDALE 33009-4368

Inspection Date: 01/31/2022

Inspection Number: 1515221

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GANPAT, INDAR

Violation Code ObservationViolation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1613418

GALLERYONE - A DOUBLETREE SUITES BY HILTON HOTELS

License Type: Hotel

2670 E SUNRISE BLVD, FORT LAUDERDALE 33304

Inspection Date: 02/04/2022

Inspection Number: 1162810

Inspection Type: Routine - Lodging

Inspection Disposition: Call Back -
Complied

Inspector Name: BRANN, JUSTIN

Violation Code ObservationViolation Citation

08-01-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting:
61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1620931 AC HOTEL BY MARRIOTT FORT LAUDERDALE BEACH
 License Type: Hotel 3029 ALHAMBRA ST, FORT LAUDERDALE 33304

Inspection Date: 02/01/2022 Inspection Number: 1163418 Inspection Type: Lodging-Licensing Inspection Disposition: Warning
 Inspector Name: BRANN, JUSTIN Inspection Issued

Violation Code Observation Violation Citation

08-03-4 61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

08-03-4 61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1603518 LENOX APT 9
 License Type: Apartment 2312 NW 9 ST, FORT LAUDERDALE 33311-6876

Inspection Date: 01/31/2022 Inspection Number: 1516370 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BARTON, GEOFFREY

Violation Code Observation Violation Citation

01-01-4 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2327186 REMINGTON APARTMENTS
 License Type: Apartment 30100 OLD DIXIE HWY, HOMESTEAD 33030

Inspection Date: 01/31/2022 Inspection Number: 1525281 Inspection Type: Routine - Lodging Inspection Disposition: Warning Issued
 Inspector Name: LEIDECKER, EDILMA

Violation Code Observation

Violation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2303694 SUNNY ISLES APARTMENTS
 License Type: Apartment 18200 NW 20 AVE, MIAMI GARDENS 33056

Inspection Date: 02/04/2022 Inspection Number: 1534237 Inspection Type: Complaint Full Inspection Disposition: Administrative complaint recommended
 Inspector Name: STUBBS, CHRISTINE

Violation Code Observation

Violation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

04-05-4

509.032(2)(d) FS Reporting: The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2305672 MADELY APTS
 License Type: Apartment 1935 NW FLAGLER TERR, MIAMI 331255346

Inspection Date: 02/01/2022 Inspection Number: 1515740 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CRUZ, EDGAR

Violation Code Observation

Violation Citation

01-02-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2328178

J W MARRIOTT HOTEL MIAMI

License Type: Hotel

1109 BRICKELL AVE, MIAMI 33131

Inspection Date: 01/31/2022

Inspection Number: 1163122

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HENLEY, LATONYA

Violation Code ObservationViolation Citation

08-01-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2301524

151 SW 18 AVENUE LLC

License Type: Apartment

151 SW 18 AVE, MIAMI 33135

Inspection Date: 02/02/2022

Inspection Number: 1526805

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GARCIA, B OSCAR

Violation Code ObservationViolation Citation

06-01-4

509.032(2)(d) FS Reporting: The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2307505

A R O APT

License Type: Apartment

212 SW 18 AVE, MIAMI 331352024

Inspection Date: 02/02/2022

Inspection Number: 1520403

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GARCIA, B OSCAR

Violation Code ObservationViolation Citation

06-01-4

509.032(2)(d) FS Reporting: The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2305936

BP 705 LLC

License Type: Apartment

705 LENOX AVE, MIAMI BEACH 33139

Inspection Date: 12/13/2021

Inspection Number: 1521433

Inspection Type: Routine - Lodging

Inspection Disposition: Warning Issued

Inspector Name: SWIGERT, RICHARD

Violation Code ObservationViolation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2329368

STARDUST MIAMI

License Type: Hotel

910 COLLINS AVE, MIAMI BEACH 33139

Inspection Date: 01/31/2022

Inspection Number: 1164090

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: BROWN, JARON

Violation Code ObservationViolation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2329208

GRAND BEACH HOTEL

License Type: Hotel

4835 COLLINS AVE, MIAMI BEACH 33140

Inspection Date: 02/01/2022

Inspection Number: 1162256

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: UNZAGA, MILADYS

Violation Code ObservationViolation Citation

08-01-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2330723 THE MANSIONS
 License Type: Apartment 1001 W 46 ST, MIAMI BEACH 33140

Inspection Date: 02/01/2022 Inspection Number: 1534042 Inspection Type: Lodging-Licensing Inspection Disposition: Inspection
 Inspector Name: UNZAGA, MILADYS Inspection Completed - No Further Action

Violation Code Observation

Violation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2303056 8035 HARDING AVENUE
 License Type: Apartment 8035 HARDING AVE, MIAMI BEACH 33141

Inspection Date: 02/02/2022 Inspection Number: 1517672 Inspection Type: Routine - Lodging Inspection Disposition: Inspection
 Inspector Name: PRIETO, VICENTE Inspection Completed - No Further Action

Violation Code Observation

Violation Citation

01-03-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2309871 8011 HARDING AVENUE
 License Type: Apartment 8011 HARDING AVE, MIAMI BEACH 33141

Inspection Date: 01/31/2022 Inspection Number: 1522399 Inspection Type: Routine - Lodging Inspection Disposition: Inspection
 Inspector Name: PRIETO, VICENTE Inspection Completed - No Further Action

Violation Code Observation

Violation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2300281 JLL APTS 2275 NW 23 ST
 License Type: Apartment 2275 NW 23 ST, MIAMI 33142

Inspection Date: 02/02/2022 Inspection Number: 1513634 Inspection Type: Routine - Lodging Inspection Disposition: Inspection
 Inspector Name: BROWN, JARON Inspection Completed - No Further Action

Violation Code Observation

Violation Citation

01-06-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2307747 ALEXAS INVESTMENT INC
 License Type: Apartment 1765 NW 23 ST, MIAMI 33142

Inspection Date: 02/02/2022 Inspection Number: 1530864 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BROWN, JARON

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
01-06-4		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2308320 ALLAPATTAH APARTMENTS LLC
 License Type: Apartment 2201 NW 30 ST, MIAMI 33142

Inspection Date: 02/01/2022 Inspection Number: 1525864 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BROWN, JARON

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
01-06-4		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2613349

SORREL LUXURY APARTMENTS

License Type: Apartment

12001 ABESS BLVD, JACKSONVILLE 32225

Inspection Date: 02/04/2022

Inspection Number: 1521860

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: THOMAS, PHILIP

Violation Code Observation

Violation Citation

07-01-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Escambia County

License Number: 2705383

HAMPTON INN P'COLA AIRPORT

License Type: Hotel

2187 AIRPORT BLVD, PENSACOLA 32504

Inspection Date: 02/04/2022

Inspection Number: 1163065

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ALBRITTON, GREGORY

Violation Code Observation

Violation Citation

08-03-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2702965

JASMINE CREEK APARTMENTS

License Type: Apartment

1878 E NINE MILE RD, PENSACOLA 32514

Inspection Date: 02/01/2022

Inspection Number: 1514727

Inspection Type: Routine - Lodging

Inspection Disposition: Call Back - Extension given, pending

Inspector Name: ALBRITTON, GREGORY

Violation Code Observation

Violation Citation

12-04-4

61C-1.004(5) FAC High Priority: All building structural components, attachments and fixtures shall be kept in good repair.

Hillsborough County

License Number: 3906958

CYPRESS LAKE APARTMENTS

License Type: Apartment

4711 W WATERS AVE, TAMPA 336141419

Inspection Date: 02/03/2022

Inspection Number: 1515862

Inspection Type: Routine - Lodging

Inspection Disposition: Call Back -
Complied

Inspector Name: CANNELLA, MARK

Violation Code Observation

Violation Citation

01-03-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3912935

THE PRESERVE AT TAMPA PALMS

License Type: Apartment

17220 HEART OF PALMS DR, TAMPA 33647

Inspection Date: 01/31/2022

Inspection Number: 1517424

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: POWELL, DAVID

Violation Code Observation

Violation Citation

01-02-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Indian River County

License Number: 4100095

VERO BEACH INN AND SUITES

License Type: Motel

8797 20 ST, VERO BEACH 32966

Inspection Date: 02/02/2022

Inspection Number: 1220191

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHUCK, GREGORY

Violation Code Observation

Violation Citation

02-07-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5811128

KATERINA HOTEL ORLANDO

License Type: Hotel

830 LEE RD, ORLANDO 32810

Inspection Date: 01/31/2022

Inspection Number: 1163583

Inspection Type: Complaint Full

Inspection Disposition: Call Back -
Complied

Inspector Name: MONTGOMERY, DOREEN

Violation Code ObservationViolation Citation

04-02-4

509.215(1) and (2) and 509.032(2)(d) FS Reporting:
509.215(1) Each guest room shall be equipped with an approved listed single-station smoke detector meeting the minimum requirements of NFPA-74 Standards for the Installation, Maintenance and Use of Household Fire Warning Equipment. (2) The building has smoke detectors in each guest room individually annunciating to a panel at a supervised location. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5801823

FOUR POINTS BY SHERATON ORLANDO INTERNATIONAL DRIVE

License Type: Hotel

5905 INTERNATIONAL DR, ORLANDO 32819

Inspection Date: 02/04/2022

Inspection Number: 1162271

Inspection Type: Routine - Lodging

Inspection Disposition: Warning
Issued

Inspector Name: KOSTELNY, ROGER

Violation Code ObservationViolation Citation

08-01-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting:
61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5804660

RAMADA LAKEFRONT

License Type: Motel

6500 INTERNATIONAL DR, ORLANDO 328198218

Inspection Date: 02/02/2022

Inspection Number: 1221570

Inspection Type: Complaint Full

Inspection Disposition: Call Back -
Complied

Inspector Name: BACHOO, SAVITRI

Violation Code ObservationViolation Citation

08-01-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting:
61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Osceola County

License Number: 5901202

QUALITY INN & SUITES BYTHE PARKS

License Type: Motel

2945 ENTRY POINT BLVD, KISSIMMEE 34747

Inspection Date: 02/02/2022

Inspection Number: 1218086

Inspection Type: Routine - Lodging

Inspection Disposition: Call Back -
Complied

Inspector Name: IRVEN, RYAN

Violation Code Observation

Violation Citation

04-01-4

509.032(2)(d) FS Reporting: The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6014014

FORECLOSURE ADVISORS LLC

License Type: Apartment

1350 PARK LN, WEST PALM BEACH 33417

Inspection Date: 01/31/2022

Inspection Number: 1514392

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code Observation

Violation Citation

01-02-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6102913

HAMPTON INN

License Type: Hotel

13215 US HWY 301, DADE CITY 33525

Inspection Date: 02/01/2022

Inspection Number: 1164007

Inspection Type: Lodging-Licensing
Inspection

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: POWELL, DAVID

Violation Code Observation

Violation Citation

01-01-4

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6215842 LAKE STARCREST VILLAGE APARTMENTS
 License Type: Apartment 200 STARCREST DR, CLEARWATER 33765

Inspection Date: 02/04/2022 Inspection Number: 1523355 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: KOUSTIS, TIMOTHY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
01-02-4		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6215766 HILTON GARDEN INN
 License Type: Hotel 4052 TAMPA RD, OLDSMAR 34677

Inspection Date: 02/01/2022 Inspection Number: 1159729 Inspection Type: Routine - Lodging Inspection Disposition: Call Back - Complied
 Inspector Name: PEARCE, LAURA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
04-01-4		509.032(2)(d) FS Reporting: The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6804746

HOTEL INDIGO SARASOTA

License Type: Hotel

1223 BLVD OF THE ARTS, SARASOTA 34236

Inspection Date: 01/31/2022

Inspection Number: 1163585

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation Code Observation

Violation Citation

08-01-4

61C-1.004(10) FAC and 509.032(2)(d) FS Reporting:
 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7406516 SA 2011 LLC
 License Type: Motel 3635 S ATLANTIC AVE, DAYTONA BEACH SHORES 32118

Inspection Date: 01/31/2022 Inspection Number: 1219189 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: WOOD, JUSTIN

Violation Code Observation Violation Citation

07-04-4 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7400051 DAYS INN SPEEDWAY
 License Type: Motel 2904 W INTL SPEEDWAY BLVD, DAYTONA BEACH 32124

Inspection Date: 01/31/2022 Inspection Number: 1217417 Inspection Type: Routine - Lodging Inspection Disposition: Call Back - Extension given, pending
 Inspector Name: ANGEL, TERRY

Violation Code Observation Violation Citation

08-03-4 61C-1.004(10) FAC and 509.032(2)(d) FS Reporting: 61C-1.004(10) The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers. 509.032(2)(d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7405872 COMFORT INN & SUITES
 License Type: Motel 400 E INTERNATIONAL SPEEDWAY BLVD, DELAND 32724

Inspection Date: 01/31/2022 Inspection Number: 1222008 Inspection Type: Complaint Full Inspection Disposition: Call Back - Complied
 Inspector Name: ANGEL, TERRY

Violation Code Observation Violation Citation

04-01-4 509.032(2)(d) FS Reporting: The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.