

Alachua County

License Number: 1102556

NOLA'S CAJUN PO'BOY & SEAFOOD

License Type: Permanent Food Service

3200 NW 98 ST, GAINESVILLE 32606

Inspection Date: 07/03/2019

Inspection Number: 2931378

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Unapproved lock. Slide lock on outside of walk-in cooler door has no safety mechanism to allow someone locked inside to release door.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Light switch to walk-in cooler has no cover. Capped wires in fan compartment of walk-in cooler component hanging from unit.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1102860

THE DINER

License Type: Permanent Food Service

615 NW SANTA FE BLVD, HIGH SPRINGS 32643

Inspection Date: 07/02/2019

Inspection Number: 2905167

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: HENTGES, JUDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. Two electrical outlets above the steam table.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506215 THE LOCAL KITCHEN & TAP
 License Type: Permanent Food Service 4715 HELEN HAUSER BLVD, TITUSVILLE 32780

Inspection Date: 07/03/2019 Inspection Number: 2898036 Inspection Type: Routine - Food Inspection Disposition: Warning Issued

Inspector Name: WILSON, LANETTE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Last conducted 6-7-17	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1506603 EMBER AND OAK
 License Type: Permanent Food Service 712 E NEW HAVEN AVE, MELBOURNE 32901

Inspection Date: 07/02/2019 Inspection Number: 2927171 Inspection Type: Routine - Food Inspection Disposition: Warning Issued

Inspector Name: MAYNARD, DIANE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Fryer	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Missing cover by dish pit	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1506150 SQUID LIPS WATERFRONT
 License Type: Permanent Food Service 1477 PINEAPPLE AVE, MELBOURNE 32935

Inspection Date: 07/03/2019 Inspection Number: 2896824 Inspection Type: Routine - Food Inspection Disposition: Warning Issued

Inspector Name: WALCOTT, AMY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Bar patio attached to the building	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1624834

TOOJAYS

License Type: Permanent Food Service

131 S COMPASS WAY, DANIA BEACH 33004

Inspection Date: 07/02/2019

Inspection Number: 2777995

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1620253

PASQUALES PIZZA & SUBS

License Type: Permanent Food Service

2680 E ATLANTIC BLVD, POMPANO BEACH 33060

Inspection Date: 07/02/2019

Inspection Number: 2891026

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BURGGRABE, BROCK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top fryers and electric oven.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1621255

TANDOOR PIZZA

License Type: Permanent Food Service

8450 W OAKLAND PARK BLVD, SUNRISE 33351

Inspection Date: 07/03/2019

Inspection Number: 2931369

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed propane tank larger than 2.7 pounds stored in kitchen. Operator removed propane tanks from the establishment.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Citrus County

License Number: 1901102

TWO DEUCES

License Type: Permanent Food Service

7452 W GROVER CLEVELAND BLVD, HOMOSASSA 34446

Inspection Date: 07/01/2019

Inspection Number: 2894468

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MEAKINS, ALLISON

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	<p>Marked exit/path to marked exit blocked. For reporting purposes only. Back marked exit door has empty five gallon buckets, empty keg and empty cardboard boxes blocking the door Operator made a path **Corrected On-Site** **Repeat Violation**</p>	<p>61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.</p>

Collier County

License Number: 2103110 SILVERSPOT CINEMA
 License Type: Permanent Food Service 9118 STRADA PLACE STE 8205, NAPLES 34108

Inspection Date: 07/02/2019 Inspection Number: 2897169 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PFENNING, BRUNO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2101271 MCDONALD'S
 License Type: Permanent Food Service 899 N COLLIER BLVD, MARCO ISLAND 34145

Inspection Date: 07/01/2019 Inspection Number: 2877256 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PEREZ, STACY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-01-4	Observed electrical switch in the walk-in cooler with exposed wires next to the door. For reporting purposes only. Maintenance person placed the electrical cover over the wires. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Highlands County

License Number: 3801045

CHINA BUFFET

License Type: Permanent Food Service

816 US 27 S STE A, AVON PARK 33825

Inspection Date: 06/29/2019

Inspection Number: 2813380

Inspection Type: Routine - Food

Inspection Disposition: Emergency
Order Callback Complied

Inspector Name: JOHNSON, JONATHAN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. - From follow-up inspection 2019-06-29: Pressured gas tank in building by pop syrup rack **	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3909018 SUBWAY #4661
 License Type: Permanent Food Service 8574 GUNN HWY, ODESSA 33556

Inspection Date: 07/01/2019 Inspection Number: 2903046 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PIATT, PAUL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Trash bag and cardboard **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 3918178 AMICI PIZZA AND DELI
 License Type: Permanent Food Service 26600 WESLEY CHAPEL BLVD, LUTZ 33559

Inspection Date: 07/05/2019 Inspection Number: 2916939 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: HIRST, DAN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In back storage area. Discussed with manager and operator. Will be calling service provider.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3952320 TOSTONES INC
 License Type: Mobile Food Dispensing Vehicle 6822 W WATERS AVE, TAMPA 33634

Inspection Date: 07/02/2019 Inspection Number: 1216569 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: BEACHAM, MICHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Fryers in screened porch no hood system. Reported to Fire Marshall.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Fryers in screened porch no hood system. Reported to Fire Marshall. -	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lake County

License Number: 4508627

KRYSTAL RESTAURANT

License Type: Permanent Food Service

815 N 14 ST, LEESBURG 34748

Inspection Date: 07/02/2019

Inspection Number: 2877798

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: SULLIVAN, SENJUN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. In walk in freezer. Wires exposed, not covered.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301843

KYLE G'S PRIME SEAFOOD

License Type: Permanent Food Service

10900 S OCEAN DR, JENSEN BEACH 34957

Inspection Date: 07/01/2019

Inspection Number: 2875126

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. At patio bar. At prep kitchen area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Monroe County

License Number: 5401495

FIRST FLIGHT ISLAND RESTAURANT & BREWERY

License Type: Permanent Food Service

301 WHITEHEAD ST, KEY WEST 33040

Inspection Date: 07/03/2019

Inspection Number: 2930275

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MECK, PAMELA

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only.Face plate missing at salad station.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5603840

DOMINOS PIZZA

License Type: Permanent Food Service

34920 EMERALD COAST PKWY, DESTIN 32541

Inspection Date: 07/01/2019

Inspection Number: 2899629

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: STEINMAN, MARC

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Mounted next to front door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5806185 WENDYS OLD FASHIONED HAMBURGERS
 License Type: Permanent Food Service 11251 UNIVERSITY BLVD, ORLANDO 32817

Inspection Date: 07/05/2019 Inspection Number: 2914832 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Wire from the wall at the 3 compartment sink leading to the pump on the sink has had the plastic conduit pipe pulled from the wall and exposing the covered wires.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5809181 PANERA BREAD #3312
 License Type: Permanent Food Service 11472 UNIVERSITY BLVD, ORLANDO 32817

Inspection Date: 07/01/2019 Inspection Number: 2884643 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. At the back door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5805732 BELLA NAPOLI
 License Type: Permanent Food Service 750 S BLUFORD AVE., OCOEE 34761

Inspection Date: 07/01/2019 Inspection Number: 2877004 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer on top of grill.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6019747

SAQUELLA CAFFE

License Type: Permanent Food Service

410 VIA DE PALMAS UNIT 82, BOCA RATON 33432

Inspection Date: 07/03/2019

Inspection Number: 2892987

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MATTIELLO-ATASSI, MARIA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Table top fryer under no hood suppression at cookline. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6100013

LINDAS PLACE

License Type: Permanent Food Service

1932 US HWY 19, HOLIDAY 34691

Inspection Date: 07/01/2019

Inspection Number: 2926576

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

46-04-4

Exit door locked. For reporting purposes only. Back door **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

License Number: 6217242 CEDARS GRILL
 License Type: Permanent Food Service 6549 54 AVE N, ST.PETERSBURG 33709

Inspection Date: 07/02/2019 Inspection Number: 2912633 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: WAGNER, MARGARET

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. - prep area: 1 propane tank (15 lb capacity) actively in use indoors, located in corner of prep room to power vertical gyr	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217536 EL PUNTO LATINO RESTAURANT & BAR
 License Type: Permanent Food Service 2862 GULF TO BAY BLVD STE D, CLEARWATER 33759

Inspection Date: 07/05/2019 Inspection Number: 2927906 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: PEARCE, LAURA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Paint thinner stored on top of gas hot water heater in back kitchen. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6214828 TUM RUB THAI RESTAURANT
 License Type: Permanent Food Service 32716 US 19 N, PALM HARBOR 34684

Inspection Date: 07/03/2019 Inspection Number: 2917939 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: PIATT, PAUL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Across from the men's restroom **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6501734

IHOP 36-179

License Type: Permanent Food Service

2560 SR 16, SAINT AUGUSTINE 32092

Inspection Date: 07/01/2019

Inspection Number: 2907747

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Rear exit blocked by boxes. Moved by manager. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Sumter County

License Number: 7000266

OLE COFFEE HOUSE

License Type: Permanent Food Service

610 N MAIN ST, WILDWOOD 347853841

Inspection Date: 07/02/2019

Inspection Number: 2888204

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DODGE, DAVID

Violation Code

Observation

Violation Citation

47-01-4 Observed frayed/spliced electrical wires. For reporting purposes only. Inside walk in cooler.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7405736

CASA DELMAR BEACH RESORT

License Type: Permanent Food Service

621 S ATLANTIC AVE, ORMOND BEACH 32176

Inspection Date: 07/03/2019

Inspection Number: 2896859

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: RUTLEDGE, REBECCA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.