

**Alachua County**

License Number: 1102945		BIG LOU'S NY STYLE PIZZERIA	
License Type: Permanent Food Service		5 SE 2 AVE, GAINESVILLE 32601	
Inspection Date: 07/11/2019	Inspection Number: 2892827	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: WEATHERS, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Connection, junction box to right of outside ice machine opened with no cover. Capped wires visible.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1101748		POPEYES FRIED CHICKEN #128	
License Type: Permanent Food Service		1412 N MAIN ST, GAINESVILLE 326014368	
Inspection Date: 07/08/2019	Inspection Number: 2877675	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WEATHERS, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. White, black, and green wires exposed from black conduit to right of mop sink by back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1102556		NOLA'S CAJUN PO'BOY & SEAFOOD	
License Type: Permanent Food Service		3200 NW 98 ST, GAINESVILLE 32606	
Inspection Date: 07/10/2019	Inspection Number: 2931378	Inspection Type: Complaint Full	Inspection Disposition: Call Back - Extension given, pending
Inspector Name: WEATHERS, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	- From initial inspection : Unapproved lock. Slide lock on outside of walk-in cooler door has no safety mechanism to allow someone locked inside to release door. - From follow-up inspection 2019-07-10: Slide lock still present. **Time Extended**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Light switch to walk-in cooler has no cover. Capped wires in fan compartment of walk-in cooler component hanging from unit. - From follow-up inspection 2019-07-10: Capped wires still hanging from fan compartment in walk-in cooler. Cover to light switch still not present. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Alachua County**

License Number: 1102860 THE DINER  
 License Type: Permanent Food Service 615 NW SANTA FE BLVD, HIGH SPRINGS 32643

Inspection Date: 07/08/2019 Inspection Number: 2905167 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: HENTGES, JUDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Two electrical outlets above the steam table. - From follow-up inspection 2019-07-08: No change **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Brevard County**

License Number: 1506761

LA CATRINA MEXICAN RESTAURANT

License Type: Permanent Food Service

315 W COCOA BEACH CAUSEWAY, COCOA BEACH 32931

Inspection Date: 07/10/2019

Inspection Number: 2920449

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: HICKS, GEORGE RANDY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver fire extinguisher in kitchen. Red extinguisher at bar.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1506150

SQUID LIPS WATERFRONT

License Type: Permanent Food Service

1477 PINEAPPLE AVE, MELBOURNE 32935

Inspection Date: 07/09/2019

Inspection Number: 2896824

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Extension given, pending

Inspector Name: WALCOTT, AMY

Violation CodeObservationViolation Citation

48-04-4

- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Bar patio attached to the building - From follow-up inspection 2019-07-08: - From follow-up inspection 2019-07-09:

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

48-04-4

- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Bar patio attached to the building - From follow-up inspection 2019-07-08:

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1624783		PDQ	
License Type: Permanent Food Service		1770 STIRLING ROAD, DANIA BEACH 33004	
Inspection Date: 07/08/2019	Inspection Number: 2930633	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONSIGLIO, CAMILLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. trash can removed.For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1620984		CORPORATE CATERERS BOCA RATON LLC	
License Type: Catering		5965 W HILLSBORO BLVD, PARKLAND 33067	
Inspection Date: 07/11/2019	Inspection Number: 1113795	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DIBELLA, MARIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1618386		WENDY'S #2526	
License Type: Permanent Food Service		1904 WESTON RD, WESTON 33326	
Inspection Date: 07/11/2019	Inspection Number: 2931557	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: PERSAUD, SHAWN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Back door **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Dade County**

License Number: 2325122		PAPA JOHNS 551	
License Type: Permanent Food Service		3236 NW 7 ST, MIAMI 33125	
Inspection Date: 07/12/2019	Inspection Number: 2933027	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HENLEY, LATONYA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Smoke alarm by restroom.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2330953		WENDY'S	
License Type: Permanent Food Service		7555 NW 12 STREET, MIAMI 33126	
Inspection Date: 07/09/2019	Inspection Number: 2891629	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HENLEY, LATONYA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By front counter: recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2359019		EL HABANERO HOTDOGS	
License Type: Mobile Food Dispensing Vehicle		1810 NW 21 TERR, MIAMI 33142	
Inspection Date: 07/03/2019	Inspection Number: 1211851	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located on hotdog cart.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Dade County**

License Number: 2357901

TORO LOCO PINECREST CORP

License Type: Mobile Food Dispensing Vehicle

6603 S DIXIE HWY, MIAMI 33143

Inspection Date: 07/12/2019

Inspection Number: 1218848

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: MASKASEM, SUPPACHAI

Violation CodeObservationViolation Citation

47-03-4

- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Observed some condensation dropping from the ceiling electrical plug. - From follow-up inspection 2019-07-12: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Observed some condensation dropping from the ceiling electrical plug.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2334803

SUBS 88 LLC

License Type: Permanent Food Service

9895 SW 88 ST, MIAMI 33176

Inspection Date: 07/12/2019

Inspection Number: 2912666

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: LODENQUAI, BARRINGTON

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only, 2 units by back exit door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2608119

BONO'S PIT BAR B Q

License Type: Permanent Food Service

5903 NORWOOD AVE, JACKSONVILLE 322084345

Inspection Date: 07/10/2019

Inspection Number: 2886775

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: YOUNG, JENNIFER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Grey 5 lbs propane tank stored across from barbecue pit on cooks line	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Grey 5 lbs propane tank stored across from barbecue pit on cooks line - From follow-up inspection 2019-07-11: No change **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3910109

PULGARCITO 503

License Type: Permanent Food Service

8614 N SUWANEE AVE, TAMPA 33604

Inspection Date: 07/09/2019

Inspection Number: 2873506

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Call Back -  
Extension given, pending

Inspector Name: DAVIS, CAROL S

Violation CodeObservationViolation Citation

49-01-4

- From initial inspection : Licensed for 10 seats, increased to 20. For reporting purposes only. **\*\*Repeat Violation\*\*** - From follow-up inspection 2019-07-09: **\*\*Time Extended\*\***

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 3917154

OPEN CAFE

License Type: Permanent Food Service

3222 N 34 ST, TAMPA 33605

Inspection Date: 07/11/2019

Inspection Number: 2902038

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Extension given, pending

Inspector Name: BOOKAL, SHANNA

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only.  
- on the wall at the dish room entrance (in recharge zone) - From follow-up inspection 2019-07-11: **\*\*Time Extended\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only.  
- on the wall at the dish room entrance (in recharge zone) - From follow-up inspection 2019-07-11: **\*\*Time Extended\*\*** - From follow-up inspection 2019-07-12: **\*\*Time Extended\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
- on the wall at the dish room entrance (in recharge zone)

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Indian River County**

License Number: 4105283

ASIAN HOUSE KITCHEN

License Type: Permanent Food Service

5220 US HIGHWAY 1 UNIT 101, VERO BEACH 32967

Inspection Date: 07/08/2019

Inspection Number: 2913527

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation CodeObservationViolation Citation

45-02-4

both Portable fire extinguisher gauge in red zone. For reporting purposes only.  
\*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only.  
Silver extinguisher blocked by chairs \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Lee County**

License Number: 4602606

SUBWAY

License Type: Permanent Food Service

4901 PALM BEACH BLVD, FORT MYERS 33905

Inspection Date: 07/10/2019

Inspection Number: 2902425

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MOREHEAD, PHILIP

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only by boxes.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 4603650

BUBBA'S ROADHOUSE &amp; SALOON

License Type: Permanent Food Service

2121 NW PINE ISLAND RD, CAPE CORAL 339911826

Inspection Date: 07/11/2019

Inspection Number: 2932876

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EHMER, ANNETTE

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Cook line.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Manatee County**

License Number: 5105409

SUNSHINE CARIBBEAN RESTAURANT

License Type: Permanent Food Service

6320 15 ST E 2, SARASOTA 34243

Inspection Date: 07/12/2019

Inspection Number: 2907024

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Extension given, pending

Inspector Name: KNOX, KHALENA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2019-07-12: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Martin County**

License Number: 5301616

COURTYARD BY MARRIOTT HOTEL

License Type: Permanent Food Service

7615 SW LOST RIVER RD, STUART 34997

Inspection Date: 07/12/2019

Inspection Number: 2894721

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code

Observation

Violation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.all exp 3/24/2019 #122890 and 122899.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Monroe County**

License Number: 5427976

HAVANA JACK'S

License Type: Permanent Food Service

401 E OCEAN DR, KEY COLONY BEACH 33051

Inspection Date: 07/12/2019

Inspection Number: 2928574

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WHITEHURST, SCOTT

Violation Code

Observation

Violation Citation

49-03-4

Gas water heater vent stack is disconnected from water heater in heater room in coffee shop. Operator was informed and maintenance was called to repair it while imam on site.

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

For reporting purposes only. \*\*Corrected On-Site\*\*

**Nassau County**

License Number: 5500701

FLORIDA HOUSE INN

License Type: Permanent Food Service

22 S 3 ST, FERNANDINA BEACH 32034

Inspection Date: 07/12/2019

Inspection Number: 2853598

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By the cash register - From follow-up inspection 2019-04-17: Fixed - From follow-up inspection 2019-04-24: Fixed - From follow-up inspection 2019-07-12: Fixed

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5500878

NEW CHINA

License Type: Permanent Food Service

1013 AMELIA PLAZA, FERNANDINA BEACH 32034

Inspection Date: 07/11/2019

Inspection Number: 2892618

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Boxes, rear door in ice machine/storage room, she removed them \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Orange County**

License Number: 5812065

COFFEE FACTORY &amp; CAFE

License Type: Permanent Food Service

12789 WATERFORD LAKES PKWY #1, ORLANDO 32828-7103

Inspection Date: 07/12/2019

Inspection Number: 2933021

Inspection Type: Complaint Full

Inspection Disposition: Administrative  
complaint recommended

Inspector Name: WILSON, LANETTE

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5811853

PIZZA HUT

License Type: Permanent Food Service

10395 NARCOOSSEE RD #200, ORLANDO 32832

Inspection Date: 07/12/2019

Inspection Number: 2898476

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: RULLAN, ALFONSO

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked, back emergency exit blocked with trash cans. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5810367

CHINA STAR RESTAURANT

License Type: Permanent Food Service

409 N CLARKE RD, OCOEE 34761

Inspection Date: 07/09/2019

Inspection Number: 2925494

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: GREENE, MARVIN

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by kitchen back exit door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Osceola County**

License Number: 5906269

SUBWAY SANDWICHES & SALADS

License Type: Permanent Food Service

7856 W IRLO BRONSON HWY, KISSIMMEE 34747

Inspection Date: 07/09/2019

Inspection Number: 2889534

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: LORENZO, ANA

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only./ garage container

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.



**Palm Beach County**

License Number: 6012708

PIZZA MAMBO

License Type: Permanent Food Service

7404 S DIXIE HWY, WEST PALM BEACH 33405

Inspection Date: 07/09/2019

Inspection Number: 2800798

Inspection Type: Routine - Food

Inspection Disposition: Admin.

Inspector Name: SINGH, GAJENDRA

Complaint Callback Not Complied

Violation Code

Observation

Violation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.  
 Small electric fryer in use without a hood system - From follow-up inspection 2019-01-29: **\*\*Admin Complaint\*\*** - From follow-up inspection 2019-07-09: Not under AC . For reporting purpose only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pasco County**

License Number: 6113139

CAPITAL TACOS

License Type: Permanent Food Service

27209 STATE ROAD FL 56, WESLEY CHAPEL 33544

Inspection Date: 07/08/2019

Inspection Number: 2913819

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HIRST, DAN

Violation CodeObservationViolation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only. On wall adjacent to office behind silver freezer.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

47-02-4

- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. On wall adjacent to office behind silver freezer. - From follow-up inspection 2019-07-09: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6113517

DUNKIN DONUTS

License Type: Permanent Food Service

27616 WESLEYCHAPEL BLVD, WESLEY CHAPEL 33544

Inspection Date: 07/12/2019

Inspection Number: 2915149

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HIRST, DAN

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. Extinguisher by front door missing.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6113540

BELLY BUSTERS RESTAURANT

License Type: Permanent Food Service

12132 US HWY 19, HUDSON 34667

Inspection Date: 07/11/2019

Inspection Number: 2918987

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAHL, MICHELE

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Back door of kitchen \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Pasco County**

License Number: 6102517

RED LOBSTER #6220

License Type: Permanent Food Service

8909 US 19, PORT RICHEY 34668

Inspection Date: 07/09/2019

Inspection Number: 2931548

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: TORRACO, MARIANNE

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Garbage bag, bucket, cardboard boxes Corrected on Site: removed \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Pinellas County**

License Number: 6213546

LITTLE TOMMIES TIKI

License Type: Permanent Food Service

5519 SHORE BLVD., GULFPORT 33707

Inspection Date: 07/12/2019

Inspection Number: 2932640

Inspection Type: Complaint Full

Inspection Disposition: Call Back -  
Extension given, pending

Inspector Name: WAGNER, MARGARET

Violation CodeObservationViolation Citation

49-01-4 - From initial inspection : Flammables stored/debris present in meter room. For reporting purposes only.  
- storage corner of dining area: Large LP tank - From follow-up inspection 2019-07-12: Unit still inside building at time of callback \*\*Time Extended\*\*

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

49-01-4 Flammables stored/debris present in meter room. For reporting purposes only.  
- storage corner of dining area: Large LP tank

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 6210166

COUNTRYSIDE CAFE

License Type: Permanent Food Service

28050 US 19 N STE 104, CLEARWATER 33761

Inspection Date: 07/09/2019

Inspection Number: 2905153

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: PEARCE, LAURA

Violation CodeObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with hood suppression system with warning alarm in constant sound . Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216853

QUALITY INN &amp; SUITES

License Type: Permanent Food Service

3655 HOSPITALITY LN, CLEARWATER 33762

Inspection Date: 07/12/2019

Inspection Number: 2819469

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Admin. complaint recommended

Inspector Name: LANTIGUA, ROBERTO

Violation CodeObservationViolation Citation

48-01-5 - From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.  
Expired 2/9/2017 - From follow-up inspection 2019-05-17: Expired 2/9/17 -  
From follow-up inspection 2019-06-12: Expired 2/9/17 - From follow-up  
inspection 2019-07-12: Expired 2/9/17 \*\*Time Extended\*\*

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6214637

DOMINOS PIZZA #5020

License Type: Permanent Food Service

2245 NURSERY RD #A, CLEARWATER 33764

Inspection Date: 07/11/2019

Inspection Number: 2890087

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Boxes in front of the door. Moved boxes \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Pinellas County**

License Number: 6216178

CARETTA ON THE GULF

License Type: Permanent Food Service

500 MANDALAY AVE, CLEARWATER BEACH 33767

Inspection Date: 07/09/2019

Inspection Number: 2901738

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: KOUSTIS, TIMOTHY

Violation CodeObservationViolation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired. - From follow-up inspection 2019-07-09: \*\*Time Extended\*\*

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6214828

TUM RUB THAI RESTAURANT

License Type: Permanent Food Service

32716 US 19 N, PALM HARBOR 34684

Inspection Date: 07/08/2019

Inspection Number: 2917939

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Across from the men's restroom \*\*Repeat Violation\*\* - From follow-up inspection 2019-07-08: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Seminole County**

License Number: 6903823

EINSTEIN BROS BAGEL #2063

License Type: Permanent Food Service

340 N SR 434, ALTAMONTE SPGS 32714

Inspection Date: 07/11/2019

Inspection Number: 2888168

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: MANTI, KATHRYN

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only. Blocked by trash can and cart \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6905151

CHIPOTLE MEXICAN GRILL #2736

License Type: Permanent Food Service

327 MITCHELL HAMMOCK RD #1021, OVIEDO 32765

Inspection Date: 07/11/2019

Inspection Number: 2914848

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: THORNCROFT, ROBERT

Violation CodeObservationViolation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Outlet at the grill is not operating per operator currently using a extension cord for the power

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Johns County**

License Number: 6502280

TREYLOR PARK

License Type: Permanent Food Service

158 MARKETSIDE AVE #10, PONTE VEDRA 32081

Inspection Date: 07/09/2019

Inspection Number: 2877995

Inspection Type: Complaint Full

Inspection Disposition: Warning  
Issued

Inspector Name: GOSAI, MATT

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.  
2 large tanks inside building upstairs in dry goods area.  
Moved by manager. \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6500509

ICHIBAN BUFFET

License Type: Permanent Food Service

2185 US HWY 1 S, ST AUGUSTINE 32086

Inspection Date: 07/09/2019

Inspection Number: 2931448

Inspection Type: Complaint Full

Inspection Disposition: Warning  
Issued

Inspector Name: HARTMANN, MICHELLE

Violation CodeObservationViolation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only.  
Multiple outlet adapter (3) plugged into outlet had scorch marks. Person in charge discarded plug in adapter.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Lucie County**

License Number: 6603181

CIVIC CENTER CAFÉ

License Type: Permanent Food Service

9221 CIVIC CENTER PL, PORT ST LUCIE 34952

Inspection Date: 07/12/2019

Inspection Number: 2921902

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: HYNES, MONICA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Sumter County**

License Number: 7000266

OLE COFFEE HOUSE

License Type: Permanent Food Service

610 N MAIN ST, WILDWOOD 347853841

Inspection Date: 07/09/2019

Inspection Number: 2888204

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Extension given, pending

Inspector Name: DODGE, DAVID

Violation Code

Observation

Violation Citation

47-01-4

- From initial inspection : Observed frayed/spliced electrical wires. For reporting purposes only. Inside walk in cooler. - From follow-up inspection 2019-07-09:  
\*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7407247

TORTUGAS BASEBALL CLUB (HOT CORNER CAFE)

License Type: Permanent Food Service

105 E ORANGE AVE, DAYTONA BEACH 32114

Inspection Date: 07/11/2019

Inspection Number: 2839778

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

48-04-4

- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) under grand stand stairway by corner cafe. For reporting purposes only.  
 - From follow-up inspection 2019-05-13: \*\*Time Extended\*\* - From follow-up inspection 2019-07-11: 1 tank

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7403282

BAM BAM'S BAR &amp; GRILL

License Type: Permanent Food Service

725 E INTERNATIONAL SPEEDWAY BLVD, DAYTONA BEACH 32118

Inspection Date: 07/10/2019

Inspection Number: 2922102

Inspection Type: Routine - Food

Inspection Disposition: Warning  
Issued

Inspector Name: PICHARDO, RENEE

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Back door

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.