

Broward County

License Number: 1622543 BEST WESTERN FORT LAUDERDALE AIRPORT SOUTH INN & SUITES
 License Type: Permanent Food Service 1900 STIRLING RD, DANIA 33004

Inspection Date: 07/31/2019 Inspection Number: 2898700 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1623377 HOLIDAY INN EXPRESS HOTEL & SUITES
 License Type: Permanent Food Service 205 N FEDERAL HWY, DANIA BEACH 33004

Inspection Date: 08/01/2019 Inspection Number: 2904745 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Columbia County

License Number: 2200738

CHILI'S

License Type: Permanent Food Service

2893 WEST US HWY 90, LAKE CITY 32055

Inspection Date: 08/02/2019

Inspection Number: 2863821

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GRODEWALD, PAUL

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Dade County

License Number: 2335239 BALLROOM AND BACK OF THE HOUSE BANQUET KITCHEN
 License Type: Permanent Food Service 1300 S MIAMI AVE, MIAMI 33130

Inspection Date: 07/31/2019 Inspection Number: 2929157 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GARCIA, B OSCAR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2303292 MCDONALD'S #6271
 License Type: Permanent Food Service 1020 W FLAGLER ST, MIAMI 331301032

Inspection Date: 07/31/2019 Inspection Number: 2883304 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GARCIA, B OSCAR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Garbage container back of kitchen area.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2329474 MAR INTERNATIONAL CATERING CORP
 License Type: Catering 5061 BISCAYNE BLVD, MIAMI 33137

Inspection Date: 08/01/2019 Inspection Number: 1113737 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 15 pounds propane tank inside establishment.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2315780 3 CHEFS AND A CHICKEN
 License Type: Permanent Food Service 6601 SW 57 AVENUE, CORAL GABLES 33146

Inspection Date: 08/02/2019 Inspection Number: 2925545 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: MASKASEM, SUPPACHAI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. boxes stored by the door. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2335727 CHAMPIONS FLORIDA
 License Type: Permanent Food Service 1360 NW 88 AVE, DORAL 33172

Inspection Date: 08/01/2019 Inspection Number: 2919359 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 2 large propane tank inside establishment.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2335091 BULLA GASTROBAR
 License Type: Permanent Food Service 5335 NW 87 AVE C102, MIAMI 33178

Inspection Date: 07/31/2019 Inspection Number: 2912940 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 51 pounds propane tank inside restaurant. Chef removed it and put it outside.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2613663

ROSY'S MEXICAN RESTAURANT

License Type: Permanent Food Service

4268 OLDFIELD CROSSING DR #107, JACKSONVILLE 32223

Inspection Date: 08/02/2019

Inspection Number: 2936768

Inspection Type: Complaint Full

Inspection Disposition: Call Back -

Inspector Name: JEFFERS, MARY-BETH

Admin. complaint recommended

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen exit door blocked by a prep table. - From follow-up inspection 2019-08-02: Still the same. **Time Extended**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen exit door blocked by a prep table.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hernando County

License Number: 3701103

KATHY'S SPRING HILL DINER

License Type: Permanent Food Service

3426 DELTONA BLVD, SPRING HILL 34606

Inspection Date: 07/31/2019

Inspection Number: 2929036

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAHL, MICHELE

Violation Code

Observation

Violation Citation

46-04-4 Exit door locked. For reporting purposes only.
Back door in kitchen **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hillsborough County

License Number: 3918303

ZAXBY'S

License Type: Permanent Food Service

11709 E DR MARTIN LUTHER KING, BLVD, SEFFNER 33584

Inspection Date: 07/29/2019

Inspection Number: 2921868

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: CANNELLA, MARK

Violation Code

Observation

Violation Citation

45-05-4 Portable fire extinguisher missing from its designated location. For reporting purposes only. K class fire extinguisher on floor on cooks line .

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5202362

LITTLE CAESAR'S

License Type: Permanent Food Service

4901 E SILVER SPRINGS BLVD, OCALA 34470

Inspection Date: 07/31/2019

Inspection Number: 2884314

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DRIGGERS, MANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In recharge zone. Operator stated AHJ performed inspection today and fire extinguisher has been ordered	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. In recharge zone. Operator stated AHJ performed inspection today and fire extinguisher has been ordered - From follow-up inspection 2019-08-01: No	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301854 METRO DINER #1405
 License Type: Permanent Food Service 2660 SE FEDERAL HWY 1, STUART 34994

Inspection Date: 07/29/2019 Inspection Number: 2925791 Inspection Type: Routine - Food Inspection Disposition: Call Back - Extension given, pending
 Inspector Name: PETROW, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By office. - From follow-up inspection 2019-07-29:	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5301397 G & A SERVICES OF THE TREASURE COAST
 License Type: Catering 2313 SE OCEAN BLVD, STUART 34996

Inspection Date: 07/29/2019 Inspection Number: 1113655 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PETROW, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5301669 THE CHEFS TABLE
 License Type: Permanent Food Service 2313 SE OCEAN BLVD, STUART 34996

Inspection Date: 07/29/2019 Inspection Number: 2897581 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: PETROW, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. In kitchen. - From follow-up inspection 2019-07-30: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Nassau County

License Number: 5500897

PARKWAY GRILLE

License Type: Permanent Food Service

5517 S FLETCHER AVENUE, FERNANDINA BEACH 32034

Inspection Date: 07/31/2019

Inspection Number: 2884405

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation Code

Observation

Violation Citation

45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fry not under hood, frying fries
---------	---

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5813774 RESIDENCE INN BY MARRIOTT ORLANDO DOWNTOWN
 License Type: Permanent Food Service 680 N ORANGE AVE, ORLANDO 32801

Inspection Date: 08/01/2019 Inspection Number: 2927574 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: QUINONES, ANTONIO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5814649 SIMPLY GYROS
 License Type: Permanent Food Service 7728 WEST SANDLAKE RD, ORLANDO 32819

Inspection Date: 07/29/2019 Inspection Number: 2926058 Inspection Type: Routine - Food Inspection Disposition: Call Back - Extension given, pending
 Inspector Name: BACHOO, SAVITRI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. - From follow-up inspection 2019-07-18: **Time Extended** - From	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. - From follow-up inspection 2019-07-18: **Time Extended** - From	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5812710 LAKE NONA DELI AND MARKET
 License Type: Permanent Food Service 8510 INSULAR LN, ORLANDO 32827

Inspection Date: 07/29/2019 Inspection Number: 2936165 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: RULLAN, ALFONSO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. Observed employee cooking chicken in clam broiler, employee was using vegetable oil. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6009590 MILLER'S BOYNTON ALE HOUSE
 License Type: Permanent Food Service 2212 N CONGRESS AVE, BOYNTON BEACH 33426

Inspection Date: 07/31/2019 Inspection Number: 2891421 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: GONZALEZ, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguisher on the floor	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6019747 SAQUELLA CAFFE
 License Type: Permanent Food Service 410 VIA DE PALMAS UNIT 82, BOCA RATON 33432

Inspection Date: 07/30/2019 Inspection Number: 2892987 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: PINEROS, MICHELE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Table top fryer under no hood suppression at cookline. Notified Fire AHJ. For reporting purposes only. - From follow-	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6020907 REBEL HOUSE
 License Type: Permanent Food Service 297- 299 E PALMETTO PARK RD, BOCA RATON 33432

Inspection Date: 07/30/2019 Inspection Number: 2936455 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: PINEROS, MICHELE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. In rear prep area. Propane tank moved. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6019132 NINO'S RESTAURANT & PIZZERIA
 License Type: Permanent Food Service 13900 JOG RD, DELRAY BEACH 33446

Inspection Date: 07/30/2019 Inspection Number: 2890923 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: BANNIGAN, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. - "Class K" portable extinguisher on shelf of table under prep table holding slicer.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6019232

GEECHAH CAFE LLC

License Type: Permanent Food Service

7102 S MILITARY TRL, LAKE WORTH 33463

Inspection Date: 07/30/2019

Inspection Number: 2926809

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: KHATOON, BEGUM

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked by boxes . For reporting purposes only. Operator moved those boxes at time of inspection. ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

License Number: 6215995 STACIES COTTAGE CAFE
 License Type: Permanent Food Service 501 1 AVE N #108, ST. PETERSBURG 33701

Inspection Date: 07/30/2019 Inspection Number: 2913414 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: VALENCIA, ASHLEY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Tabletop fryer in prep area **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6210391 RED LOBSTER #0454
 License Type: Permanent Food Service 10500 E ULMERTON RD #490, LARGO 33771

Inspection Date: 07/30/2019 Inspection Number: 2936478 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: RANVILLE, AMANDA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired 3-10-19	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6217274 LARGO MALL 8
 License Type: Permanent Food Service 10500 ULMERTON RD E #500, LARGO 33771

Inspection Date: 07/31/2019 Inspection Number: 2916470 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: DAY-WALKER, LISA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher in upstairs dry storage room has fire extinguisher in red under charged zone. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Putnam County

License Number: 6400480

SPANKY'S PIZZA & SUBS

License Type: Permanent Food Service

923 N SUMMIT ST, CRESCENT CITY 321121724

Inspection Date: 07/29/2019

Inspection Number: 2935603

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MERCER, THOMAS

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. In use fry vat across from cookline steam table with no hood system. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6905171 PDQ
 License Type: Permanent Food Service 875 W SR 436, ALTAMONTE SPRINGS 32714

Inspection Date: 07/31/2019 Inspection Number: 2925937 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6905095 TROPIX ISLAND FEST
 License Type: Permanent Food Service 3590 HWY 1792, LAKE MARY 32746

Inspection Date: 07/30/2019 Inspection Number: 2927843 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: MARTIN, LESLIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. Locking bar on exit door in hallway by bathroom.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6902240 BON APPETIT CATERERS
 License Type: Catering 770 BIG TREE DRIVE UNIT#106, LONGWOOD 32750

Inspection Date: 07/30/2019 Inspection Number: 1113279 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: MARTIN, LESLIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator cooking inside building with 2 15 lb. propane tanks.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6905183 OH MY GYRO
 License Type: Permanent Food Service 1150 W STATE ROAD 434, LONGWOOD 32750

Inspection Date: 07/30/2019 Inspection Number: 2936474 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MARTIN, LESLIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 15 lb propane tank in closet next to mop sink room.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

