
Alachua County

License Number: 1102039

BURGER KING #56

License Type: Permanent Food Service

20 NW 16 AVE, GAINESVILLE 32601

Inspection Date: 08/06/2019

Inspection Number: 2908798

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: WEATHERS, TIM

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Boxes blocking at least half of back marked exit door. Removed boxes. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1624503

HOTEL MORRISON

License Type: Permanent Food Service

28 S FEDERAL HWY, DANIA BEACH 33004

Inspection Date: 08/05/2019

Inspection Number: 2925740

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

48-02-5

Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1612636

ROCCO'S PIZZA

License Type: Permanent Food Service

205 JOHNSON ST, HOLLYWOOD 33019

Inspection Date: 08/07/2019

Inspection Number: 2890924

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. exit hall lined with shelving and supplies.
For reporting purposes only.61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on all
stairways and around all porches and steps. For
reporting purposes only.

License Number: 1620337

PACHAMAMMA AUTHENTIC PERUVIAN CUISINE

License Type: Permanent Food Service

321 JOHNSON ST, HOLLYWOOD 33019

Inspection Date: 08/07/2019

Inspection Number: 2902061

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked Shelving and restaurant supplies lining
hall to rear exit. For reporting purposes only.61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on all
stairways and around all porches and steps. For
reporting purposes only.

Broward County

License Number: 1618818

CHEESECAKE FACTORY (THE)

License Type: Permanent Food Service

2612 SAWGRASS MILLS CIR, SUNRISE 33323

Inspection Date: 08/07/2019

Inspection Number: 2937856

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: PERSAUD, SHAWN

Violation Code

Observation

Violation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5 - From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2019-08-08: No boiler certification available **Time Extended**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Dade County

License Number: 2333285 G R COIN LAUNDRY & CAFETERIA
 License Type: Permanent Food Service 438 SW 8 AVE, MIAMI 33130

Inspection Date: 08/06/2019 Inspection Number: 2905747 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GARCIA, B OSCAR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2328927 ISABELLE'S
 License Type: Permanent Food Service 3300 SW 27 AVE, COCONUT GROVE 33133

Inspection Date: 08/08/2019 Inspection Number: 2917787 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MASKASEM, SUPPACHAI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed one of the boiler certificate of the hotel is expired, 094551 expires 05/15/19.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2328928 EMPLOYEE CAFETERIA
 License Type: Permanent Food Service 3300 SW 27 AVE, COCONUT GROVE 33133

Inspection Date: 08/08/2019 Inspection Number: 2920213 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MASKASEM, SUPPACHAI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed one of the boiler certificate expired 094551 expires 0515/19.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2328930 COMMODORE
 License Type: Permanent Food Service 3300 SW 27 AVE, COCONUT GROVE 33133

Inspection Date: 08/08/2019 Inspection Number: 2920408 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MASKASEM, SUPPACHAI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed one of the boiler certificate of the hotel is expired, 094551 expires 05/15/19.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Dade County

License Number: 2334607

PANERA BREAD #1893

License Type: Permanent Food Service

1611 NW 12 AVE SUITE C, MIAMI 33136

Inspection Date: 08/05/2019

Inspection Number: 2910478

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ALVAREZ, MARGARET

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed trash bags blocking exit door. Employee removed trash bags **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2328005

KRAZY CHICKEN PLUS LLC

License Type: Permanent Food Service

15030 NE 6 AVE, MIAMI 33161

Inspection Date: 08/08/2019

Inspection Number: 2893787

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: UNZAGA, MILADYS

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 2 propane gas tanks inside the kitchen area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2326493

ROMANOS MACARONI GRILL

License Type: Permanent Food Service

8700 NW 18 TERRACE, MIAMI 33172

Inspection Date: 08/06/2019

Inspection Number: 2896416

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: TAYLOR, JOHN

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed boxes blocking back door. Manager removed **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Duval County

License Number: 2613506 SUBWAY #37825
 License Type: Permanent Food Service 6842 WILSON BLVD #1, JACKSONVILLE 32210

Inspection Date: 08/01/2019 Inspection Number: 2914668 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Desk in front of rear exit door in back area. **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2613663 ROSY'S MEXICAN RESTAURANT
 License Type: Permanent Food Service 4268 OLDFIELD CROSSING DR #107, JACKSONVILLE 32223

Inspection Date: 08/05/2019 Inspection Number: 2936768 Inspection Type: Complaint Full Inspection Disposition: Call Back - Complied
 Inspector Name: JEFFERS, MARY-BETH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen exit door blocked by a prep table. - From follow-up inspection 2019-08-02: Still the same. **Time Extended** - From follow-up inspection 20	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hillsborough County

License Number: 3952727		SCOOPS FARM FRESH ICE CREAM	
License Type: Mobile Food Dispensing Vehicle		9301 N NEBRASKA AVE, TAMPA 33612	
Inspection Date: 08/09/2019	Inspection Number: 1219407	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MCINTYRE, REGIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 3917013		WEI'S HIBACHI BUFFET	
License Type: Permanent Food Service		13151 N DALE MABRY HWY, TAMPA 33618	
Inspection Date: 08/08/2019	Inspection Number: 2938427	Inspection Type: Complaint Full	Inspection Disposition: Administrative complaint recommended
Inspector Name: AIELLO, ROCCI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Back door blocked by boxes that need to be discarded.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 3904467		BURGER KING # 2940	
License Type: Permanent Food Service		9925 ADAMO DR E, TAMPA 33619	
Inspection Date: 08/05/2019	Inspection Number: 2893832	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: DAVIS, CAROL S			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. Dining room	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Lake County

License Number: 4508193

RUSTY GATORZ BAR

License Type: Permanent Food Service

20329 US 27 N, CLERMONT 34715

Inspection Date: 08/09/2019

Inspection Number: 2817456

Inspection Type: Routine - Food

Inspection Disposition: Admin.

Inspector Name: FREY, RANDY

Complaint Callback Complied

Violation Code

Observation

Violation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Flat top grill in kitchen without hood system - From follow-up inspect

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4605855

SDI OF GLADIOLUS #5435

License Type: Permanent Food Service

8610 GLADIOLUS DR, FORT MYERS 33908

Inspection Date: 08/08/2019

Inspection Number: 2911710

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PAGAN, VIRMAR

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed several boxes blocking the exit door. ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Marion County

License Number: 5202455

LET'S EAT FRESH

License Type: Permanent Food Service

809 N MAGNOLIA AVE, OCALA 34475

Inspection Date: 08/09/2019

Inspection Number: 2912647

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HENTGES, JUDY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
In hallway by rear exit door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301777

ANDRE BARBEQUE

License Type: Permanent Food Service

2475 SE BONITA ST, STUART 34997

Inspection Date: 08/08/2019

Inspection Number: 2911013

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code

Observation

Violation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. small fryers/prep table/kitchen. ****Repeat Violation****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-04-4 - From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Deep fryer on table at prep room used to fry chicken. - From follow-u

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5604014

SMASHBURGER

License Type: Permanent Food Service

4283 LEGENDARY DR, DESTIN 32541

Inspection Date: 08/07/2019

Inspection Number: 2911209

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: STEINMAN, MARC

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Kitchen **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814806 JABER
 License Type: Permanent Food Service 2611 EDGEWATER, ORLANDO 32804

Inspection Date: 08/05/2019 Inspection Number: 2932842 Inspection Type: Food-Licensing Inspection Inspection Disposition: Warning Issued
 Inspector Name: QUINONES, ANTONIO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Exposed electrical wiring in cookline and in servers area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5813682 BENTO CAFE
 License Type: Permanent Food Service 12250 STRATEGY SUITE 443, ORLANDO 32817

Inspection Date: 08/05/2019 Inspection Number: 2922036 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. At the ice machine	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5813904 438 WINGS AND GRILL #1 LLC
 License Type: Permanent Food Service 2801 N HIAWASSEE RD, ORLANDO 32818

Inspection Date: 08/05/2019 Inspection Number: 2930084 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer on table next microwave.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5813847 RED ROBIN GOURMET BURGERS & BREWS
 License Type: Permanent Food Service 6871 S SEMORAN BLVD, ORLANDO 32822

Inspection Date: 08/05/2019 Inspection Number: 2917311 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: RULLAN, ALFONSO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked, back door was blocked with empty boxes and cart. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Osceola County

License Number: 5911612

TACO BELL

License Type: Permanent Food Service

4899 EAST IRLO BRONSON MEMORIAL HWY, ST. CLOUD 34771

Inspection Date: 08/09/2019

Inspection Number: 2919358

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Door facing 192 is locked due to mechanism problem. Locksmith professional due soon. Called fire Marshall for an FYI.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Palm Beach County

License Number: 6020797

NEW YORK SANDWICH COMPANY

License Type: Permanent Food Service

13501 SOUTH SHORE BLVD STE #109, WELLINGTON 33414

Inspection Date: 08/08/2019

Inspection Number: 2931147

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MENOR, MICHAEL

Violation CodeObservationViolation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Breaker box/
panel is blocked by storage racks

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6021611

LUBLU

License Type: Permanent Food Service

8903 GLADES ROAD J3, BOCA RATON 33434

Inspection Date: 08/09/2019

Inspection Number: 2913032

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting
purposes only.

"K Class portable fire extinguisher on floor in kitchen, Not morning nt

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6019404

FAIRFIELD INN & SUITES JUPITER

License Type: Permanent Food Service

6748 INDIANTOWN RD, JUPITER 33458

Inspection Date: 08/05/2019

Inspection Number: 2911125

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. 121021, 121022, 095111 all exp on 03/15/2019.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Pasco County

License Number: 6113239 UPTOWN PIZZA & SUBS
 License Type: Permanent Food Service 21609 VILLAGE LAKES SHOPPING CTR DR, LAND O' LAKES 34638

Inspection Date: 08/06/2019 Inspection Number: 2900833 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: HIRST, DAN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-04-4	Flammables stored/debris present in kitchen by back door. For reporting purposes only. Red gas can by back door of kitchen. Discussed with employee. Employee took can out side for storage. **Corrective Action Taken**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 6102098 CHECKERS #212
 License Type: Permanent Food Service 9104 SR 52, HUDSON 34667

Inspection Date: 08/09/2019 Inspection Number: 2887744 Inspection Type: Routine - Food Inspection Disposition: Emergency Order Callback Complied
 Inspector Name: DAHL, MICHELE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Next to ice machine in kitchen - From follow-up inspection 2019-08-09: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. Next to ice machine in kitchen	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6102781 NO 1 KITCHEN
 License Type: Permanent Food Service 9674 US HWY 19 N, PORT RICHEY 34668

Inspection Date: 08/06/2019 Inspection Number: 2924023 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: TORRACO, MARIANNE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Mop, bucket, stool Corrected on Site: removed	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

License Number: 6209298

OUR PLACE

License Type: Permanent Food Service

1617 MAIN ST, DUNEDIN 34698

Inspection Date: 08/05/2019

Inspection Number: 2915053

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Cases of produce, moved ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Seminole County

License Number: 6900061 ORLANDO JAI-ALAI STAND# 1 (FIRST FLOOR)
 License Type: Permanent Food Service 6405 S US HWY 17-92, FERN PARK 32730

Inspection Date: 08/07/2019 Inspection Number: 2899193 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
 For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6900067 ORLANDO JAI-ALAI (FLOOR 2 CONCESSION)
 License Type: Permanent Food Service 6405 S US HWY 17-92, FERN PARK 32730

Inspection Date: 08/07/2019 Inspection Number: 2899194 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
 For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6900170 ORLANDO JAI-ALAI TERRACE
 License Type: Permanent Food Service 6405 S US HWY 17-92, FERN PARK 32730

Inspection Date: 08/07/2019 Inspection Number: 2899195 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
 For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6900485 ORLANDO LIVE EVENTS/MAMARIA'S CUCINA
 License Type: Permanent Food Service 6405 S HWY 1792, FERN PARK 32730

Inspection Date: 08/07/2019 Inspection Number: 2907250 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
 For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

St. Lucie County

License Number: 6602900

PANDA EXPRESS #1736

License Type: Permanent Food Service

1780 SW ST LUCIE WEST BLVD, PORT ST LUCIE 34986

Inspection Date: 08/09/2019

Inspection Number: 2896473

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HYNES, MONICA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
back door blocked by trash **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Sumter County

License Number: 7000266

OLE COFFEE HOUSE

License Type: Permanent Food Service

610 N MAIN ST, WILDWOOD 347853841

Inspection Date: 08/08/2019

Inspection Number: 2888204

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: DODGE, DAVID

Violation Code

Observation

Violation Citation

47-01-4

- From initial inspection : Observed frayed/spliced electrical wires. For reporting purposes only. Inside walk in cooler. - From follow-up inspection 2019-07-09: **Time Extended** - From follow-up inspection 2019-08-08: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.