

Alachua County

License Number: 1102945 BIG LOU'S NY STYLE PIZZERIA
 License Type: Permanent Food Service 5 SE 2 AVE, GAINESVILLE 32601

Inspection Date: 08/15/2019 Inspection Number: 2892827 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Connection, junction box to right of outside ice machine opened with no cover. Capped wires visible. - From follow-up inspection 2019-07-15: Wiring covered with black tape. Wires not exposed, but not a traditional repair. Per Manager new cover plate has been ordered. **Time Extended** **Corrective Action Taken** - From follow-up inspection 2019-07-22: No change to electrical box covered with tape. **Time Extended** - From follow-up inspection 2019-08-15: New electrical box onsite.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103392 MOJO HOGTOWN BBQ
 License Type: Permanent Food Service 12 SE 2 AVE, GAINESVILLE 32601

Inspection Date: 08/15/2019 Inspection Number: 2909188 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Two large LP tanks by restrooms in area by two doors labeled not a exit.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103171 SWEET BUNS BAKERY
 License Type: Permanent Food Service 3102 SW 34 ST STE C, GAINESVILLE 32608

Inspection Date: 08/16/2019 Inspection Number: 2920298 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. Observed the fire extinguisher by the back door, blocked by rolling racks. Both racks were moved for access. **Corrected On-Site** **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1619616		WARDS RESTAURANT & LOUNGE	
License Type: Permanent Food Service		614 PHIPPEN WALTERS RD, DANIA 33004	
Inspection Date: 08/15/2019	Inspection Number: 2883018	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONSIGLIO, CAMILLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. wondows have metal bar over them preventing egress from metal covered windows.For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1620468		HUNAN WOK	
License Type: Permanent Food Service		407 E SHERIDAN ST, DANIA BEACH 33004	
Inspection Date: 08/14/2019	Inspection Number: 2916350	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONSIGLIO, CAMILLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. Rear hall leading to exit is lined with shelving and supplies . For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1653125		PANADICTO	
License Type: Mobile Food Dispensing Vehicle		5817 SW 21 STREET, WEST PARK 33023	
Inspection Date: 08/12/2019	Inspection Number: 1219566	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GANPAT, INDAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1620490		CHEESECAKE FACTORY (THE)	
License Type: Permanent Food Service		600 E LAS OLAS BLVD, FORT LAUDERDALE 33301	
Inspection Date: 08/15/2019	Inspection Number: 2888282	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: BRANN, JUSTIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Broward County

License Number: 1607220 CRISP EATERY AND BAR
 License Type: Permanent Food Service 4900 POWERLINE RD, OAKLAND PARK 33309

Inspection Date: 08/14/2019 Inspection Number: 2939432 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: DEJONG, STEVEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1621037 HOWIE'S TOP DOG INC.
 License Type: Permanent Food Service 5021 S SR 7 STE 209, DAVIE 33314

Inspection Date: 08/15/2019 Inspection Number: 2908148 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LEWIS, LYNDEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Citrus County

License Number: 1900987

LOS MAGUEYES MEXICAN RESTAURANT OF BEVERLY HILLS INC

License Type: Permanent Food Service

3887 N LECANTO HWY, BEVERLY HILLS 34465

Inspection Date: 08/12/2019

Inspection Number: 2931000

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DODGE, DAVID

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen door blocked by equipment

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2328397 AMERICAN DREAMS RESTAURANT COP
 License Type: Permanent Food Service 800 ALIBABA AVE, OPA LOCKA 33054

Inspection Date: 08/16/2019 Inspection Number: 2926736 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: UNZAGA, MILADYS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed propane tank next to the reach in cooler by the front kitchen door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2324256 GRANDINO GOURMET SALADS
 License Type: Permanent Food Service 5787 NW 7 ST, MIAMI 33126

Inspection Date: 08/12/2019 Inspection Number: 2929564 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: HENLEY, LATONYA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. Front counter reach in cooler with proteins and vegetables, plug and outlet.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2328929 LA VISTA LOUNGE/ MEETING ROOM 7 TH FLOOR
 License Type: Permanent Food Service 3300 SW 27TH AVE, COCONUT GROVE 33133

Inspection Date: 08/14/2019 Inspection Number: 2925042 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MASKASEM, SUPPACHAI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 094551 expires 0515/19.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 2328931 POOL BAR
 License Type: Permanent Food Service 3300 SW 27TH AVE, COCONUT GROVE 33133

Inspection Date: 08/14/2019 Inspection Number: 2921005 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MASKASEM, SUPPACHAI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 094551 expires 0515/19.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Dade County

License Number: 2334498

DOUGLAS SUBS LLC

License Type: Permanent Food Service

2717 SW 37 AVE, MIAMI 33133

Inspection Date: 08/12/2019

Inspection Number: 2906435

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MASKASEM, SUPPACHAI

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed cardboard boxes blocking exit door. Operator removed it. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2331170

SUBWAY

License Type: Permanent Food Service

7415 COLLINS AVE, MIAMI BEACH 33141

Inspection Date: 08/15/2019

Inspection Number: 2892189

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: JOSEPH, VANRIE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed ladder and numerous cardboard boxes blocking the pathway of the back door

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

46-04-4

Exit door locked. For reporting purposes only. Observed chain and lock on the back door at time of inspection

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2358848

ARIANNA GONZALEZ PANDO

License Type: Mobile Food Dispensing Vehicle

1810 NW 21 TERR, MIAMI 33142

Inspection Date: 08/14/2019

Inspection Number: 1217702

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ALVAREZ, MARGARET

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Located by back door **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2328005		KRAZY CHICKEN PLUS LLC	
License Type: Permanent Food Service		15030 NE 6 AVE, MIAMI 33161	
Inspection Date: 08/13/2019	Inspection Number: 2893787	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 2 propane gas tanks inside the kitchen area. - From follow-up inspection 2019-08-13: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2314350		LA ORQUIDEA RESTAURANT	
License Type: Permanent Food Service		10827 SW 40 ST, MIAMI 33165	
Inspection Date: 08/15/2019	Inspection Number: 2899338	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TAYLOR, JOHN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Located next to oven. Advised manager and he removed. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2327687		EL TROPICO CAFETERIA FRITANGA	
License Type: Permanent Food Service		1221 NW 119 ST, NORTH MIAMI 33167	
Inspection Date: 08/16/2019	Inspection Number: 2923870	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: DE LA CRUZ, ADONIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2336317		PUMMAROLA	
License Type: Permanent Food Service		8888 SW 136TH STREET, UNIT 507, MIAMI 33176	
Inspection Date: 08/16/2019	Inspection Number: 2935557	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LODENQUAI, BARRINGTON			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Indian River County

License Number: 4100959

NO NAME BAR

License Type: Permanent Food Service

490 US HWY 1, SEBASTIAN 329584738

Inspection Date: 08/15/2019

Inspection Number: 2886887

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: FRANZ, LISA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.-
observed house type fryers in restaurant, not currently in use.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Leon County

License Number: 4703380 VOODOO DOG RESTAURANT
 License Type: Permanent Food Service 805 S MACOMB ST, TALLAHASSEE 32301

Inspection Date: 05/09/2019 Inspection Number: 2939135 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: CHARLES, BRENDA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	OBSERVED USE OF COOKING EQUIPMENT PRODUCING GREASE LADEN VAPORS/SMOKE WITH NO HOOD SUPPRESSION SYSTEM INSTALLED. NOTIFIED FIRE AHJ. FOR REPORTING PURPOSES ONLY.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4703789 SOUL VEG JUICE BAR & CAFE
 License Type: Permanent Food Service 1205 S ADAMS ST, TALLAHASSEE 32301

Inspection Date: 06/03/2019 Inspection Number: 2939766 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: TAKEH, NADEGE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	OBSERVED USE OF COOKING EQUIPMENT PRODUCING GREASE LADEN VAPORS/SMOKE WITH NO HOOD SUPPRESSION SYSTEM INSTALLED. NOTIFIED FIRE AHJ. FOR REPORTING PURPOSES ONLY: FRYER IN THE BACK PREP AREA AND FLAT TOP GRILL BY COOLER IN THE FRONT.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Inspection Date: 07/30/2019 Inspection Number: 2777530 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: TAKEH, NADEGE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	OBSERVED USE OF COOKING EQUIPMENT PRODUCING GREASE LADEN VAPORS/SMOKE WITH NO HOOD SUPPRESSION SYSTEM INSTALLED. NOTIFIED FIRE AHJ. FOR REPORTING PURPOSES ONLY. FRYER IN THE BACK PREP AREA AND FLAT TOP GRILL BY COOLER IN THE FRONT.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5604018

LULU'S

License Type: Permanent Food Service

4607 LEGENDARY MARINA DR, DESTIN 32541

Inspection Date: 08/14/2019

Inspection Number: 2939129

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WILSON, MISTY

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Orange County

License Number: 5808470		GRAFFITI JUNKTION 18	
License Type: Permanent Food Service		700 E WASHINGTON STREET, ORLANDO 32801	
Inspection Date: 08/15/2019	Inspection Number: 2924127	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: QUINONES, ANTONIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Rear warewashing room electrical connection	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5806882		TRAVELERS GRILL	
License Type: Permanent Food Service		555 N JOHN YOUNG PARKWAY, ORLANDO 328051152	
Inspection Date: 08/14/2019	Inspection Number: 2884586	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DIOP, DONALD			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit door. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5814559		PARADISE BAKERY AND LOUNGE LLC	
License Type: Permanent Food Service		12485 S ORANGE BLOSSOM TRL, ORLANDO 32837	
Inspection Date: 08/12/2019	Inspection Number: 2924830	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: GUTTERMAN, KENNETH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed a fryer in cook line in use without no hood suppression system.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Osceola County

License Number: 5911272

PIZZA HUT

License Type: Permanent Food Service

8557 IRLO BRONSON MEMORIAL HWY, KISSIMMEE 34747

Inspection Date: 08/12/2019

Inspection Number: 2898324

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LORENZO, ANA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only./ boxes

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Palm Beach County

License Number: 6020797

NEW YORK SANDWICH COMPANY

License Type: Permanent Food Service

13501 SOUTH SHORE BLVD STE #109, WELLINGTON 33414

Inspection Date: 08/13/2019

Inspection Number: 2931147

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: MENOR, MICHAEL

Violation CodeObservationViolation Citation

47-03-4

- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Breaker box/ panel is blocked by storage racks - From follow-up inspection 2019-08-13: Still remains blocked **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6021465

KEKOA

License Type: Permanent Food Service

8177 GLADES RD BAY R-20, BOCA RATON 33434

Inspection Date: 08/13/2019

Inspection Number: 2921606

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

- a counter top electric double deep fryer has been added to cook line beneath an exhaust hood that has no fire suppression system.

The unprotected hood is immediately to the left of another exhaust hood that has fire suppression protection above an open top range, a char broiler, a flat grill, and a floor mounted deep fryer.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6021494

251 TAP ROOM

License Type: Permanent Food Service

9704 CLINT MOORE RD #A-105, BOCA RATON 33496

Inspection Date: 08/12/2019

Inspection Number: 2913997

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

- There is an exhaust hood with a Fire Suppression System that protects the flat grill. A deep fryer without fire suppression protection has been added beneath the hood.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6112984

SONIC DRIVE-IN PORT RICHEY

License Type: Permanent Food Service

6919 RIDGE RD, PORT RICHEY 34668

Inspection Date: 08/16/2019

Inspection Number: 2914167

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TORRACO, MARIANNE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Hose caddy, moved **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

License Number: 6215393

POPEYES

License Type: Permanent Food Service

1285 S MISSOURI AVE, CLEARWATER 33756

Inspection Date: 08/14/2019

Inspection Number: 2936743

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning Issued

Inspector Name: AUSTIN, MARK

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Folded boxes in front of back exit door in kitchen

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6216665

LA QUINTA INN

License Type: Permanent Food Service

3301 ULMERTON RD, CLEARWATER 33762

Inspection Date: 08/16/2019

Inspection Number: 2899904

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: VALENCIA, ASHLEY

Violation CodeObservationViolation Citation

49-05-4

Increase in seating from 10 to 25. For reporting purposes only. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217443

JERSEY MIKES SUBS

License Type: Permanent Food Service

1785 MAIN ST STE 102, DUNEDIN 34698

Inspection Date: 08/12/2019

Inspection Number: 2915879

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked by a large trash can. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Sarasota County

License Number: 6803565

TACO BELL #24541

License Type: Permanent Food Service

5557 FRUITVILLE RD, SARASOTA 34232

Inspection Date: 08/13/2019

Inspection Number: 2895361

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit path blocked by trash cart. Manager moved cart. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7407331 THAI KITCHEN BY SAOWANEE
 License Type: Permanent Food Service 1781 DUNLAWTON AVE #3, PORT ORANGE 32127

Inspection Date: 08/14/2019 Inspection Number: 2911638 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LARSON, SARAH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7406409 DOMINOS PIZZA
 License Type: Permanent Food Service 1844 RENZULLI RD, NEW SMYRNA BEACH 32168

Inspection Date: 08/15/2019 Inspection Number: 2939761 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LARSON, SARAH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-04-4	Flammables stored/debris present in laundry room. There was a 1 gallon container of gas. For reporting purposes only.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Walton County

License Number: 7650093

CRAB ISLAND SPORTS GRILL

License Type: Mobile Food Dispensing Vehicle

40 HIDDEN HARBOR LN, MIRAMAR BEACH 32550

Inspection Date: 08/10/2019

Inspection Number: 1219288

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: STEINMAN, MARC

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only. Running Generator and gasoline stored in kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.