

**Alachua County**

License Number: 1103352	HARVEST THYME CAFE 2		
License Type: Permanent Food Service	4780 NW 39 AVE STE 1, GAINESVILLE 32606		
Inspection Date: 08/27/2019	Inspection Number: 2905164	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Extension given, pending
Inspector Name: WEATHERS, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Above entrance to dish room, outlet with open, but capped wiring. - From follow-up inspection 2019-08-27: No change.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 1103142	GARLIC N GINGER		
License Type: Permanent Food Service	5847 SW 75 ST #109, GAINESVILLE 32608		
Inspection Date: 08/29/2019	Inspection Number: 2909715	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CASEY, KEITH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed a red fire extinguisher by the back door, the indicator is in the red zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 1103560	THE CHEESECAKE FACTORY		
License Type: Permanent Food Service	2851 SW 35 DR STE 70, BUTLER TOWN CENTER, GAINESVILLE 32608		
Inspection Date: 08/26/2019	Inspection Number: 2876122	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CASEY, KEITH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed the water heating device has an input of 499,900, and no boiler certificate is present.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

**Bay County**

License Number: 1305735

BAREFOOT ON THE BEACH

License Type: Permanent Food Service

11073 FRONT BEACH ROAD, PANAMA CITY BEACH 32407

Inspection Date: 08/29/2019

Inspection Number: 2940563

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: YANDELL, TIMOTHY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By coolers. - From follow-up inspection 2019-08-29: Extinguisher in red. By back kitchen door. New one is beside the old one.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By coolers.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Brevard County**

License Number: 1500288

THE BREAKFAST SPOT

License Type: Permanent Food Service

1300 N ATLANTIC AVE, COCOA BEACH 32931

Inspection Date: 08/29/2019

Inspection Number: 2917171

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: HICKS, GEORGE RANDY

Violation Code

Observation

Violation Citation

45-05-4

- From initial inspection : Portable fire extinguisher missing from its designated location. For reporting purposes only. Inside kitchen by swinging doors dish area side. - From follow-up inspection 2019-08-29: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1613419		VUE RESTAURANT	
License Type: Permanent Food Service		2670 E SUNRISE BLVD, FORT LAUDERDALE 33304	
Inspection Date: 08/27/2019	Inspection Number: 2891333	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BRANN, JUSTIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Per operator units were certified in February however paperwork has not been received for 093563 exp 3-2-2019. **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1621071		DOUBLETREE SUITES BANQUET ROOM	
License Type: Permanent Food Service		2670 E SUNRISE BLVD, FORT LAUDERDALE 33304	
Inspection Date: 08/27/2019	Inspection Number: 2891332	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BRANN, JUSTIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 093563 exp 3-2-2019 **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1622670		PEI WEI FRESH KITCHEN #0225	
License Type: Permanent Food Service		1730 N FEDERAL HWY, FORT LAUDERDALE 33305	
Inspection Date: 08/30/2019	Inspection Number: 2902882	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MATTIELLO-ATASSI, MARIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Empty delivery boxes blocking exit. Operator removed all boxes. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 1622115		ORIA OSTERIA	
License Type: Permanent Food Service		3333 NE 32 AVE, FORT LAUDERDALE 33308	
Inspection Date: 08/27/2019	Inspection Number: 2925200	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DEJONG, STEVEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired, inspection recently completed and waiting for certificate.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

**Broward County**

License Number: 1610983

MYRA HARBOR CAFE LLC

License Type: Permanent Food Service

1396 SE 17 ST, FORT LAUDERDALE 33316

Inspection Date: 08/27/2019

Inspection Number: 2913214

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EVANS, EUGENE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Exit in bathroom Hallway blocked with chairs

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Dade County**

License Number: 2318102		KENTUCKY FRIED CHICKEN	
License Type: Permanent Food Service		17701 NW 27 AVE, MIAMI GARDENS 33056	
Inspection Date: 08/28/2019	Inspection Number: 2928758	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TAYLOR, JOHN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed cardboard boxes blocking back door.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2329552		ELIA CAFE AND MEDITERRANEAN PRODUCTS	
License Type: Catering		196 NW 36 ST, MIAMI 33127	
Inspection Date: 08/28/2019	Inspection Number: 1113749	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SANCHEZ, JAVIER			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332687		KENTUCKY FRIED CHICKEN	
License Type: Permanent Food Service		3515 NW 7 AVE, MIAMI 33127	
Inspection Date: 08/28/2019	Inspection Number: 2942139	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ALVAREZ, MARGARET			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed next to water heater	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2334117		BELLMONT BAKERY & RESTAURANT	
License Type: Permanent Food Service		339 MIRACLE MILE, CORAL GABLES 33134	
Inspection Date: 08/29/2019	Inspection Number: 2866374	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: CABANAS, NATALIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building in mop sink room. For reporting purposes only. **Repeat Violation** - From follow-up inspection 2019-08-29: Propane tank (	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Dade County**

License Number: 2328363

LA LIBERTAD RESTAURANT

License Type: Permanent Food Service

2516 SW 8 ST, MIAMI 33135

Inspection Date: 08/28/2019

Inspection Number: 2917037

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GONZALEZ, ALEJANDRO

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Inside the kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2326792

MOSHI MOSHI

License Type: Permanent Food Service

1448 WASHINGTON AVE, MIAMI BEACH 33139

Inspection Date: 08/27/2019

Inspection Number: 2893461

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PRIETO, VICENTE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2312749

LA PERLA DEL SUR

License Type: Permanent Food Service

5762 W FLAGLER ST, MIAMI 331443444

Inspection Date: 08/28/2019

Inspection Number: 2886039

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HENLEY, LATONYA

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. Observed under the prep table in the kitchen area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2327869

KENTUCKY FRIED CHICKEN

License Type: Permanent Food Service

3535 SW 22 ST, MIAMI 33145

Inspection Date: 08/26/2019

Inspection Number: 2924938

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, ALEJANDRO

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Dade County**

License Number: 2334515	FRESH IS BETTER		
License Type: Permanent Food Service	4635 SW 75 AVE, MIAMI 33155		
Inspection Date: 08/30/2019	Inspection Number: 2909424	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2330206	WAN ENTERPRISES		
License Type: Permanent Food Service	4635 SW 75 AVENUE, MIAMI 33165		
Inspection Date: 08/30/2019	Inspection Number: 2892675	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2324770	WENDY'S #2455		
License Type: Permanent Food Service	7401 NW 73 ST, MIAMI 33166		
Inspection Date: 08/29/2019	Inspection Number: 2917541	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SEYBA, JAMES			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed fire extinguisher in the "recharge " zone next to drive through window.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2333398	SWEET TOMATOES		
License Type: Permanent Food Service	8405 MILLS DR SUITE 203, MIAMI 33183		
Inspection Date: 08/30/2019	Inspection Number: 2919386	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, RICARDO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	



**Duval County**

License Number: 2612206 MCDONALDS #21181  
 License Type: Permanent Food Service 4291 SOUTHSIDE BLVD, JACKSONVILLE 32216  
 Inspection Date: 08/29/2019 Inspection Number: 2886464 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended  
 Inspector Name: GONZALEZ, MAYRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen marked exit door block by garbage bags. Manager clear path. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2612400 CHINA BUFFET  
 License Type: Permanent Food Service 6001 ARGYLE FOREST BLVD STE 32, JACKSONVILLE 32244  
 Inspection Date: 08/28/2019 Inspection Number: 2940298 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by exit door near mop sink area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2608852 CHELSEA'S BAR & GRILLE  
 License Type: Permanent Food Service 9300 BAYMEADOWS RD, JACKSONVILLE 32256  
 Inspection Date: 08/27/2019 Inspection Number: 2941847 Inspection Type: Complaint Full Inspection Disposition: Administrative complaint recommended  
 Inspector Name: JEFFERS, MARY-BETH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Marked exit door in dry storage room completely block with a piece of sheet rock.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Hernando County**

License Number: 3700806

SONNY'S BBQ

License Type: Permanent Food Service

4731 COMMERCIAL WAY, SPRING HILL 34606

Inspection Date: 08/26/2019

Inspection Number: 2939714

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAHL, MICHELE

Violation Code

Observation

Violation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only. On cook line under bread storage shelf

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3918293

YOUR PIE

License Type: Permanent Food Service

125 E BLOOMINGDALE AVE, BRANDON 33511

Inspection Date: 08/28/2019

Inspection Number: 2934151

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning Issued

Inspector Name: CANNELLA, MARK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only, front counter area .	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-05-4	- From initial inspection : Portable fire extinguisher missing from its designated location. For reporting purposes only, front counter area . - From follow-up inspection 2019-08-29: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Indian River County**

License Number: 4101180		TIKI BAR & GRILL	
License Type: Permanent Food Service		1130 INDIAN RIVER DRIVE, SEBASTIAN 32958	
Inspection Date: 08/29/2019	Inspection Number: 2900921	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: MAYNARD, DIANE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 4105270		LAS PALMAS CUBAN RESTAURANT	
License Type: Permanent Food Service		1929 US HWY 1, SEBASTIAN 32958	
Inspection Date: 08/26/2019	Inspection Number: 2904857	Inspection Type: Routine - Food	Inspection Disposition: Emergency order recommended
Inspector Name: MAYNARD, DIANE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Scortched at expo	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 4100626		CAPTAIN HIRAM'S	
License Type: Permanent Food Service		1606 INDIAN RIVER DR, SEBASTIAN 329581610	
Inspection Date: 08/26/2019	Inspection Number: 2886876	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Extension given, pending
Inspector Name: MAYNARD, DIANE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	- From initial inspection : Portable fire extinguisher missing from its designated location. For reporting purposes only. - From follow-up inspection 2019-08-23: **Time Extended** - From follow-up inspection 2019-08-26: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Lee County**

License Number: 4606718

DUNKIN DONUTS

License Type: Permanent Food Service

15301 MCGREGOR RD, FORT MYERS 33908

Inspection Date: 08/26/2019

Inspection Number: 2906403

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PAGAN, VIRMAR

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed several boxes blocking the exit door. **\*\*Corrected On-Site\*\***

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Manatee County**

License Number: 5105226

JERSEY MIKE'S SUBS

License Type: Permanent Food Service

8210 TOURIST CENTER DR, BRADENTON 34201

Inspection Date: 08/30/2019

Inspection Number: 2911565

Inspection Type: Routine - Food

Inspection Disposition: Emergency  
Order Callback Not Complied

Inspector Name: KNOX, KHALENA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2019-08-30: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Marion County**

License Number: 5202981

WENDY'S OLD FASHIONED HAMBURGERS

License Type: Permanent Food Service

11191 N WILLIAMS ST, DUNNELLON 34432

Inspection Date: 08/28/2019

Inspection Number: 2911683

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FIGUEROA-ROBLES, TATIANA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
By trash cans, Manager moved all \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Martin County**

License Number: 5301338

THE HOFFMANN

License Type: Permanent Food Service

3825 NE INDIAN RIVER DR, JENSEN BEACH 34957

Inspection Date: 08/26/2019

Inspection Number: 2908760

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PETROW, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By front door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Monroe County**

License Number: 5402434

GOLF CLUBHOUSE - 19TH HOLE

License Type: Permanent Food Service

35 OCEAN REEF DR STE 200, KEY LARGO 33037

Inspection Date: 08/26/2019

Inspection Number: 2782842

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: HENLEY, LATONYA

Violation CodeObservationViolation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2019-08-26: \*\*Time Extended\*\*

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5401704

SUBWAY SANDWICH SHOP 2989

License Type: Permanent Food Service

536 TRUMAN AVE, KEY WEST 330403141

Inspection Date: 08/28/2019

Inspection Number: 2877323

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: MECK, PAMELA

Violation CodeObservationViolation Citation

46-01-4

- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Observed exist path blocked with storage items at Back emergency exit. Observed single service items, storage shelves, new reach in cooler, microwave stored

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Nassau County**

License Number: 5501150 STATE LINE BARBECUE COMPANY  
 License Type: Permanent Food Service 2020 SADLER RD, FERNANDINA BEACH 32034

Inspection Date: 08/30/2019 Inspection Number: 2913727 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. By walk in cooler **Repeat Violation** - From follow-up inspection 2019-08-30: Still here	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. By walk in cooler **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5501134 TASTY'S #2  
 License Type: Permanent Food Service 463852 SR 200 STE A, YULEE 32097

Inspection Date: 08/26/2019 Inspection Number: 2916650 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. K class	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Okaloosa County**

License Number: 5603891

DESTIN HARBOR TACO COMPANY

License Type: Permanent Food Service

214 HARBOR BLVD, DESTIN 32541

Inspection Date: 07/01/2019

Inspection Number: 2942144

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: STEINMAN, MARC

Violation Code

Observation

Violation Citation

47-03-4

OBSERVED ELECTRICAL WIRING IN DISREPAIR. FOR REPORTING PURPOSES ONLY. OPEN ELECTRIC BOX IN UNISEX RESTROOM (NO COVER).

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Orange County**

License Number: 5807555	BOSTON'S FISH HOUSE		
License Type: Permanent Food Service	6860 ALOMA AVE, WINTER PARK 327926802		
Inspection Date: 08/28/2019	Inspection Number: 2942148	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: BORRERO, AUDREY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-04-4	Flammables stored/debris present in office/storage room. Over 5 gallons of gasoline in office by ware wash area For reporting purposes only.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.	

License Number: 5804168	KING CAJUN CRAWFISH RESTAURANT		
License Type: Permanent Food Service	924 N MILLS AVE, ORLANDO 32803		
Inspection Date: 08/27/2019	Inspection Number: 2940022	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BORRERO, AUDREY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. Back door kitchen blocked and locked	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 5811233	EMMABEAN LLC		
License Type: Catering	3201 CORRINE DR, ORLANDO 32803		
Inspection Date: 08/28/2019	Inspection Number: 1113480	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: BORRERO, AUDREY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. Outlet next to ice machine	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Outlet next to ice machine - From follow-up inspection 2019-08-29: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 5813014	ANTILLE'S CUISINE		
License Type: Permanent Food Service	2798 N HIAWASSEE RD, ORLANDO 32818		
Inspection Date: 08/23/2019	Inspection Number: 2911940	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Red extinguisher in back of kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Orange County**

License Number: 5804555		EXPEDITION CAFE	
License Type: Permanent Food Service		7007 SEA WORLD DR, ORLANDO 328218009	
Inspection Date: 08/30/2019	Inspection Number: 2887435	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: ZALESKI, AMY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only. corrective action taken: new certificate was emailed to Manager to post **Corrective Action Taken**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5803621		BRISTOL CAFE	
License Type: Permanent Food Service		5750 T G LEE BLVD, ORLANDO 32822	
Inspection Date: 08/26/2019	Inspection Number: 2916610	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Admin. complaint recommended
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. boiler certification expired 11-29-18. For reporting purposes only. - From follow-up inspection 2019-08-26: **Time Extended**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5814282		WENDY'S #11933	
License Type: Permanent Food Service		4510 S SEMORAN BLVD, ORLANDO 32822	
Inspection Date: 08/30/2019	Inspection Number: 2917109	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, cart with empty boxes in front of back emergency exit . For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5812163		OUTBACK STEAKHOUSE	
License Type: Permanent Food Service		10749 NARCOOSSEE RD, ORLANDO 32832	
Inspection Date: 08/26/2019	Inspection Number: 2941837	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: RULLAN, ALFONSO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked, with chairs.. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Osceola County**

License Number: 5901291

BURGER KING #6662

License Type: Permanent Food Service

1936 E OSCEOLA PKWY, KISSIMMEE 34743

Inspection Date: 08/26/2019

Inspection Number: 2903636

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only. K class extinguisher behind ice maker, 5 foot up on wall.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Palm Beach County**

License Number: 6021942

MALLORCA AT LA POSADA

License Type: Permanent Food Service

11980 SAN CRISTOBAL GARDENS AVE, PALM BEACH GARDENS 33410

Inspection Date: 08/28/2019

Inspection Number: 2824370

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: GOLDMAN, BARRY

Violation CodeObservationViolation Citation

48-01-5 - From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **\*\*Repeat Violation\*\***  
- From follow-up inspection 2019-08-28: Operator states waiting on boiler inspecto

61C-1.004(9) FAC Reporting: (9) Heating and ventilation  
- The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Waiting on inspection - operator contacted insurance company. **\*\*Corrective Action Taken\*\***

61C-1.004(9) FAC Reporting: (9) Heating and ventilation  
- The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6019767

FIELD OF GREENS

License Type: Permanent Food Service

10140 FOREST HILL BLVD #110, VILLAGE OF WELLINGTO 33414

Inspection Date: 08/28/2019

Inspection Number: 2893070

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: MENOR, MICHAEL

Violation CodeObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Operator cooks eggs with butter on a stove top without a hood

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6011957

ST LOUIS GRILL

License Type: Permanent Food Service

4751 MAIN ST, JUPITER 33458

Inspection Date: 08/29/2019

Inspection Number: 2898122

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation CodeObservationViolation Citation

47-03-4 Observed electrical wiring in disrepair. For reporting purposes only. electrical outlet/missing metal cover plate/frontline

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Palm Beach County**

License Number: 6021695

PERK COFFEE HOUSE

License Type: Permanent Food Service

384 TEQUESTA DRIVE, TEQUESTA 33469

Inspection Date: 08/28/2019

Inspection Number: 2919351

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only.electrical outlet cover/missing/prep area/backroom

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Pinellas County**

License Number: 6217487		ICEBERG FROZEN YOGURT	
License Type: Permanent Food Service		449 CENTRAL AVE NE SUITE 102, ST. PETERSBURG 33701	
Inspection Date: 08/27/2019	Inspection Number: 2916392	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: VALENCIA, ASHLEY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	Increased seats from 8 to 14. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6214929		EXECHEF CATERTING	
License Type: Permanent Food Service		2725 SCHERER DR, ST. PETERSBURG 33716	
Inspection Date: 08/28/2019	Inspection Number: 2941177	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Call Back - Complied
Inspector Name: VALENCIA, ASHLEY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Induction burners using liquid butter - From follow-up inspection 2019	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Induction burners using liquid butter	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6217391		FIRST WATCH	
License Type: Permanent Food Service		5310 EAST BAY DR, CLEARWATER 33764	
Inspection Date: 08/29/2019	Inspection Number: 2942507	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PIATT, PAUL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Bus cart with broken down boxes, moved **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Polk County**

License Number: 6306537

GATEWAY CAFE

License Type: Permanent Food Service

385 VILLAGE DR, POINCIANA 34759

Inspection Date: 08/26/2019

Inspection Number: 2915349

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: JACKSON, SHARON

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Seminole County**

License Number: 6904750

ALAQUA COUNTRY CLUB

License Type: Permanent Food Service

2091 ALAQUA DR, LONGWOOD 32779

Inspection Date: 08/28/2019

Inspection Number: 2899985

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MARTIN, LESLIE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Patriot flat grill on counter in kitchen not under hood.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Johns County**

License Number: 6500479

WENDYS #66

License Type: Permanent Food Service

1830 US HWY 1 SOUTH, SAINT AUGUSTINE 32084

Inspection Date: 08/26/2019

Inspection Number: 2897162

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: HARTMANN, MICHELLE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. With multiple boxes in front of emergency exit in back of kitchen. Manager cleared path. **\*\*Corrected On-Site\*\***

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**St. Lucie County**

License Number: 6602908

RAZIYAH CARIBBEAN CUISINE INC

License Type: Permanent Food Service

214 N 25 ST, FORT PIERCE 34947

Inspection Date: 08/27/2019

Inspection Number: 2917331

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: MERCIER, WILLIAM

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.  
\*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7406822

NSB YU-MI

License Type: Permanent Food Service

761 E 3 AVE, NEW SMYRNA BEACH 32169

Inspection Date: 08/27/2019

Inspection Number: 2899552

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PICHARDO, RENEE

Violation Code

Observation

Violation Citation

45-02-4      Portable fire extinguisher gauge in red zone. For reporting purposes only. Next to back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.