

Alachua County

License Number: 1101748		POPEYES FRIED CHICKEN #128	
License Type: Permanent Food Service		1412 N MAIN ST, GAINESVILLE 326014368	
Inspection Date: 09/09/2019	Inspection Number: 2942482	Inspection Type: Complaint Full	Inspection Disposition: Warning Issued
Inspector Name: WEATHERS, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit by mop sink blocked by 3 mop buckets and batter table for different store. Moved mop buckets to make walk way more accessible, but still partially blocked. **Corrective Action Taken**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Exit by mop sink blocked by 3 mop buckets and batter table for different store. Moved mop buckets to make walk way more accessible, but still partially blocked. **Corrective Action Taken** - From follow-up inspection 2019-09-10: Back door still blocked by breader table for different store.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 1100159		GAINESVILLE GOLF & COUNTRY CLUB INC	
License Type: Permanent Food Service		7300 SW 35 WAY, GAINESVILLE 32608	
Inspection Date: 09/11/2019	Inspection Number: 2920839	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CASEY, KEITH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only. Observed jurisdiction# 097640 expired on 2-28-2019. **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

License Number: 1102593		GAINESVILLE GOLF & COUNTRY CLUB INC	
License Type: Permanent Food Service		7300 SW 35 WAY, GAINESVILLE 32608	
Inspection Date: 09/11/2019	Inspection Number: 2920639	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CASEY, KEITH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed jurisdiction #097640, expired 2-28-2019. **Repeat Violation**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Brevard County

License Number: 1505227

DUNKIN DONUTS

License Type: Permanent Food Service

898 NE PALM BAY RD, PALM BAY 32905

Inspection Date: 09/12/2019

Inspection Number: 2916786

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: MAYNARD, DIANE

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. On floor

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1506154

EL BODEGON

License Type: Permanent Food Service

114 HARRISON ST, COCOA 32922

Inspection Date: 09/13/2019

Inspection Number: 2924412

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: FRANZ, LINDA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Upstairs area exit blocked by floor fan **Corrected On-Site** **Warning**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1505213

DOMINOS PIZZA

License Type: Permanent Food Service

254 HWY A1A, SATELLITE BCH 32937

Inspection Date: 09/10/2019

Inspection Number: 2885483

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: HICKS, GEORGE RANDY

Violation CodeObservationViolation Citation

49-05-4

In room with ignition source. For reporting purposes only. Filled Gas cans in same area as hot water heater.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1622144

HYATT HOUSE FT LAUDERDALE AIRPORT & CRUISE PORT

License Type: Permanent Food Service

90 SW 18 AVE, DANIA BEACH 33004

Inspection Date: 09/11/2019

Inspection Number: 2916543

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1620163

POINT ROYAL COUNTER POINT

License Type: Permanent Food Service

3555 S OCEAN DR, HOLLYWOOD 33019

Inspection Date: 09/09/2019

Inspection Number: 2920323

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1620235

PLAYA

License Type: Permanent Food Service

3555 S OCEAN DR, HOLLYWOOD 33019

Inspection Date: 09/09/2019

Inspection Number: 2919155

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. Expired61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

Broward County

License Number: 1620237		EMPLOYEE CAFETERIA	
License Type: Permanent Food Service		3575 S OCEAN DR, HOLLYWOOD 33019	
Inspection Date: 09/09/2019	Inspection Number: 2906081	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONSIGLIO, CAMILLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Certificates expired.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1620240		BANQUET HALL MAIN KITCHEN	
License Type: Permanent Food Service		3575 S OCEAN DR, HOLLYWOOD 33019	
Inspection Date: 09/09/2019	Inspection Number: 2906532	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONSIGLIO, CAMILLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. boiler certificates expired.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1620241		GARDE MANGER 1M CONVENTION	
License Type: Permanent Food Service		3575 S OCEAN DR, HOLLYWOOD 33019	
Inspection Date: 09/09/2019	Inspection Number: 2905576	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONSIGLIO, CAMILLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificates are expired	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 1624564		MUSE ROOFTOP LOUNGE	
License Type: Permanent Food Service		1780 POLK STREET, HOLLYWOOD 33020	
Inspection Date: 09/13/2019	Inspection Number: 2919938	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CHAPDELAINE, MARIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Broward County

License Number: 1616543		CHECKERS DRIVE	
License Type: Permanent Food Service		9935 WEST SAMPLE RD, CORAL SPRINGS 33065	
Inspection Date: 09/11/2019	Inspection Number: 2944742	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GRAY, ANTHONY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1620585		KENTUCKY FRIED CHICKEN	
License Type: Permanent Food Service		3061 W SUNRISE, FORT LAUDERDALE 33311	
Inspection Date: 09/13/2019	Inspection Number: 2924858	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MATTIELLO-ATASSI, MARIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only at kitchen entrance.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1618865		POPEYES FRIED CHICKEN&BISC #17	
License Type: Permanent Food Service		3499 W OAKLAND PARK BLVD, LAUDERDALE LAKES 33311	
Inspection Date: 09/11/2019	Inspection Number: 2883027	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MATTIELLO-ATASSI, MARIA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only at dry area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 1621053		B-RT 01 LLC	
License Type: Catering		1455 SE 17, FORT LAUDERDALE 33316	
Inspection Date: 09/12/2019	Inspection Number: 1114087	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: EVANS, EUGENE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed small electric fryer, used to fry shrimp and induction burners on chest freezer.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Broward County

License Number: 1622757

FUNDERDOME

License Type: Permanent Food Service

1455 SE 17 STR, FORT LAUDERDALE 33316

Inspection Date: 09/12/2019

Inspection Number: 2918577

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EVANS, EUGENE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

Observed small electric fryer, used to fry shrimp and induction burner on chest freezer.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2358988		HOMYN	
License Type: Mobile Food Dispensing Vehicle		600 W 27 ST, HIALEAH 33010	
Inspection Date: 09/12/2019	Inspection Number: 1218140	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CUDEMOS, VIRNA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2334512		ARAMARK AT BANKUNITED	
License Type: Permanent Food Service		7815 NW 148 ST, MIAMI LAKES 33016	
Inspection Date: 09/10/2019	Inspection Number: 2910505	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-03-4	Flammables stored/debris present in gas water heater room. For reporting purposes only. Observed corner room with 5 gas water heaters used as a area to store boxes of single service items, located at main kitchen area.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.	
License Number: 2326466		LA CUBANITA PIZZERIA	
License Type: Permanent Food Service		11300 NW 87 CT STE 135-136, HIALEAH GDNS 33018	
Inspection Date: 09/11/2019	Inspection Number: 2883711	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CRUZ, EDGAR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. In front counter	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2318535		MAYFAIR HOTEL AND SPA/MAYFAIR KITCHEN	
License Type: Permanent Food Service		3000 FLORIDA AVE, MIAMI 33133	
Inspection Date: 09/12/2019	Inspection Number: 2926967	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed one boiler certificate of the hotel expired 016684 EXPIRE 08/15/19.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Dade County

License Number: 2318536		MAYFAIR KITCHEN	
License Type: Permanent Food Service		3000 FLORIDA AVE, MIAMI 33133	
Inspection Date: 09/12/2019	Inspection Number: 2931093	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. One of the boiler certificate expired 016684 EXPIRE 08/15/19	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2325233		CAFE BONJOUR	
License Type: Permanent Food Service		865 COLLINS AVE APT#B, MIAMI BEACH 33139	
Inspection Date: 09/11/2019	Inspection Number: 2894287	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BELL, FRANKIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked by reach in freeze.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2331808		PRIME ITALIAN	
License Type: Permanent Food Service		101 OCEAN DRIVE, MIAMI BEACH 33139	
Inspection Date: 09/09/2019	Inspection Number: 2894720	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2019-09-09: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2332152		SANTORINI	
License Type: Permanent Food Service		101 OCEAN DRIVE, MIAMI BEACH 33139	
Inspection Date: 09/12/2019	Inspection Number: 2896319	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed in kitchen near entrance.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2326806		LA FOGATA BBQ SPECIALTIES	
License Type: Permanent Food Service		8239 W FLAGLER ST, WEST MIAMI 33144	
Inspection Date: 09/09/2019	Inspection Number: 2888754	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TAYLOR, JOHN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located in dry storage area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2336269		WINGS N JERK	
License Type: Permanent Food Service		10519 SW 109 CT, MIAMI 33176	
Inspection Date: 09/13/2019	Inspection Number: 2927788	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: LODENQUAI, BARRINGTON			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2327093		CHEESECAKE FACTORY	
License Type: Permanent Food Service		19501 BISCAYNE BLVD, AVENTURA 33180	
Inspection Date: 09/12/2019	Inspection Number: 2888796	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: VILCHEZ, NABEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2333490		BASILIC VIETNAMESE GRILL	
License Type: Permanent Food Service		14734 BISCAYNE BLVD, NORTH MIAMI 33181	
Inspection Date: 09/09/2019	Inspection Number: 2914874	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: UNZAGA, MILADYS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Duval County

License Number: 2613075

DOMINO'S #5111

License Type: Permanent Food Service

8204 103 ST, JACKSONVILLE 32210

Inspection Date: 09/09/2019

Inspection Number: 2944754

Inspection Type: Complaint Full

Inspection Disposition: Administrative
complaint recommended

Inspector Name: PERRY, DENNIS

Violation CodeObservationViolation Citation

47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. Outlet on stainless wall by prep table opposite of conveyor oven.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Outlet on stainless wall by prep table opposite of conveyor oven. - From follow-up inspection 2019-09-10: Outlet still scorched. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Outlet on stainless wall by prep table opposite of conveyor oven. - From follow-up inspection 2019-09-10: Outlet still scorched. **Time Extended** - From follow-up inspection 2019-09-11: Scorched outlet still present. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2613975

SUBWAY

License Type: Permanent Food Service

1440 DUNN AVE STE 12A, JACKSONVILLE 32218

Inspection Date: 09/11/2019

Inspection Number: 2893785

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: YOUNG, JENNIFER

Violation CodeObservationViolation Citation

46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit door blocked with wooden bar, manager removed bar during inspection **Corrected On-Site** **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
---------	--	---

License Number: 2614514

FIVE GUYS BURGERS & FRIES - 1133

License Type: Permanent Food Service

10061 SAN JOSE BLVD, JACKSONVILLE 32257

Inspection Date: 09/12/2019

Inspection Number: 2902240

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GOSAI, MATT

Violation CodeObservationViolation Citation

46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by garbage can / equipment. Moved by manager. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
---------	---	---

Escambia County

License Number: 2705325

CJ'S KITCHEN & GRILLE

License Type: Permanent Food Service

2100 W GARDEN ST, PENSACOLA 32501

Inspection Date: 09/12/2019

Inspection Number: 2901033

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: RUSSELL, SARAH

Violation Code

Observation

Violation Citation

47-01-4 Observed frayed/spliced electrical wires. For reporting purposes only. To the left of front counter soda machine wiring exposed.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Flagler County

License Number: 2800175

PINE LAKES GOLF CLUB

License Type: Permanent Food Service

400 PINE LAKES PKWY, PALM COAST 32164

Inspection Date: 09/13/2019

Inspection Number: 2908625

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ANDERSON, EDWARD

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Jurisdiction # 098834 exp. date 8/29/19

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Hillsborough County

License Number: 3913160

EZ PRO KITCHEN, LLC

License Type: Catering

3224 W. TAMPA BAY BLVD, TAMPA 33607

Inspection Date: 09/13/2019

Inspection Number: 1113546

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: FEDERORVITCH, CASEY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3918172

SUGARDARLINGS

License Type: Permanent Food Service

11751 N DALE MABRY HWY, TAMPA 33618

Inspection Date: 09/13/2019

Inspection Number: 2920765

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: AIELLO, ROCCI

Violation CodeObservationViolation Citation

45-01-4

No portable fire extinguisher present. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4605928

LULUS CAFE

License Type: Permanent Food Service

2950 WINKLER AVE STE 201, FORT MYERS 33916

Inspection Date: 09/10/2019

Inspection Number: 2927247

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: FERRY, WILLIAM

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Two propane tanks in kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Monroe County

License Number: 5400232

EL SIBONEY

License Type: Permanent Food Service

900 KATHERINE ST, KEY WEST 33040

Inspection Date: 09/12/2019

Inspection Number: 2891467

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MECK, PAMELA

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Cook line light fixture hanging by the wires in the kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okeechobee County

License Number: 5700685

JERSEY MIKES

License Type: Permanent Food Service

611 SW PARK ST, OKEECHOBEE 34974

Inspection Date: 09/10/2019

Inspection Number: 2904687

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JACKS, ALBERT

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Repeat Violation

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5806040		RENAISSANCE ORLANDO HOTEL AIRPORT - BALLROOM BANQUET AREA	
License Type: Permanent Food Service		5445 FORBES PL, ORLANDO 32812	
Inspection Date: 09/09/2019	Inspection Number: 2903392	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PLEICONES, KIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. Exit double door blocked by push cart with cooler on cart	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5809274		HABANERO'S MEXICAN GRILL	
License Type: Permanent Food Service		12185 COLLEGIATE WAY, ORLANDO 32817	
Inspection Date: 09/10/2019	Inspection Number: 2903397	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-01-4	Observed frayed/spliced electrical wires. For reporting purposes only. Cord to Hobart cheese grader covered wires are exposed as the cover has cracked in 3 places recommended replacing cord	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5813949		POLLO TROPICAL	
License Type: Permanent Food Service		5294 INTERNATIONAL DR, ORLANDO 32819	
Inspection Date: 09/13/2019	Inspection Number: 2924158	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Walk in cooler light over door upon entering with bulb hanging from the wire	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5810367		CHINA STAR RESTAURANT	
License Type: Permanent Food Service		409 N CLARKE RD, OCOEE 34761	
Inspection Date: 09/09/2019	Inspection Number: 2925494	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by kitchen back exit door. - From follow-up inspection 2019-09-09: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Osceola County

License Number: 5900680

HOLIDAY INN ORLANDO SW CELEBRATION AREA

License Type: Permanent Food Service

5711 W IRLO BRONSON HWY, KISSIMMEE 34746

Inspection Date: 09/12/2019

Inspection Number: 2924988

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: BELTRAN, SANDRA

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. **Repeat Violation**61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 5911693

YEOMAN'S CASK & LION

License Type: Permanent Food Service

3220 MARGARITAVILLE BLVD, KISSIMMEE 34747

Inspection Date: 09/13/2019

Inspection Number: 2945725

Inspection Type: Complaint Full

Inspection Disposition: Warning
Issued

Inspector Name: LORENZO, ANA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on
all stairways and around all porches and steps. For
reporting purposes only.

Palm Beach County

License Number: 6000221	INTERNATIONAL HOUSE OF PANCAKES 36-19
License Type: Permanent Food Service	312 US HWY 1, NORTH PALM BEACH 33408
Inspection Date: 09/11/2019	Inspection Number: 2945108
Inspector Name: GOLDMAN, BARRY	Inspection Type: Complaint Full
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022030	818 HEAT
License Type: Permanent Food Service	7860 GLADES RD STE 130, BOCA RATON 33434
Inspection Date: 09/05/2019	Inspection Number: 2931139
Inspector Name: BANNIGAN, TIM	Inspection Type: Routine - Food
	Inspection Disposition: Warning Issued
<u>Violation Code</u>	<u>Observation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. - Class K portable extinguisher not mounted in kitchen.
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6006938	SUBWAY
License Type: Permanent Food Service	806 N OLD DIXIE HWY, JUPITER 33458
Inspection Date: 09/13/2019	Inspection Number: 2896032
Inspector Name: ROTONDI, VICTOR	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only.outlet cover/missing/employee restroom.
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6009118	THE MIRAGE
License Type: Permanent Food Service	5150 TOWN CENTER CIRCLE, BOCA RATON 33486
Inspection Date: 09/13/2019	Inspection Number: 2906220
Inspector Name: TORRES, LARRY	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.
	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Palm Beach County

License Number: 6021027

MARRIOTT BOCA RATON AT BOCA CENTER

License Type: Permanent Food Service

5150 TOWN CENTER CIR, BOCA RATON 33486

Inspection Date: 09/13/2019

Inspection Number: 2910465

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TORRES, LARRY

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Pasco County

License Number: 6102261

LATINO'S CUISINE

License Type: Permanent Food Service

4464 GRAND BLVD, NEW PORT RICHEY 34652

Inspection Date: 09/09/2019

Inspection Number: 2920833

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: TORRACO, MARIANNE

Violation Code

Observation

Violation Citation

49-04-4

Establishment did not report seating change that affects the license fee, Clean Indoor Air Act, sewage system approval or other related requirements. 48 seats are present, licensed for 24. Seating increase form emailed .

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Pinellas County

License Number: 6216753		SMILEY'S SNACK SHACK	
License Type: Permanent Food Service		3700 GULF BLVD, ST.PETE BEACH 33706	
Inspection Date: 09/12/2019	Inspection Number: 2900932	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DAY-WALKER, LISA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-02-4	Observed scorch marks around electrical outlet. For reporting purposes only. Scorch marks around outlets on in kitchen near microwave.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6213376		KARA LYNN'S KITCHEN	
License Type: Permanent Food Service		421 CLEVELAND ST, CLEARWATER 33755	
Inspection Date: 09/09/2019	Inspection Number: 2906330	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PEARCE, LAURA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-02-4	Observed uncovered around electrical outlet. For reporting purposes only. Men's restroom	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6216626		DOWNTOWN PIZZA SPORTS BAR AND GRILL	
License Type: Permanent Food Service		428 CLEVELAND ST, CLEARWATER 33755	
Inspection Date: 09/09/2019	Inspection Number: 2927449	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PEARCE, LAURA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked by kegs . For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Polk County

License Number: 6304508

HUNGRY HOWIES

License Type: Permanent Food Service

5218 S FLORIDA AVE, LAKE LAND 338132516

Inspection Date: 09/09/2019

Inspection Number: 2888381

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: BEAULIEU, STEPHANIE

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By soda bibbs - From follow-up inspection 2019-09-09: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6502080

BURGER BUCKETS

License Type: Permanent Food Service

3 CORDOVA ST, SAINT AUGUSTINE 32084

Inspection Date: 09/11/2019

Inspection Number: 2904611

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HARTMANN, MICHELLE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Blocked by trash can. Person in charge removed trash can. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7406718

WING HOUSE

License Type: Permanent Food Service

250 N ATLANTIC AVE, DAYTONA BEACH 32118

Inspection Date: 09/10/2019

Inspection Number: 2939724

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only.
Gas in gas can in electrical panel room/ water heater room. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7407601

CURLY CREAM LLC

License Type: Permanent Food Service

2553 NORTH ATLANTIC AVENUE, DAYTONA BEACH 32118

Inspection Date: 09/09/2019

Inspection Number: 2926390

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit partial blocked by table

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.