

Alachua County

License Number: 1102781 LARRY'S GIANT SUBS #43
 License Type: Permanent Food Service 1620 W UNIVERSITY AVE, GAINESVILLE 32603

Inspection Date: 09/23/2019 Inspection Number: 2915345 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Electrical outlet directly below circuit box has left set of plugs improperly attached (bottom screw disconnected and pushed into box).	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only. Electrical outlet directly below circuit box has left set of plugs improperly attached (bottom screw disconnected and pushed into box). - From follow-up inspection 2019-09-24: No changes outlet.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1102451 MCDONALDS
 License Type: Permanent Food Service 5110 NW 43 ST, GAINESVILLE 326064455

Inspection Date: 09/23/2019 Inspection Number: 2885406 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Trash cart blocking back exit door. Moved cart. **Corrected On-Site** - From follow-up inspection 2019-09-23: Back exit not blocked.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1103578 HANA SUSHI
 License Type: Permanent Food Service 3147 SW 45TH ST STE 10, GAINESVILLE 32608

Inspection Date: 09/24/2019 Inspection Number: 2944392 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Observed cardboard boxes stored on a transformer inside the kitchen. The boxes were moved to the wait station. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Bay County

License Number: 1305623

DUNKIN DONUTS

License Type: Permanent Food Service

11150 PANAMA CITY BEACH PKWY, PANAMA CITY BEACH 32407

Inspection Date: 09/24/2019

Inspection Number: 2911012

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: YANDELL, TIMOTHY

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. By exit door in back of building.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1608357

MASAMUNE FT LAUDERDALE LLC

License Type: Permanent Food Service

2736 N FEDERAL HWY, FORT LAUDERDALE 33306

Inspection Date: 09/27/2019

Inspection Number: 2904190

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: DEJONG, STEVEN

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with hood suppression system not functioning. Manager stated hood fan belt needs to be replaced.
Notified Fire AHJ. For reporting purposes only. **Corrective Action Taken**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1617059

BURGER KING #16

License Type: Permanent Food Service

1445 W SUNRISE BLVD, FORT LAUDERDALE 33311

Inspection Date: 09/27/2019

Inspection Number: 2902939

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: MATTIELLO-ATASSI, MARIA

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Bicycle by exit door. Operator removed. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Charlotte County

License Number: 1801824

LE LAMBI RESTAURANT

License Type: Permanent Food Service

2395 TAMIAMI TRAIL STE 204, PORT CHARLOTTE 33952

Inspection Date: 09/25/2019

Inspection Number: 2930744

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PEREZ, STACY

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed two fryers on the prep table with no hood system above the two fryers cooking plantains.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Citrus County

License Number: 1900253

MCDONALDS 4030

License Type: Permanent Food Service

625 NE HWY 19, CRYSTAL RIVER 344295478

Inspection Date: 09/23/2019

Inspection Number: 2883140

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MEAKINS, ALLISON

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
 Garbage whale in front of front door.
 Operator moved **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2327737		CRAFT FOOD & BEER	
License Type: Permanent Food Service		5650 NE 2 AVE STE E, MIAMI 33137	
Inspection Date: 09/24/2019	Inspection Number: 2918077	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: JOSEPH, VANRIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-04-4	Exit door locked. For reporting purposes only. Operator removed at the time **Corrective Action Taken**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2334629		JIMMY JOHN'S	
License Type: Permanent Food Service		5701 SUNSET DR STE 182, SOUTH MIAMI 33143	
Inspection Date: 09/23/2019	Inspection Number: 2923014	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Bicycle and a box blocking exit door. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2317866		MCDONALD'S	
License Type: Permanent Food Service		15096 NW 7 AVE, MIAMI 33168	
Inspection Date: 09/27/2019	Inspection Number: 2893756	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TAYLOR, JOHN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed safe and water hose blocking back door. Advised manager and he removed. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2332126		COURTYARD BY MARRIOTT MIAMI DOLPHIN MALL	
License Type: Permanent Food Service		11275 NW 12TH STREET, MIAMI 33172	
Inspection Date: 09/23/2019	Inspection Number: 2896639	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-04-4	Flammables stored/debris present in laundry room. For reporting purposes only. Observed Build-up of lint in the laundry room.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.	

Dade County

License Number: 2335088

BOCAS HOUSE

License Type: Permanent Food Service

10200 NW 25 ST SUITE A 101, MIAMI 33172

Inspection Date: 09/24/2019

Inspection Number: 2917567

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed an extinguisher in recharge zone in front of employee restroom.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2359066

RACCOON COFFE

License Type: Mobile Food Dispensing Vehicle

12248 SW 130 ST, MIAMI 33186

Inspection Date: 09/27/2019

Inspection Number: 1220291

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LODENQUAI, BARRINGTON

Violation CodeObservationViolation Citation

45-01-4

No portable fire extinguisher present. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2614989

SUBWAY

License Type: Permanent Food Service

8540 ARGYLE FOREST BLVD STE 5, JACKSONVILLE 32244

Inspection Date: 09/25/2019

Inspection Number: 2948492

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PERRY, DENNIS

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only.
 Exterior door in back of establishment. Maintenance on site working on door (broken). **Corrective Action Taken**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2608544

THE OPEN GRILL CAFE

License Type: Permanent Food Service

9865 BEACH BLVD #2, JACKSONVILLE 32246

Inspection Date: 09/25/2019

Inspection Number: 2913194

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FEAGANS, ASHLEY

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only.
 Kitchen and prep station
 1)Exit door in warewashing was locked. Chef removed lock and opened exit door.
 2)Exit door in dry storage closet was locked. Employee removed lock. **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Escambia County

License Number: 2750352

LUPITA'S MEXICAN FAST FOOD # 2 INC

License Type: Mobile Food Dispensing Vehicle

1412 W FAIRFIELD DR, PENSACOLA 32501

Inspection Date: 09/26/2019

Inspection Number: 1219845

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: STEINMAN, MARC

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
 Fryer and flat top grill located under hood
 No hood suppression system in place
 (portable 1-A:K fire extinguisher wall mounted)

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3918303

ZAXBY'S

License Type: Permanent Food Service

11709 E DR MARTIN LUTHER KING, BLVD, SEFFNER 33584

Inspection Date: 09/27/2019

Inspection Number: 2921868

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: CANNELLA, MARK

Violation Code

Observation

Violation Citation

45-05-4

- From initial inspection : Portable fire extinguisher missing from its designated location. For reporting purposes only. K class fire extinguisher on floor on cooks line . - From follow-up inspection 2019-09-27: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3917988

DUNKIN DONUTS

License Type: Permanent Food Service

12171 W HILLSBOROUGH AVE, TAMPA 33635

Inspection Date: 09/27/2019

Inspection Number: 2915469

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: AIELLO, ROCCI

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Operator removed boxes and racks from back door area. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Indian River County

License Number: 4105378

BROKEN SPOKE BAR

License Type: Permanent Food Service

130 N BROADWAY ST, FELLSMERE 32948

Inspection Date: 09/23/2019

Inspection Number: 2933531

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MAYNARD, DIANE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
Fryer

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4605870

MEL'S DINER

License Type: Permanent Food Service

1331 PINE ISLAND RD NE, CAPE CORAL 33909

Inspection Date: 09/24/2019

Inspection Number: 2900455

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: EHMER, ANNETTE

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By back door in back prep area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5202127

MURPHY'S OYSTER BAR #2

License Type: Permanent Food Service

3821 NW BLITCHTON RD, OCALA 34475

Inspection Date: 09/23/2019

Inspection Number: 2906112

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HENTGES, JUDY

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
 Chairs blocking side exit door in the dining room.
 Chairs removed during this inspection. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Nassau County

License Number: 5500062

THE SURF RESTAURANT BAR GRILL & MOTEL

License Type: Permanent Food Service

3199 S FLETCHER AVE, AMELIA ISLAND 32034

Inspection Date: 09/24/2019

Inspection Number: 2923143

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: ESPINOSA-BECKERT, ILIANA

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. By ice machine, employee moved it outside **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5814828 THAI PURPLE ORCHID CAFE
 License Type: Permanent Food Service 9318 COLONIAL DR #A9, ORLANDO 32817

Inspection Date: 07/31/2019 Inspection Number: 2946755 Inspection Type: Complaint Full Inspection Disposition: Administrative complaint recommended
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Door has been painted shut and a large stainless steel table is obstructing the path	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5810919 CRAZY BUFFET
 License Type: Permanent Food Service 7038 W COLONIAL DR, ORLANDO 32818

Inspection Date: 09/24/2019 Inspection Number: 2926453 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: GREENE, MARVIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Sushi station. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5813671 KABOOKI SUSHI
 License Type: Permanent Food Service 7705 TURKEY LAKE RD, ORLANDO 32819

Inspection Date: 09/24/2019 Inspection Number: 2926792 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BACHOO, SAVITRI

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5809971 POLLO TROPICAL
 License Type: Permanent Food Service 11860 E COLONIAL DR, ORLANDO 32826

Inspection Date: 09/24/2019 Inspection Number: 2889481 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Cover to a outlet is missing to the left of the range at the green spice rack	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5813758

CHUY'S

License Type: Permanent Food Service

1434 N ALAFAYA TRAIL, ORLANDO 32828

Inspection Date: 09/23/2019

Inspection Number: 2906849

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WILSON, LANETTE

Violation Code

Observation

Violation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only. Prep line

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6006447		SHAKA BAR & GRILL	
License Type: Permanent Food Service		501 E CAMINO REAL, BOCA RATON 33432	
Inspection Date: 09/26/2019	Inspection Number: 2928221	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TORRES, LARRY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 6011716		SERINDIPITY 3	
License Type: Permanent Food Service		501 E CAMINO REAL, BOCA RATON 33432	
Inspection Date: 09/26/2019	Inspection Number: 2927141	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TORRES, LARRY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 6013543		TROPICAL SMOOTHIE CAFE	
License Type: Permanent Food Service		6671 W INDIANTOWN RD #52, JUPITER 33458	
Inspection Date: 09/26/2019	Inspection Number: 2913546	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: ROTONDI, VICTOR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only.renovation/exposed electrical outlet/hallway.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6050327		BERTHAS CAFETERIA	
License Type: Mobile Food Dispensing Vehicle		2550 SW 14 TER 6, PAHOKEE 33476	
Inspection Date: 09/26/2019	Inspection Number: 1217946	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MENOR, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Using a prior not under the hood	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Palm Beach County

License Number: 6007461

EMPLOYEE DINING AREA

License Type: Permanent Food Service

5 N A1A, JUPITER 33477

Inspection Date: 09/27/2019

Inspection Number: 2924401

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation CodeObservationViolation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. electrical outlet/cover missing/prep line.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6022131

ACAI CONCEPT CAFE

License Type: Permanent Food Service

20437 SR 7, UNIT C7, BOCA RATON 33498

Inspection Date: 09/25/2019

Inspection Number: 2929113

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.

"ABC Class" portable extinguisher is on the floor behind personal belongings and a ladder in the rear storeroom.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217553	CITY'S BISTRO		
License Type: Permanent Food Service	695 CENTRAL AVE, ST. PETERSBURG	33701	
Inspection Date: 09/26/2019	Inspection Number: 2918465	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: VALENCIA, ASHLEY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Sandwich press used to cook sausage and induction burner used to cook eggs	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6211727	STACK 'N' SIZZLE		
License Type: Permanent Food Service	401 49 ST S, ST PETERSBURG	33707	
Inspection Date: 09/27/2019	Inspection Number: 2927516	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WAGNER, MARGARET			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 15 lb tank. Located in dry storage area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 6207701	BURGER KING #2646		
License Type: Permanent Food Service	27282 US HWY 19 N, CLEARWATER	33761	
Inspection Date: 09/27/2019	Inspection Number: 2902614	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PEARCE, LAURA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. With bags of trash and trash can in back kitchen area	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

License Number: 6213946	WENDY'S #2405		
License Type: Permanent Food Service	23072 US 19 N, CLEARWATER	33765	
Inspection Date: 09/24/2019	Inspection Number: 2914840	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TORRACO, MARIANNE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Garbage pails, removed **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Pinellas County

License Number: 6212584

MCDONALD'S RESTAURANT #1939

License Type: Permanent Food Service

40728 N 19 US HWY, TARPON SPGS 34689

Inspection Date: 09/26/2019

Inspection Number: 2884864

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TORRACO, MARIANNE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Garbage cart and cardboard boxes, Corrected on Site: removed **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Polk County

License Number: 6305082

CHILI'S WINTER HAVEN FLA #409

License Type: Permanent Food Service

699 CYPRESS GDNS BLVD, WINTER HAVEN 338804458

Inspection Date: 09/23/2019

Inspection Number: 2887938

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WHITE, CHERYL

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. Boiler certification expired 2/25/16 For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Seminole County

License Number: 6905251

BURGER FI

License Type: Permanent Food Service

25 W MITCHELL HAMMOCK RD STE 1101, OVIEDO 32765

Inspection Date: 08/21/2019

Inspection Number: 2877349

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: THORNCROFT, ROBERT

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. At the line next to the hand sink - From follow-up inspection 2019-08-21: Extinguisher is in the recharge zone (RED) **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6502180

THE LOOP PIZZA GRILL

License Type: Permanent Food Service

101 MARKETSIDE AVENUE, SUITE 401, PONTE VEDRA 32081

Inspection Date: 09/24/2019

Inspection Number: 2912500

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Rear back door exit blocked.
Moved by manager. ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7405531

CARRABBA'S ITALIAN GRILL

License Type: Permanent Food Service

2200 W INTERNATIONAL SPEEDWAY BLVD, DAYTONA BEACH 32114

Inspection Date: 09/25/2019

Inspection Number: 2904016

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Partial blocked by table and chairs by restroom.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7403659

SAKANA JAPANESE STEAKHOUSE AND SUSHI BAR

License Type: Permanent Food Service

501 SEABREEZE BLVD, DAYTONA BEACH 32118

Inspection Date: 09/23/2019

Inspection Number: 2925164

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: BRANNER, LISELOTTE

Violation CodeObservationViolation Citation

48-04-4

Gas odor by stove. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.