

Alachua County

License Number: 1102942

CHARLEYS PHILLY STEAKS

License Type: Permanent Food Service

6419 W NEWBERRY RD, G6, GAINESVILLE 32605

Inspection Date: 10/11/2019

Inspection Number: 2902893

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CASEY, KEITH

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed the fire extinguisher by the back door, indicator in the red zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506276

CERRATO'S ITALIAN MARKET & DELI

License Type: Permanent Food Service

908 W NEW HAVEN AVE, MELBOURNE 32901

Inspection Date: 10/09/2019

Inspection Number: 2917430

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FRANZ, LISA

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.- boxes in front of door ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1624297

HOME 2 SUITES BY HILTON FORT LAUDERDALE

License Type: Permanent Food Service

161 SW 19 CT, DANIA BEACH 33004

Inspection Date: 10/09/2019

Inspection Number: 2920962

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624187

TERRAZAS AT HYDE

License Type: Permanent Food Service

4111 S OCEAN DR, HOLLYWOOD 33019

Inspection Date: 10/07/2019

Inspection Number: 2950921

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Broward County

License Number: 1624190

TERRAZAS AT HYDE

License Type: Permanent Food Service

4111 S OCEAN DR, HOLLYWOOD 33019

Inspection Date: 10/07/2019

Inspection Number: 2915648

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1624485

COSTA HOLLYWOOD - ROOFTOP

License Type: Permanent Food Service

777 N OCEAN DR ROOFTOP, HOLLYWOOD 33019

Inspection Date: 10/08/2019

Inspection Number: 2920033

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

Broward County

License Number: 1624587

THE COFFEE STORE

License Type: Permanent Food Service

777 N OCEAN DR UNIT N104, HOLLYWOOD 33019

Inspection Date: 10/08/2019

Inspection Number: 2918993

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624507

TARPON RIVER BREWING

License Type: Permanent Food Service

280 SW 6 ST, FORT LAUDERDALE 33301

Inspection Date: 10/11/2019

Inspection Number: 2918609

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Admin. complaint recommended

Inspector Name: BRANN, JUSTIN

Violation CodeObservationViolation Citation

48-01-5 - From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2019-10-11: No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. **Time Extended**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624287

CONCH HEAVEN 2 GO

License Type: Permanent Food Service

7111 W BROWARD BOULEVARD, PLANTATION 33317

Inspection Date: 10/07/2019

Inspection Number: 2914649

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: ROSE, MONIQUE

Violation CodeObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Operator cleared path. **Corrected On-Site** **Warning**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1614077

HAMPTON INN FT LAUDERDALE CYPRESS CREEK

License Type: Permanent Food Service

720 E CYPRESS CREEK RD, FORT LAUDERDALE 33334

Inspection Date: 10/10/2019

Inspection Number: 2928503

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GRAY, ANTHONY

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1620660

HARBOR CITY LUNCH

License Type: Permanent Food Service

91 SE 4 ST, DEERFIELD BEACH 33441

Inspection Date: 10/07/2019

Inspection Number: 2893931

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PINEROS, MICHELE

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Tabletop fryer with lid.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Tabletop fryer with lid. - From follow-up inspection 2019-10-08:

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Collier County

License Number: 2102963

BOSTON BEER GARDEN

License Type: Permanent Food Service

2396 IMMOKALEE RD, NAPLES 34110

Inspection Date: 10/08/2019

Inspection Number: 2893861

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PFENNING, BRUNO

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

| | | | |
|--------------------------------------|--|---|--|
| License Number: 2329105 | SMOKE & SPICE | | |
| License Type: Catering | 436 NW 10TH AVENUE, HOMESTEAD | 33030 | |
| Inspection Date: 10/09/2019 | Inspection Number: 1113275 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: GONZALEZ, ALEJANDRO | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-04-4 | Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Corrected On-Site** | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 2334491 | BALL AND CHAIN | | |
| License Type: Permanent Food Service | 1513 SW 8TH STREET, MIAMI | 33135 | |
| Inspection Date: 10/08/2019 | Inspection Number: 2905474 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: GARCIA, B OSCAR | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-04-4 | Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Plantains, churros. On per table, kitchen area. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 2335302 | THE UNION BEER STORE | | |
| License Type: Permanent Food Service | 1547 SW 8 STREET, MIAMI | 33135 | |
| Inspection Date: 10/08/2019 | Inspection Number: 2867437 | Inspection Type: Routine - Food | Inspection Disposition: Call Back - Admin. complaint recommended |
| Inspector Name: GARCIA, B OSCAR | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-04-4 | - From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed Flat top kitchen area. - From follow-up inspection 2019-10-08: **Time Extended** | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 2333935 | SUBWAY | | |
| License Type: Permanent Food Service | 6542 COLLINS AVE, MIAMI BEACH | 33141 | |
| Inspection Date: 10/07/2019 | Inspection Number: 2904255 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: UNZAGA, MILADYS | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-02-4 | Portable fire extinguisher gauge in red zone. For reporting purposes only. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |

Dade County

| | | | |
|--------------------------------------|--|---|--|
| License Number: 2335811 | | CARILLON MIAMI WELLNESS RESORT | |
| License Type: Permanent Food Service | | 6801 COLLINS AVENUE, MIAMI BEACH 33141 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2918622 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: UNZAGA, MILADYS | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-01-5 | No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Chief Engineer showed they have appointment on 10/14 for inspection. **Corrective Action Taken** | 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only. | |
| License Number: 2316876 | | LA BASE RESTAURANT & LOUNGE | |
| License Type: Permanent Food Service | | 10117 NW 27TH AVENUE, MIAMI 33147 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2929815 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: JOSEPH, VANRIE | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-04-4 | Exit door locked. For reporting purposes only. | 61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |
| License Number: 2334673 | | PUPUSERIA SALVADORENA | |
| License Type: Permanent Food Service | | 10929 SW 186 STREET, CUTLER RIDGE 33157 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2930135 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: HERNANDEZ, NILYAM | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. **Repeat Violation** | 61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |
| License Number: 2329574 | | CHEF ARYEH LLC | |
| License Type: Catering | | 1850 NE 164 ST (2ND FLOOR), NORTH MIAMI BEACH 33162 | |
| Inspection Date: 10/10/2019 | Inspection Number: 1113939 | Inspection Type: Routine - Food | Inspection Disposition: Warning Issued |
| Inspector Name: STUBBS, CHRISTINE | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-04-4 | Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |

Dade County

| | | | |
|---------------------------------------|---|---|--|
| License Number: 2331220 | | KENTUCKY FRIED CHICKEN | |
| License Type: Permanent Food Service | | 949 SW 107 AVE, MIAMI 33174 | |
| Inspection Date: 10/07/2019 | Inspection Number: 2924003 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: GONZALEZ, ERIK | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-02-4 | Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher in front counter in recharge zone. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 2329518 | | PICAMEAL | |
| License Type: Catering | | 14395 SW 139 CT, UNIT 106, MIAMI 33186 | |
| Inspection Date: 10/09/2019 | Inspection Number: 1113981 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: LODENQUAI, BARRINGTON | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-04-4 | Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 2332319 | | CREPEMAKER OF KENDALL | |
| License Type: Permanent Food Service | | 12305 SW 137 AVE # 304, MIAMI 33186 | |
| Inspection Date: 10/09/2019 | Inspection Number: 2896435 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: LODENQUAI, BARRINGTON | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-04-4 | Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |

Duval County

| | | | |
|--------------------------------------|---|---|--|
| License Number: 2608282 | | POPEYES CHICKEN & BISCUIT #146 | |
| License Type: Permanent Food Service | | 7507 ATLANTIC BLVD, JACKSONVILLE 322118753 | |
| Inspection Date: 10/09/2019 | Inspection Number: 2886780 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: THOMAS, PHILIP | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit crowded with two trash cans and empty boxes. Manager arrived and immediately has area cleared. **Corrected On-Site** | 61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |
| License Number: 2600573 | | SAN JOSE CO CLUB D R | |
| License Type: Permanent Food Service | | 7529 SAN JOSE BLVD, JACKSONVILLE 322173524 | |
| Inspection Date: 10/08/2019 | Inspection Number: 2886742 | Inspection Type: Routine - Food | Inspection Disposition: Warning Issued |
| Inspector Name: JEFFERS, MARY-BETH | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-01-5 | No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Active boiler on site. No certificate for boiler available. Boiler expired 6/4/2017 **Repeat Violation** | 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only. | |
| License Number: 2611339 | | FITNESS SAN JOSE COUNTRY CLUB | |
| License Type: Permanent Food Service | | 7529 SAN JOSE, JACKSONVILLE 322173524 | |
| Inspection Date: 10/08/2019 | Inspection Number: 2883621 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: JEFFERS, MARY-BETH | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-01-5 | No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Active boiler on site. No certificate provided. Boiler certificate expired 06/2017 **Repeat Violation** | 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only. | |
| License Number: 2609756 | | SUBWAY SANDWICHES & SALADS IV | |
| License Type: Permanent Food Service | | 11565 N MAIN ST #0206, JACKSONVILLE 322184088 | |
| Inspection Date: 10/07/2019 | Inspection Number: 2888833 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: YOUNG, JENNIFER | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. Back exit door blocked by wooden bar | 61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |

Duval County

License Number: 2612573 NEW WORLD GRILL
 License Type: Permanent Food Service 13715 LAKE NEWMAN ST, JACKSONVILLE 32221

Inspection Date: 10/11/2019 Inspection Number: 2929944 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: ESPINOSA-BECKERT, ILIANA

| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> |
|-----------------------|---|---|
| 45-02-4 | Portable fire extinguisher gauge in red zone. For reporting purposes only. By cook line | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. |

License Number: 2613341 FRIENDS DINER
 License Type: Permanent Food Service 2771 MONUMENT RD STE 32, JACKSONVILLE 32225

Inspection Date: 10/11/2019 Inspection Number: 2954227 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: THOMAS, PHILIP

| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> |
|-----------------------|--|--|
| 46-04-4 | Exit door locked. For reporting purposes only. Rear ext door locked. Unable to open rear door. | 61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. |

License Number: 2613985 MCDONALD'S RESTAURANT
 License Type: Permanent Food Service 1003 HWY 301 S, BALDWIN 32234

Inspection Date: 10/11/2019 Inspection Number: 2953376 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ESPINOSA-BECKERT, ILIANA

| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> |
|-----------------------|---|---|
| 45-02-4 | Portable fire extinguisher gauge in red zone. For reporting purposes only. By rear door | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. |

License Number: 2615194 CHICKEN SALAD CHICK
 License Type: Permanent Food Service 10920 BAY MEADOWS RD UNIT 12, JACKSONVILLE 32256

Inspection Date: 10/10/2019 Inspection Number: 2909933 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: GOSAI, MATT

| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> |
|-----------------------|---|--|
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. Rear kitchen exir blocked by boxes. Moved by manager. **Corrected On-Site** | 61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. |

Hillsborough County

License Number: 3910763

PIZZA HUT #4672

License Type: Permanent Food Service

1944 SR 60 E #304, VALRICO 33594

Inspection Date: 10/10/2019

Inspection Number: 2896514

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CANNELLA, MARK

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguisher on floor at front counter area .

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3910097

RACCOON'S

License Type: Permanent Food Service

3240 LITHIA PINECREST RD #105, VALRICO 33596

Inspection Date: 10/09/2019

Inspection Number: 2887131

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CANNELLA, MARK

Violation CodeObservationViolation Citation

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only. K class fire extinguisher stored on floor between fryer and soda boxes .

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3917095

VOLCAN DE MI TIERRA LLC

License Type: Permanent Food Service

1912 N HOWARD AVE, TAMPA 33607

Inspection Date: 10/10/2019

Inspection Number: 2950470

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: FEDERORVITCH, CASEY

Violation CodeObservationViolation Citation

49-05-4

Increase in seating from 12 to 16. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Indian River County

License Number: 4105092

KENTUCKY FRIED CHICKEN

License Type: Permanent Food Service

4040 20 ST, VERO BEACH 32960

Inspection Date: 10/08/2019

Inspection Number: 2952453

Inspection Type: Complaint Full

Inspection Disposition: Warning
Issued

Inspector Name: DAVIS, DIANNA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Hood suppression system pull tab appears to be broken. Has glass tube broken, and hanging at least an inch out of pull station.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. Between walk in cooler and walk in freezer.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4105383

MISS SAIGON RESTAURANT

License Type: Permanent Food Service

737 22 STREET, VERO BEACH 32960

Inspection Date: 10/09/2019

Inspection Number: 2929480

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: SCHOENLY, BARBARA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment utilizing small fryers in kitchen explained they have to be under hood suppression or do not use- disconnected will call and leave message with Peggy Parmenter

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4606934

HANA JAPANESE CAPE CORAL INC

License Type: Permanent Food Service

30 30 HANCOCK BRIDGE PKWY W, STE 111-114, CAPE CORAL 33991

Inspection Date: 10/07/2019

Inspection Number: 2924460

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EHMER, ANNETTE

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. By back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Leon County

License Number: 4703500

FERMENTATION LOUNGE AT ALL SAINTS

License Type: Permanent Food Service

415 ALL SAINTS STREET #113, TALLAHASSEE 32301

Inspection Date: 10/07/2019

Inspection Number: 2949701

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TAKEH, NADEGE

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed flat top grill at bar, per operator used for cooking.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4703180

KOREAN BBQ & MORE

License Type: Permanent Food Service

2622 W TENNESSEE ST, TALLAHASSEE 32304

Inspection Date: 10/10/2019

Inspection Number: 2897290

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CHARLES, BRENDA

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building; near mop sink. For reporting purposes only. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301821

LURES RIVERFRONT RESTAURANT

License Type: Permanent Food Service

3330 NE INDIAN RIVER DR, JENSEN BEACH 34957

Inspection Date: 10/09/2019

Inspection Number: 2915412

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. One in kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

| | | | |
|--------------------------------------|--|---|--|
| License Number: 5802545 | | WENDY'S #3266 | |
| License Type: Permanent Food Service | | 1919 S ORANGE AVE, ORLANDO 32806 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2916440 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: PLEICONES, KIM | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. Back kitchen exit door block by card board push cart **Corrected On-Site** | 61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |
| License Number: 5814850 | | RESTAURANT GUANAJUNTO | |
| License Type: Permanent Food Service | | 620 W LANCASTER RD, ORLANDO 32809 | |
| Inspection Date: 10/11/2019 | Inspection Number: 2946041 | Inspection Type: Food-Licensing Inspection | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: GUTTERMAN, KENNETH | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 47-01-4 | Observed frayed/spliced electrical wires. For reporting purposes only. Missing electrical outlet covers, exposed electrical connection on water heater in storage area. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| 47-03-4 | Observed electrical wiring in disrepair. For reporting purposes only. Exposed wiring on top of water heater | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 5813264 | | BJ'S RESTAURANT & BREWHOUSE | |
| License Type: Permanent Food Service | | 8103 INTERNATIONAL DR, ORLANDO 32819 | |
| Inspection Date: 10/08/2019 | Inspection Number: 2904592 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: BACHOO, SAVITRI | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 48-01-5 | No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. | 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only. | |

Orange County

License Number: 5808500

EL MERCADO DE CORONADO

License Type: Permanent Food Service

1000 W BUENA VISTA DR, LAKE BUENA VISTA 328301000

Inspection Date: 10/07/2019

Inspection Number: 2887555

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
Observed boiler certification has expired 135080, 135081

61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Osceola County

| | | | |
|--------------------------------------|---------------------------------|---------------------------------|--|
| License Number: 5906884 | GOLDEN CORRAL | | |
| License Type: Permanent Food Service | 2701 W VINE ST, KISSIMMEE 34741 | | |
| Inspection Date: 10/08/2019 | Inspection Number: 2889548 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: FERTIL, SYLVERST | | | |

| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> |
|-----------------------|---|---|
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only.back door by trash **Corrected On-Site** | 61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. |

| | | | |
|--------------------------------------|--|---------------------------------|--|
| License Number: 5911708 | RODEWAY INN | | |
| License Type: Permanent Food Service | 7455 WEST IRLO BRONSON MEMORIAL HWY, KISSIMMEE 34747 | | |
| Inspection Date: 10/11/2019 | Inspection Number: 2954222 | Inspection Type: Complaint Full | Inspection Disposition: Warning Issued |
| Inspector Name: LORENZO, ANA | | | |

| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> |
|-----------------------|---|---|
| 48-01-5 | No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. | 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only. |

Palm Beach County

| | |
|--------------------------------------|---|
| License Number: 6020358 | SPRINGHILL SUITES WEST PALM BEACH I-95 |
| License Type: Permanent Food Service | 2437 METROCENTRE BLVD, WEST PALM BEACH 33407 |
| Inspection Date: 10/08/2019 | Inspection Number: 2907482 |
| Inspector Name: GOLDMAN, BARRY | Inspection Type: Routine - Food |
| | Inspection Disposition: Warning Issued |
| <u>Violation Code</u> | <u>Observation</u> |
| 48-04-4 | Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator removed from building. **Corrected On-Site** |
| | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. |

| | |
|--------------------------------------|---|
| License Number: 6011471 | SWAMPGRASS WILLY'S BAR BQ |
| License Type: Permanent Food Service | 9910 ALT A1A STE 711, PALM BEACH GARDENS 33410 |
| Inspection Date: 10/11/2019 | Inspection Number: 2887640 |
| Inspector Name: GOLDMAN, BARRY | Inspection Type: Routine - Food |
| | Inspection Disposition: Inspection Completed - No Further Action |
| <u>Violation Code</u> | <u>Observation</u> |
| 48-04-4 | Gas generator located inside of the building. For reporting purposes only. |
| | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. |

| | |
|--------------------------------------|---|
| License Number: 6010194 | DOMINIC'S |
| License Type: Permanent Food Service | 9834 W GLADES RD, BOCA RATON 33434 |
| Inspection Date: 10/08/2019 | Inspection Number: 2935900 |
| Inspector Name: BANNIGAN, TIM | Inspection Type: Routine - Food |
| | Inspection Disposition: Inspection Completed - No Further Action |
| <u>Violation Code</u> | <u>Observation</u> |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. - dining room rear hallway to emergency exit blocked by chairs/furniture. |
| | 61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. |

| | |
|--------------------------------------|---|
| License Number: 6021636 | DUNKIN DONUTS |
| License Type: Permanent Food Service | 15689 SOUTHERN BLVD #100, LOXAHATCHEE 33470 |
| Inspection Date: 10/09/2019 | Inspection Number: 2917871 |
| Inspector Name: MENOR, MICHAEL | Inspection Type: Routine - Food |
| | Inspection Disposition: Inspection Completed - No Further Action |
| <u>Violation Code</u> | <u>Observation</u> |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only. Rear door exit blocked by speed racks |
| | 61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. |

Palm Beach County

| | | | |
|--------------------------------------|--|---|--|
| License Number: 6011777 | | DEL PESTO | |
| License Type: Permanent Food Service | | 201 N US HWY 1, JUPITER 33477 | |
| Inspection Date: 10/09/2019 | Inspection Number: 2931033 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: ROTONDI, VICTOR | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 47-03-4 | Observed electrical wiring in disrepair. For reporting purposes only.electrical outlet missing/by pizza prep area. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 6012181 | | DAIRY QUEEN #40716 | |
| License Type: Permanent Food Service | | 3900 E INDIANTOWN RD #605, JUPITER 33477 | |
| Inspection Date: 10/08/2019 | Inspection Number: 2896107 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: ROTONDI, VICTOR | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-01-4 | Marked exit/path to marked exit blocked. For reporting purposes only.microwave. | 61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |
| License Number: 6021052 | | FLAVORS 27 | |
| License Type: Permanent Food Service | | 510 US HWY 27 N, SOUTH BAY 33493 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2911411 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: MENOR, MICHAEL | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 49-05-4 | Flammables stored near a source of ignition. For reporting purposes only. 20 gallon propane tank stored in the kitchen. Operator removed **Corrected On-Site** | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |

Pasco County

License Number: 6100886

SMOKIN OUT BBQ

License Type: Permanent Food Service

3333 US 19 N STE-9, HOLIDAY 34690

Inspection Date: 10/08/2019

Inspection Number: 2900050

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

46-04-4 Exit door locked. For reporting purposes only. Unlocked door **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

| | | | |
|--------------------------------------|--|---|--|
| License Number: 6216336 | | PERRY BBQ ASIAN GRILL | |
| License Type: Permanent Food Service | | 27001 US HWY 19 N SPACE # FC2, CLEARWATER 33761 | |
| Inspection Date: 10/07/2019 | Inspection Number: 2928184 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: PEARCE, LAURA | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-02-4 | Portable fire extinguisher gauge in red zone in downstairs storage area . For reporting purposes only. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 6216630 | | ASIAN PEARL | |
| License Type: Permanent Food Service | | 2551 DREW ST #104, CLEARWATER 33765 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2913240 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: PIATT, PAUL | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-02-4 | Portable fire extinguisher gauge in red zone. For reporting purposes only. Near the back exit | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 6214128 | | DAYDREAMERS CAFE AND GRILL | |
| License Type: Permanent Food Service | | 143 7 AVE N, SAFETY HARBOR 34695 | |
| Inspection Date: 10/10/2019 | Inspection Number: 2920720 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: PEARCE, LAURA | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 45-02-4 | Class K Portable fire extinguisher gauge in red zone by back exit . For reporting purposes only. | 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only. | |
| License Number: 6209040 | | SUBWAY | |
| License Type: Permanent Food Service | | 1425 MAIN ST, DUNEDIN 34698 | |
| Inspection Date: 10/07/2019 | Inspection Number: 2908805 | Inspection Type: Routine - Food | Inspection Disposition: Inspection Completed - No Further Action |
| Inspector Name: PIATT, PAUL | | | |
| <u>Violation Code</u> | <u>Observation</u> | <u>Violation Citation</u> | |
| 46-04-4 | Exit door locked. For reporting purposes only. Back kitchen door | 61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only. | |

Pinellas County

License Number: 6217611

D-TOWN

License Type: Permanent Food Service

1056 MAIN ST, DUNEDIN 34698

Inspection Date: 10/07/2019

Inspection Number: 2926252

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Off the kitchen dry storage area

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6212415

MCDONALDS #11017

License Type: Permanent Food Service

1645 MAIN ST, DUNEDIN 346984775

Inspection Date: 10/07/2019

Inspection Number: 2887784

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Bread racks removed **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Polk County

License Number: 6300420

KFC

License Type: Permanent Food Service

727 E MEMORIAL BLVD, LAKELAND 33801

Inspection Date: 10/07/2019

Inspection Number: 2951267

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BEAULIEU, STEPHANIE

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By front counter

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6802839

SIESTA KEY SUBWAY

License Type: Permanent Food Service

5239 OCEAN BLVD #B, SARASOTA 34242

Inspection Date: 10/11/2019

Inspection Number: 2926752

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MCKEON, MICHAEL

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit of the kitchen blocked by dry storage shelf. Manager moved shelf. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

St. Lucie County

License Number: 6602059

APPLEBEES NEIGHBORHOOD GRILL & BAR

License Type: Permanent Food Service

4898 OKEECHOBEE RD, FORT PIERCE 34947

Inspection Date: 10/11/2019

Inspection Number: 2954224

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Silver extinguisher cooks line

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7406882

BURGEY'S TIKI BAR

License Type: Permanent Food Service

1010 MAIN ST, DAYTONA BEACH 32118

Inspection Date: 10/07/2019

Inspection Number: 2917873

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: PICHARDO, RENEE

Violation Code

Observation

Violation Citation

47-02-4 Observed scorch marks around electrical outlet. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7406474

MCDONALD'S 28902

License Type: Permanent Food Service

1101 BEVILLE RD, DAYTONA BEACH 32119

Inspection Date: 10/09/2019

Inspection Number: 2920623

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.