

Baker County

License Number: 1200171

TRAVELODGE MACCLENNY

License Type: Permanent Food Service

1651 S 6 ST, MACCLENNY 32063

Inspection Date: 10/15/2019

Inspection Number: 2907129

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MERCER, THOMAS

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificate expired 12/21/2017 **Repeat Violation**

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Broward County

License Number: 1624889

COSTERA SUNSET BAR & GRILL

License Type: Permanent Food Service

4010 SOUTH OCEAN DRIVE, HOLLYWOOD 33019

Inspection Date: 10/15/2019

Inspection Number: 2952067

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1618271

LAS DELICIAS DEL PERU CORP

License Type: Permanent Food Service

6335 JOHNSON ST, HOLLYWOOD 33024

Inspection Date: 10/18/2019

Inspection Number: 2906569

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LEWIS, LYNDEN

Violation CodeObservationViolation Citation

45-05-4 Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1621217

WINGSTOP

License Type: Permanent Food Service

6611 TAFT ST, HOLLYWOOD 33024

Inspection Date: 10/15/2019

Inspection Number: 2894289

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LEWIS, LYNDEN

Violation CodeObservationViolation Citation

46-04-4 Exit door locked. For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1623741

62900 SUBWAY INC

License Type: Permanent Food Service

1951 NW 9TH AVE UNIT 19, FORT LAUDERDALE 33311

Inspection Date: 10/15/2019

Inspection Number: 2908513

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MATTIELLO-ATASSI, MARIA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Exit blocked with delivery boxes. Operator took boxes to dumpster. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2323242		TACO BELL #4467	
License Type: Permanent Food Service		2935 SW 32 AVE, MIAMI 33133	
Inspection Date: 10/15/2019	Inspection Number: 2937468	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MASKASEM, SUPPACHAI			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2333807		FAIRCHILD TROPICAL BOTANIC GARDEN	
License Type: Permanent Food Service		10901 OLD CUTLER RD, CORAL GABLES 33156	
Inspection Date: 10/15/2019	Inspection Number: 2951675	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HERNANDEZ, NILYAM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-03-4	Portable fire extinguisher in a locked cabinet with no means of access. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2334558		DUNKIN DONUTS	
License Type: Permanent Food Service		3467 NE 163 ST, NORTH MIAMI BEACH 33160	
Inspection Date: 10/15/2019	Inspection Number: 2954660	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SEYBA, JAMES			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed fire extinguisher in the "recharge " zone. By office.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2300324		MCDONALDS RESTAURANT # 791	
License Type: Permanent Food Service		200 NE 167 STREET, NORTH MIAMI BEACH 33162	
Inspection Date: 10/18/2019	Inspection Number: 2891224	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Garbage bin is blocking the back exit. Employee p,aced outside. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Dade County

License Number: 2318211		KENTUCKY FRIED CHICKEN	
License Type: Permanent Food Service		20285 NW 2 AVE, MIAMI 331692501	
Inspection Date: 10/18/2019	Inspection Number: 2886172	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed inside the kitchen boxes are blocking the door marked exit.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2334261		TEXAS ROADHOUSE	
License Type: Permanent Food Service		9161 W FLAGLER ST, MIAMI 33172	
Inspection Date: 10/14/2019	Inspection Number: 2906921	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher by back door in recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2328579		CMX DOLPHIN MALL 19	
License Type: Permanent Food Service		11471 NW 12 ST, SWEETWATER 33172	
Inspection Date: 10/18/2019	Inspection Number: 2923351	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ERIK			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher inside small kitchen in recharge zone. Manager replaced it. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Duval County

License Number: 2614629 MCDONALD'S #34803
 License Type: Permanent Food Service 5320 NORWOOD AVE, JACKSONVILLE 32208

Inspection Date: 10/17/2019 Inspection Number: 2923857 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by equipment: large rolling cart. Moved by manager. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2615293 9 BALL HEAVEN
 License Type: Permanent Food Service 2777 UNIVERSITY BLVD W UNIT 12, JACKSONVILLE 32217

Inspection Date: 10/14/2019 Inspection Number: 2952427 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: JEFFERS, MARY-BETH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit door in hall area near kitchen blocked partially with cabinet and cases of beer. Exit door near women's restroom blocked. **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
46-04-4	Exit door locked. For reporting purposes only. Exit door in hall area near kitchen has slider lock.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2614260 SUPER 8 MOTEL
 License Type: Permanent Food Service 5959 YOUNGERMAN CIRCLE EAST, JACKSONVILLE 32244

Inspection Date: 10/18/2019 Inspection Number: 2895951 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PERRY, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. In kitchen area near exterior door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3918105

ILLY CAFFE AT TAMPA AIRPORT CONCOURSE E

License Type: Permanent Food Service

4100 GEORGE J BEAN PKWY, TAMPA INTERNATIONAL AIRPORT, TAMPA 33607

Inspection Date: 10/16/2019

Inspection Number: 2925570

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: FEDERORVITCH, CASEY

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Flat top for cooking eggs with cooking spray

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Indian River County

License Number: 4105345

MOE'S SOUTHWEST GRILL

License Type: Permanent Food Service

1601 US HWY 1, VERO BEACH 32960

Inspection Date: 10/15/2019

Inspection Number: 2911840

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Back door block by numerous cardboard boxes **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Lake County

License Number: 4501754

HWY FOUR FOUR ONE DINER

License Type: Permanent Food Service

381 E BURLEIGH BLVD, TAVARES 32778

Inspection Date: 10/18/2019

Inspection Number: 2955790

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Leon County

License Number: 4750470

MAVERICK'S TROPICAL ISLAND

License Type: Mobile Food Dispensing Vehicle

710 W ORANGE AVE C, TALLAHASSEE 32310

Inspection Date: 10/17/2019

Inspection Number: 1219746

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TAKEH, NADEGE

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Manatee County

License Number: 5105064

MCDONALD'S

License Type: Permanent Food Service

6225 E SR 64, BRADENTON 34208

Inspection Date: 10/14/2019

Inspection Number: 2920729

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: KNOX, KHALENA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Monroe County

License Number: 5402576

PAPA JOHN'S PIZZA

License Type: Permanent Food Service

5105 OVERSEAS HWY, MARATHON 33050

Inspection Date: 10/16/2019

Inspection Number: 2888937

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WHITEHURST, SCOTT

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Orange County

License Number: 5814273		BIRDY KITCHEN INC	
License Type: Permanent Food Service		2912 N PINE HILLS RD, ORLANDO 32808	
Inspection Date: 10/17/2019	Inspection Number: 2955422	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher on wall mount.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5804252		CAFE MADRID DELI & BAKERY	
License Type: Permanent Food Service		4502 CURRY FORD RD, ORLANDO 32812	
Inspection Date: 10/14/2019	Inspection Number: 2919869	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: PLEICONES, KIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Facility has changed/upgrade from a home style flat griddle to a commercial grade griddle in prep area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5814614		CHIPOTLE MEXICAN GRILL	
License Type: Permanent Food Service		2610 S SEMORAN BLVD STE 102, ORLANDO 32822	
Inspection Date: 10/17/2019	Inspection Number: 2918130	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. At the back door of the kitchen	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5806266		SASSAGOULA MAIN KITCHEN	
License Type: Permanent Food Service		2201 ORLEANS DR, LAKE BUENA VISTA 32830	
Inspection Date: 10/17/2019	Inspection Number: 2889422	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: SPEIGHTS, BLANCHIE MACHELLE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certification has expired 11/11/2018, spoke to engineering inspection completed not sure of date of the inspection report. **Cor	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Palm Beach County

License Number: 6012538

RESIDENCE INN WEST PALM BEACH

License Type: Permanent Food Service

2461 METROCENTRE BLVD, WEST PALM BEACH 33407

Inspection Date: 10/14/2019

Inspection Number: 2895635

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GOLDMAN, BARRY

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. J# 092312- 08/29/2019 - reinspected on 9/11 waiting
on Certificate. **Corrective Action Taken**61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 6021771

R1 COFFEE

License Type: Permanent Food Service

3200 NORTH FEDERAL HWY, BOCA RATON 33431

Inspection Date: 10/15/2019

Inspection Number: 2941756

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only.

- rear Exit door.61C-1.004(9) FAC: (9) Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on
all stairways and around all porches and steps. For
reporting purposes only.

License Number: 6021852

R1 COFFEE

License Type: Permanent Food Service

17940 S MILITARY TRL UNIT 600, BOCA RATON 33496

Inspection Date: 10/17/2019

Inspection Number: 2921163

Inspection Type: Routine - Food

Inspection Disposition: Emergency
order recommended

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood
suppression system installed. Notified Fire AHJ. For reporting purposes only.

- flat grill and two induction burners added.

509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

Pinellas County

License Number: 6216801

TRIP'S DINER

License Type: Permanent Food Service

2339 DR MARTIN LUTHER KING JR DR N, ST. PETERSBURG 33704

Inspection Date: 10/17/2019

Inspection Number: 2955785

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: VALENCIA, ASHLEY

Violation CodeObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Storage room

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

48-04-4 - From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Storage room - From follow-up inspection 2019-10-18: Storage room

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6210147

AUTHENTIC FAMOUS

License Type: Permanent Food Service

6721 ULMERTON RD, LARGO 33771

Inspection Date: 10/18/2019

Inspection Number: 2941848

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: AUSTIN, MARK

Violation CodeObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Frying fish in oil with no hood system in place. **Repeat Violation** **Warning**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6215153

DUNKIN DONUTS/BASKIN ROBBINS

License Type: Permanent Food Service

33240 US HWY 19 N, PALM HARBOR 34684

Inspection Date: 10/17/2019

Inspection Number: 2894460

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Near the back side door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6805697

GELATO-GO

License Type: Permanent Food Service

14 S ORANGE AVE, SARASOTA 34236

Inspection Date: 10/14/2019

Inspection Number: 2919486

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VITKUN, RONALD

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed freezer blocking back exit of business.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Volusia County

License Number: 7406067

EL TEQUILAS AUTHENTIC MEXICAN RESTAURANT INC

License Type: Permanent Food Service

1784 S RIDGEWOOD AVE., SOUTH DAYTONA 32119

Inspection Date: 10/17/2019

Inspection Number: 2919175

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7402550

CLUBHOUSE RESTAURANT

License Type: Permanent Food Service

150 CLUBHOUSE CIR, NEW SMYRNA BCH 321687967

Inspection Date: 10/14/2019

Inspection Number: 2888223

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.