

Alachua County

License Number: 1103480

HOLIDAY INN GAINESVILLE UNIVERSITY CENTER

License Type: Permanent Food Service

1250 W UNIVERSITY AVE, GAINESVILLE 32601

Inspection Date: 10/30/2019

Inspection Number: 2927741

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: WEATHERS, TIM

Violation Code ObservationViolation Citation47-03-4 Observed electrical wiring in disrepair. For reporting purposes only. Outlet cover
across from walk-in cooler damaged.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103067

BIG MILLS CHEESESTEAKS

License Type: Permanent Food Service

2111 NW 13 ST, GAINESVILLE 32609

Inspection Date: 10/29/2019

Inspection Number: 2921770

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: PACE, PATRICK

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
Red extinguisher near back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1621046 GREAT AMERICAN GRILL
 License Type: Permanent Food Service 180 SW 18 AVE, DANIA 33004

Inspection Date: 10/30/2019 Inspection Number: 2940609 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.see comment section.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624740 FIREBIRDS WOOD FIRED GRILL
 License Type: Permanent Food Service 110 N POINT DR STE K100, DANIA BEACH 33004

Inspection Date: 10/30/2019 Inspection Number: 2958458 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1620395 SAPORE DI MARE
 License Type: Permanent Food Service 707 N BROADWALK, HOLLYWOOD 33019

Inspection Date: 10/29/2019 Inspection Number: 2939610 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. shelving with supplies and freezer in exit hall.For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1652795

POOHCHELLOS

License Type: Mobile Food Dispensing Vehicle

4630 SW 21 ST, WEST PARK 33023

Inspection Date: 10/28/2019

Inspection Number: 1215588

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GANPAT, INDAR

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2326340

PAPA JOHNS # 1145

License Type: Permanent Food Service

15900 SW 137 AVE, MIAMI 33177

Inspection Date: 10/30/2019

Inspection Number: 2892797

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GONZALEZ, ALEJANDRO

Violation Code ObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Blocked by sodas cases.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2329252

INEDIT GOURMET

License Type: Catering

12100 SW 132 CT #A-116, MIAMI 33186

Inspection Date: 10/31/2019

Inspection Number: 1114680

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LODENQUAI, BARRINGTON

Violation Code ObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2613802 ELEMENT BISTRO, BAR AND LOUNGE/MYTH NIGHTCLUB
 License Type: Permanent Food Service 333 E BAY STREET, JACKSONVILLE 32202

Inspection Date: 10/29/2019 Inspection Number: 2914090 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: ROZIER, TORRANCE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 2 grease fryers	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615149 HOT WOK
 License Type: Permanent Food Service 1012 MARGARET ST STE 6, JACKSONVILLE 32204

Inspection Date: 10/28/2019 Inspection Number: 2933504 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ROZIER, TORRANCE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Bottle of alcohol on top of hot water heater	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2603888 MCDONALDS 3184
 License Type: Permanent Food Service 909 DUNN AVE, JACKSONVILLE 32218

Inspection Date: 10/31/2019 Inspection Number: 2930155 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOSAI, MATT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by large trash container. Moved by manager. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2614693 A & D BUFFALO'S AT NORMANDY
 License Type: Permanent Food Service 7749 NORMANDY BLVD #105-107, JACKSONVILLE 32221

Inspection Date: 10/25/2019 Inspection Number: 2900844 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. In storage room, to go container box on the way	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Duval County

License Number: 2615105

MARGARITA'S MEXICAN GRILL

License Type: Permanent Food Service

9825 SAN JOSE BLVD #23, JACKSONVILLE 32257

Inspection Date: 10/31/2019

Inspection Number: 2958516

Inspection Type: Complaint Full

Inspection Disposition: Call Back -
Complied

Inspector Name: JEFFERS, MARY-BETH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Exit door blocked by deep chest freezer in storage area next to soda boxes. - From follow-up inspection 2019-10-31: At callback: still the same. Report	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit door blocked by deep chest freezer in storage area next to soda boxes.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Lee County

License Number: 4605434

POPEYES #7200

License Type: Permanent Food Service

3111 NE PINE ISLAND RD, CAPE CORAL 33909

Inspection Date: 10/31/2019

Inspection Number: 2959195

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: EHMER, ANNETTE

Violation Code ObservationViolation Citation46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Large
boxed object blocking back exit door.61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on
all stairways and around all porches and steps. For
reporting purposes only.

License Number: 4605816

MCDONALDS 29955

License Type: Permanent Food Service

8177 DANI DR, FORT MYERS 33966

Inspection Date: 10/30/2019

Inspection Number: 2918784

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PAGAN, VIRMAR

Violation Code ObservationViolation Citation46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Blocked by
trash cart.61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on
all stairways and around all porches and steps. For
reporting purposes only.

Leon County

License Number: 4703455

JIMMY JOHN'S #171

License Type: Permanent Food Service

1890 THOMASVILLE RD, TALLAHASSEE 32303

Inspection Date: 10/30/2019

Inspection Number: 2900798

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TRUESDALE, CHRIS

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only. Observed mop heads on top of carbon tank. Observed remove mop heads from carbon tank. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301338 THE HOFFMANN
 License Type: Permanent Food Service 3825 NE INDIAN RIVER DR, JENSEN BEACH 34957

Inspection Date: 10/28/2019 Inspection Number: 2908760 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended
 Inspector Name: PETROW, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. By front door. - From follow-up inspection 2019-10-28: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5300710 INDIA PALACE INDIAN CUISINE
 License Type: Permanent Food Service 890 SW FEDERAL HWY, STUART 34994

Inspection Date: 10/29/2019 Inspection Number: 2918495 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PETROW, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 5 lp tanks in kitchen dish wash area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5809296

CHICK-FIL-A AT UNIVERSITY AND FORSYTH UNIT 00661

License Type: Permanent Food Service

3391 UNIVERSITY BLVD, WINTER PARK 32792

Inspection Date: 10/29/2019

Inspection Number: 2904697

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MANTI, KATHRYN

Violation Code

Observation

Violation Citation

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Osceola County

License Number: 5900997

BURGER KING

License Type: Permanent Food Service

7757 W IRLO BRONSON MEMORIAL HWY, KISSIMMEE 34747

Inspection Date: 10/29/2019

Inspection Number: 2957717

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LORENZO, ANA

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only./ buns empty trays **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Palm Beach County

License Number: 6019994

CHRISTOPHER'S KITCHEN LLC

License Type: Permanent Food Service

4783 PGA BLVD, PALM BEACH GARDENS 33418

Inspection Date: 10/31/2019

Inspection Number: 2904661

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOLDMAN, BARRY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 5 LP tanks inside kitchen - operator removed from building. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217487 ICEBERG FROZEN YOGURT
 License Type: Permanent Food Service 449 CENTRAL AVE NE SUITE 102, ST. PETERSBURG 33701

Inspection Date: 10/29/2019 Inspection Number: 2916392 Inspection Type: Routine - Food Inspection Disposition: Call Back -
 Inspector Name: PORTER, LINDSAY Complied

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-05-4	- From initial inspection : Increased seats from 8 to 14. For reporting purposes only. - From follow-up inspection 2019-10-29: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6209768 GYRO KING SUB'S AND SALADS
 License Type: Permanent Food Service 2671 ALT 19, PALM HARBOR 34683

Inspection Date: 10/26/2019 Inspection Number: 2893780 Inspection Type: Routine - Food Inspection Disposition: Inspection
 Inspector Name: PIATT, PAUL Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. Pizza area, unlocked **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6209735 DOMINO'S PIZZA #3885
 License Type: Permanent Food Service 32530 US HWY 19 N, PALM HARBOR 34684

Inspection Date: 10/29/2019 Inspection Number: 2915038 Inspection Type: Routine - Food Inspection Disposition: Inspection
 Inspector Name: PIATT, PAUL Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-04-4	Exit door locked. For reporting purposes only. Back door	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Santa Rosa County

License Number: 6701405

SDI OF PACE #5287

License Type: Permanent Food Service

4001 HWY 90, PACE 32571

Inspection Date: 10/29/2019

Inspection Number: 2915513

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HALL, DAVID

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Emergency exit sign hanging by wires.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6803549

FIRST WATCH #13

License Type: Permanent Food Service

1395 MAIN ST, SARASOTA 34236

Inspection Date: 10/29/2019

Inspection Number: 2893065

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: VITKUN, RONALD

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed three propane tanks stored in back room.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6805557

CARRABBA'S ITALIAN GRILL

License Type: Permanent Food Service

1751 S TAMIAMI TRAIL, VENICE 34293

Inspection Date: 10/26/2019

Inspection Number: 2911061

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SAYED, MOHAMMED

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at prep area to entrance of frontline.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6903986 FIREHOUSE SUBS
 License Type: Permanent Food Service 931 N SR 434 STE 1045, ALTAMONTE SPRINGS 32714

Inspection Date: 10/31/2019 Inspection Number: 2942468 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MANTI, KATHRYN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by hand sink on front line **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6905177 SANFORD BREWING COMPANY
 License Type: Permanent Food Service 400 S. SANFORD AVE, SANFORD 32771

Inspection Date: 10/30/2019 Inspection Number: 2916100 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ANGEL, TERRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired 07/31/2019.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Volusia County

License Number: 7403025

WENDYS #1757

License Type: Permanent Food Service

1608 S DIXIE FREEWAY, NEW SMYRNA BEACH 32168

Inspection Date: 10/31/2019

Inspection Number: 2934848

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LARSON, SARAH

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.