

Alachua County

License Number: 1150261

CILANTRO TACOS

License Type: Mobile Food Dispensing Vehicle

12921 SW 1 RD STE 103, NEWBERRY 32669

Inspection Date: 11/12/2019

Inspection Number: 1217663

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HENTGES, JUDY

Violation Code

Observation

Violation Citation

47-01-4

Observed frayed/spliced electrical wires. For reporting purposes only. Lights above the steam table.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506402

STRAWBERRY RESTAURANT

License Type: Permanent Food Service

1504 PALM BAY RD STE 2, PALM BAY 32905

Inspection Date: 11/14/2019

Inspection Number: 2903345

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WOODS, CHRISTAL

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Dining area **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1622143

HYATT PLACE FT LAUDERDALE AIRPORT & CRUISE PORT

License Type: Permanent Food Service

91 SW 18 AVE, DANIA BEACH 33004

Inspection Date: 11/14/2019

Inspection Number: 2943959

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1622144

HYATT HOUSE FT LAUDERDALE AIRPORT & CRUISE PORT

License Type: Permanent Food Service

90 SW 18 AVE, DANIA BEACH 33004

Inspection Date: 11/14/2019

Inspection Number: 2945569

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 1624726

3 SONS BREWING CO

License Type: Permanent Food Service

236 N FEDERAL HIGHWAY UNIT 104, DANIA BEACH 33004

Inspection Date: 11/13/2019

Inspection Number: 2937318

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation CodeObservationViolation Citation48-02-5 Insurance inspector boiler report not posted in boiler room. For reporting purposes
only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector boiler report is required annually for
power boilers and high pressure or high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

Broward County

License Number: 1624882
 License Type: Permanent Food Service

DICKEY'S BBQ PIT
 23 S POINTE DRIVE, #G107, DANIA BEACH 33004

Inspection Date: 11/12/2019
 Inspector Name: CONSIGLIO, CAMILLE

Inspection Number: 2961305
 Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1620435
 License Type: Permanent Food Service

RAMADA HOLLYWOOD DOWNTOWN
 1925 HARRISON ST, HOLLYWOOD 33020

Inspection Date: 11/13/2019
 Inspector Name: CHAPDELAINE, MARIE

Inspection Number: 2909350
 Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-03-4	Flammables stored/debris present in boiler room. For reporting purposes only. Working red shirts hanging on pipes and cardboard boxes. Manager removed items from gas water heater room.	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 1621000
 License Type: Catering

VIET TASTE CATERING
 2011 JOHNSON ST, HOLLYWOOD 33020

Inspection Date: 11/15/2019
 Inspector Name: CHAPDELAINE, MARIE

Inspection Number: 1113832
 Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1619983
 License Type: Permanent Food Service

DUNKIN DONUTS
 399 S SR 7, MARGATE 33068

Inspection Date: 11/13/2019
 Inspector Name: GRAY, ANTHONY

Inspection Number: 2906139
 Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed rear exit door blocked with boxes.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1624082

ACKEE TREE JAMAICAN RESTAURANT

License Type: Permanent Food Service

2121 W OAKLAND PARK BLVD, OAKLAND PARK 33311

Inspection Date: 11/14/2019

Inspection Number: 2942767

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MATTIELLO-ATASSI, MARIA

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Observed a burner connected to a 15lb propane tank inside the kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2335083	ZAZA PIZZERIA RESTAURANT CORP		
License Type: Permanent Food Service	801 NW 37 AVE #803, MIAMI 33125		
Inspection Date: 11/12/2019	Inspection Number: 2914792	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>		<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed restaurant establishment uses a small fryer to cook empanadas with no hood suppression system		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
License Number: 2329134	MG EVENTS		
License Type: Catering	645 NW 20 ST, MIAMI 33127		
Inspection Date: 11/13/2019	Inspection Number: 1113307	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>		<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located near wall at door entrance. **Repeat Violation**		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
License Number: 2359113	COUSINS MAINE LOBSTER		
License Type: Mobile Food Dispensing Vehicle	1406 NW 23RD STREET, MIAMI 33142		
Inspection Date: 11/15/2019	Inspection Number: 1221171	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: HODGE, KRISTEN			
<u>Violation Code</u>	<u>Observation</u>		<u>Violation Citation</u>
45-01-4	No portable fire extinguisher present. For reporting purposes only. None provided at the time of inspection.		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
License Number: 2335172	PISCO Y NAZCA CEVICHE GASTROBAR		
License Type: Permanent Food Service	8551 NW 53 ST A101, MIAMI 33166		
Inspection Date: 11/12/2019	Inspection Number: 2913594	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GANDOLFF, JORGE			
<u>Violation Code</u>	<u>Observation</u>		<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.		509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2335331

DICKEY'S BARBECUE PIT

License Type: Permanent Food Service

10071 W FLAGLER STREET STE C110, MIAMI 33174

Inspection Date: 11/15/2019

Inspection Number: 2913782

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed fire extinguisher in recharging zone in back of store, in front of restrooms. - From follow-up inspection 2019-11-15: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2315581

BURGER KING 2531

License Type: Permanent Food Service

955 SW 107 AVE, MIAMI 331742504

Inspection Date: 11/13/2019

Inspection Number: 2883546

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher in recharge zone in back kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2613075		DOMINO'S #5111	
License Type: Permanent Food Service		8204 103 ST, JACKSONVILLE 32210	
Inspection Date: 11/12/2019	Inspection Number: 2944754	Inspection Type: Complaint Full	Inspection Disposition: Call Back - Complied
Inspector Name: PERRY, DENNIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-02-4	- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. Outlet on stainless wall by prep table opposite of conveyor oven. - From follow-up inspection 2019-09-10: Outlet still scorched. **Time Extended	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2615509		ANNIE RU'S CARRY OUT AND CATERING	
License Type: Permanent Food Service		2851 N EDGEWOOD AVE STE 20, JACKSONVILLE 32254	
Inspection Date: 11/14/2019	Inspection Number: 2923203	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: PERRY, DENNIS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. In storage area near manager office.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2652039		RODEO BRAZILIAN BAR B Q	
License Type: Mobile Food Dispensing Vehicle		8218 GREEN PARROT RD UNIT 208, JACKSONVILLE 32256	
Inspection Date: 11/15/2019	Inspection Number: 1221050	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THOMAS, PHILIP			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher gauge shows red. Extinguisher stored over three compartment sink	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Indian River County

License Number: 4100883

PIZZA HUT #12580

License Type: Permanent Food Service

840 S US HWY 1, VERO BCH 329624703

Inspection Date: 11/14/2019

Inspection Number: 2961961

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: DAVIS, DIANNA

Violation CodeObservationViolation Citation

47-03-4

Observed an uncovered junction box by managers desk.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4105199

MAIN KITCHEN

License Type: Permanent Food Service

350 BEACH RD, VERO BEACH 32963

Inspection Date: 11/15/2019

Inspection Number: 2896490

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.has invoice but not original certification

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Leon County

License Number: 4703715

CATERING CAPERS ALA CARTE

License Type: Permanent Food Service

2915 E PARK AVE STE 6, TALLAHASSEE 32301

Inspection Date: 11/14/2019

Inspection Number: 2925371

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: TAKEH, NADEGE

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Manatee County

License Number: 5105089 FUSION SUSHI LLC
 License Type: Permanent Food Service 303 US 301 BLVD #1320, BRADENTON 34205

Inspection Date: 11/14/2019 Inspection Number: 2915246 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: GALICIA, ARIEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Mini fryer on prep counter near sushi reach in cooler	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5105382 CONNECTION CAFE
 License Type: Permanent Food Service 1207 3RD AVE W, BRADENTON 34205

Inspection Date: 11/12/2019 Inspection Number: 2918649 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: GALICIA, ARIEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Mini fryer on prep table	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301592

CASA TEQUILA STUART

License Type: Permanent Food Service

1725 SE FEDERAL HWY, STUART 34994

Inspection Date: 11/14/2019

Inspection Number: 2962283

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. At entrance kitchen corner.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5301500

BAJA GRILL

License Type: Permanent Food Service

555 NE OCEAN BLVD, STUART 34996

Inspection Date: 11/13/2019

Inspection Number: 2890482

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By bar ice machine.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5301568

THE OCEAN CLUB

License Type: Permanent Food Service

555 NE OCEAN BLVD, STUART 34996

Inspection Date: 11/13/2019

Inspection Number: 2892312

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Monroe County

License Number: 5428236 SUBWAY #59987
 License Type: Permanent Food Service 82685 OVERSEAS HWY STE G, ISLAMORADA 33036

Inspection Date: 11/15/2019 Inspection Number: 2915742 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: WHITEHURST, SCOTT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5428066 LA BODEGUITA DEL MEDIO DE KEY WEST
 License Type: Permanent Food Service 722 DUVAL ST, KEY WEST 33040

Inspection Date: 11/13/2019 Inspection Number: 2951576 Inspection Type: Routine - Food Inspection Disposition: Emergency order recommended
 Inspector Name: MECK, PAMELA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5401392 EL MOLCAJETE RESTAURANT CORP
 License Type: Permanent Food Service 1622 OVERSEAS HWY, MARATHON 33050

Inspection Date: 11/14/2019 Inspection Number: 2937758 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: WHITEHURST, SCOTT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5401881 SUBWAY #4893
 License Type: Permanent Food Service 10694 OVERSEAS HWY, MARATHON 33050

Inspection Date: 11/12/2019 Inspection Number: 2890854 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: WHITEHURST, SCOTT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Orange County

License Number: 5812870 SUBWAY #50663
 License Type: Permanent Food Service 5336 CENTRAL FLORIDA PKWY, ORLANDO 32821

Inspection Date: 11/12/2019 Inspection Number: 2900963 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: DAVIS, DIANNA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher not hanging in designated place. Unit sitting on floor by back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5810161 COPAS RESTAURANT AND LOUNGE
 License Type: Permanent Food Service 1740 1742 WOOLCO WAY, ORLANDO 32822

Inspection Date: 11/08/2019 Inspection Number: 2914661 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THORNCROFT, ROBERT

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Ansul system does not protect the cooking equipment, the nozzles are turned upward	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. At the back door under the prep table operator needs to remove from the building	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5803572 HILTON COVINGTON MILL
 License Type: Permanent Food Service 1751 HOTEL PLAZA BLVD, LAKE BUENA VISTA 32830

Inspection Date: 11/15/2019 Inspection Number: 2920996 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 023248 5/22/2019, 023246 5/29/2019, Engineering notify. **Corrective Action Taken**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Palm Beach County

License Number: 6021365

LAKESIDE ANCHOR INN

License Type: Permanent Food Service

2412 FLORAL RD, LANTANA 33462

Inspection Date: 11/15/2019

Inspection Number: 2914423

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, DENNIS

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. found In employee restroom two lap propne tanks, to correct remove tanks from building and place outside. , chef moved **

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6113201

MOE'S SOUTHWEST GRILL WESLEY CHAPEL #925

License Type: Permanent Food Service

28139 PASEO DRIVE #105, (THE SHOPPES AT WIREGRASS), WESLEY CHAPEL 33543

Inspection Date: 11/13/2019

Inspection Number: 2895943

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: AIELLO, ROCCI

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Pinellas County

License Number: 6217554

DUNKIN DONUTS

License Type: Permanent Food Service

201 14 ST W, LARGO 33770

Inspection Date: 11/13/2019

Inspection Number: 2919193

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: AUSTIN, MARK

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 6215246

OLD CAPE CODE KITCHEN

License Type: Permanent Food Service

1479 S BELCHER RD STE Z, LARGO 33771

Inspection Date: 11/15/2019

Inspection Number: 2928966

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: AUSTIN, MARK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone in dish washing area .For reporting
purposes only.509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

St. Johns County

License Number: 6502292

ST AUGUSTINE HOTEL & SUITES

License Type: Permanent Food Service

475 COMMERCE LAKE DR, SAINT AUGUSTINE 32095

Inspection Date: 11/12/2019

Inspection Number: 2920000

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired boiler certificate : 1/16/19

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

48-01-5 - From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Expired boiler certificate : 1/16/19 - From follow-up inspection 2019-11-13: At callback : no change.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.