

Alachua County

License Number: 1103198 ZAXBY'S
 License Type: Permanent Food Service 1 NW 10TH AVE, GAINESVILLE 32601

Inspection Date: 11/18/2019 Inspection Number: 2902787 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended
 Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Trash bags blocking back exit door. Moved. **Corrected On-Site** - From follow-up inspection 2019-11-18: Exits not blocked.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1101218 MCDONALDS RESTAURANT
 License Type: Permanent Food Service 6003 NEWBERRY RD, GAINESVILLE 326054301

Inspection Date: 11/19/2019 Inspection Number: 2885349 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed a silver fire extinguisher by the hot water heater, in the recharge zone. It was moved to the office.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103067 BIG MILLS CHEESESTEAKS
 License Type: Permanent Food Service 2111 NW 13 ST, GAINESVILLE 32609

Inspection Date: 11/18/2019 Inspection Number: 2921770 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: PACE, PATRICK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Red extinguisher near back door. - From follow-up inspection 2019-11-18: No change.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103011 BLUE HIGHWAY A PIZZERIA
 License Type: Permanent Food Service 204 N E HWY 441, MICANOPY 32667

Inspection Date: 11/21/2019 Inspection Number: 2892778 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: WEATHERS, TIM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Cover for electrical outlet in storage room missing.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1624723

WYNDHAM GARDEN FT LAUDERDALE AIRPORT AND CRUISE PORT

License Type: Permanent Food Service

129 NORTH FEDERAL HIGHWAY, DANIA BEACH 33004

Inspection Date: 11/21/2019

Inspection Number: 2942706

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation Code ObservationViolation Citation

48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1620603

HOLLYWOOD GRILL

License Type: Permanent Food Service

905 N BROADWALK, HOLLYWOOD 33019

Inspection Date: 11/20/2019

Inspection Number: 2936529

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation Code ObservationViolation Citation

46-01-4	Marked exit/path to marked exit blocked. rear exit hall is lined with restaurant supplies. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.
---------	---	---

License Number: 1620957

PEACOCK'S PANTRY BOUTIQUE CATERING

License Type: Catering

667 S DIXIE HWY W STE 3, POMPANO BEACH 33060

Inspection Date: 11/21/2019

Inspection Number: 1113619

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BURGGRABE, BROCK

Violation Code ObservationViolation Citation

48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
---------	---	---

Broward County

License Number: 1622946 SWEET NECTAR
 License Type: Permanent Food Service 1017 EAST LAS OLAS BLVD, FORT LAUDERDALE 33301

Inspection Date: 11/15/2019 Inspection Number: 2908312 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Observed - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by exterior door at ice machine. - From follow-up inspection 2019-07-29: Portable fire extinguisher gauge in red zone. For reporting purposes only. Extinguisher by exterior door at ice machine. **Time Extended** - From follow-up inspection 2019-11-15: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1622590 CHIPOTLE MEXICAN GRILL #1502
 License Type: Permanent Food Service 1736 N FEDERAL HWY, FORT LAUDERDALE 33305

Inspection Date: 11/22/2019 Inspection Number: 2943238 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MATTIELLO-ATASSI, MARIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1623756 DONNAS RESTAURANT
 License Type: Permanent Food Service 3951 W BROWARD BLVD STE A170, PLANTATION 33312

Inspection Date: 11/20/2019 Inspection Number: 2934311 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LEWIS, LYNDEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1618635 PAPA JOHNS PIZZA #915
 License Type: Permanent Food Service 7811 W SUNRISE BLVD, PLANTATION 33313

Inspection Date: 11/22/2019 Inspection Number: 2886379 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with boxes. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1613087 DOMINO'S PIZZA 4910
 License Type: Permanent Food Service 1331 SUNSET STRIP, SUNRISE 33313-6111

Inspection Date: 11/21/2019 Inspection Number: 2883002 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with garbage container.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1622998 SUBWAY 53447
 License Type: Permanent Food Service 4235 W COMMERCIAL BLVD, TAMARAC 33319

Inspection Date: 11/19/2019 Inspection Number: 2901258 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with boxes.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1620147 DAIRY QUEEN
 License Type: Permanent Food Service 7105 NW 88 AVE, TAMARAC 33321

Inspection Date: 11/22/2019 Inspection Number: 2885805 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with garbage container.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2334458		HOME 2 SUITES BY HILTON	
License Type: Permanent Food Service		77 NE 3RD ST, FLORIDA CITY 33034	
Inspection Date: 11/22/2019	Inspection Number: 2915863	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GONZALEZ, ALEJANDRO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. At storage room.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2330918		CHICKS N' WINGS	
License Type: Permanent Food Service		10918 SW 184 ST, MIAMI 33157	
Inspection Date: 11/20/2019	Inspection Number: 2891533	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: HERNANDEZ, NILYAM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed next to bathroom.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2331952		CHERY'S RESTAURANT	
License Type: Permanent Food Service		12781 W DIXIE HWY, MIAMI 33161	
Inspection Date: 11/19/2019	Inspection Number: 2934467	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: TAYLOR, JOHN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed propane tank inside kitchen being used to cook. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2317195		FATBOY'S WINGS & TINGS	
License Type: Permanent Food Service		1562 NE 165 ST, NORTH MIAMI BEACH 33162	
Inspection Date: 11/22/2019	Inspection Number: 2946719	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed boxes blocking kitchen door that's marked exit.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Dade County

License Number: 2318589 HEALTH GATE FRESH INC
 License Type: Permanent Food Service 20703 NW 2 AVE, MIAMI 33169

Inspection Date: 11/20/2019 Inspection Number: 2956212 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: STUBBS, CHRISTINE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed numerous boxes blocking the exit.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2328741 SUBWAY INTERNATIONAL MALL
 License Type: Permanent Food Service 1455 NW 107 AVE #436, MIAMI 33172

Inspection Date: 11/20/2019 Inspection Number: 2886680 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher inside kitchen by hand wash sink in recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2609086 JAX MARKET PLACE TAKE-OUT #1
 License Type: Permanent Food Service 614 PECAN PARK RD, JACKSONVILLE 32218

Inspection Date: 11/16/2019 Inspection Number: 2893260 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: YOUNG, JENNIFER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 15 lb propane tank stored on floor in cooking area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2610375 HARDEE'S
 License Type: Permanent Food Service 8040 NORMANDY BLVD, JACKSONVILLE 32221

Inspection Date: 11/21/2019 Inspection Number: 2909376 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By rear door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2615206 CHIPOTLE MEXICAN GRILL #2547
 License Type: Permanent Food Service 13546 BEACH BLVD, JACKSONVILLE 32224

Inspection Date: 11/22/2019 Inspection Number: 2962267 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: THOMAS, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit door to rear of restaurant blocked by plies of trash.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Escambia County

License Number: 2705325

CJ'S KITCHEN & GRILLE

License Type: Permanent Food Service

2100 W GARDEN ST, PENSACOLA 32501

Inspection Date: 11/21/2019

Inspection Number: 2901033

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: ALBRITTON, GREGORY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-01-4	- From initial inspection : Observed frayed/spliced electrical wires. For reporting purposes only. To the left of front counter soda machine wiring exposed. - From follow-up inspection 2019-11-21: Upon call back inspection frayed/spliced electrical wires exposed **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-01-4	Observed frayed/spliced electrical wires. For reporting purposes only. Frayed sliced electrical wire exposed left side of counter soda machine **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3916622 3 BROTHERS PIZZA FROM NEW YORK
 License Type: Permanent Food Service 17773 GUNN HWY, ODESSA 33556

Inspection Date: 11/19/2019 Inspection Number: 2913301 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PIATT, PAUL

Violation Code ObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Dining area, moved food warmer **Corrected On-Site** **Repeat Violation**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 3918284 EL RICO FRAPPE LATINO
 License Type: Permanent Food Service 122 PIERCE CHRISTIE DR, VALRICO 33594

Inspection Date: 11/21/2019 Inspection Number: 2924507 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CANNELLA, MARK

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3917763 SAMSON'S SPORTS CAFE LLC
 License Type: Permanent Food Service 8230 CAUSEWAY BLVD, TAMPA 33619

Inspection Date: 11/21/2019 Inspection Number: 2915266 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: KLUSENDORF, JEANNE

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3916718 SPRINGHILL SUITES BY MARRIOTT TAMPA NORTH
 License Type: Permanent Food Service 5396 PRIMROSE LAKE CIR, TAMPA 33647

Inspection Date: 11/21/2019 Inspection Number: 2912669 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MAIO, BRENNNA

Violation Code ObservationViolation Citation

48-01-5 Boiler certificates expired. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Lee County

License Number: 4605870 MEL'S DINER
 License Type: Permanent Food Service 1331 PINE ISLAND RD NE, CAPE CORAL 33909

Inspection Date: 11/22/2019 Inspection Number: 2963453 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: EHMER, ANNETTE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By side door. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4604891 L K ISLAND VIEW RESTAURANT
 License Type: Permanent Food Service 1400 ESTERO BOULEVARD, FORT MYERS BEACH 33931

Inspection Date: 11/22/2019 Inspection Number: 2894479 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: WICK, JENNIFER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
49-03-4	Flammables stored/debris present in boiler room. For reporting purposes only. **Repeat Violation**	61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

License Number: 4606451 BERNWOOD GRILLE & CATERING CO
 License Type: Permanent Food Service 25221 BERNWOOD DR, BONITA SPRINGS 34135

Inspection Date: 11/18/2019 Inspection Number: 2962282 Inspection Type: Complaint Full Inspection Disposition: Warning Issued
 Inspector Name: LUNESKI, DANIEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed catering tables blocking the back door of the restaurant. This is a repeat violation from 05/31/19. **Repeat Violation**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Leon County

License Number: 4703180

KOREAN BBQ & MORE

License Type: Permanent Food Service

2622 W TENNESSEE ST, TALLAHASSEE 32304

Inspection Date: 11/19/2019

Inspection Number: 2957724

Inspection Type: Complaint Full

Inspection Disposition: Administrative complaint recommended

Inspector Name: SMITH, PAUL

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Cooking on table top burners. Per owner he will remove.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Manatee County

License Number: 5105161

ACAPULCO MEXICAN RESTAURANT

License Type: Permanent Food Service

1833 LAKEWOOD RANCH BLVD, BRADENTON 34211

Inspection Date: 11/15/2019

Inspection Number: 2941206

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on fire extinguisher near exit door in kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5300790

O' GOURMET FRENCH BISTRO

License Type: Permanent Food Service

320 SE DENVER AVE, STUART 34994

Inspection Date: 11/19/2019

Inspection Number: 2928781

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code ObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. In dining room.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5301833

VINE & BARLEY STUART

License Type: Permanent Food Service

301 SW ST LUCIE AVE, STUART 34994

Inspection Date: 11/20/2019

Inspection Number: 2917057

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. By restroom hallway.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5600505

COFFEE SHOPPE

License Type: Permanent Food Service

593 JOHN SIMS PKWY, NICEVILLE 32578

Inspection Date: 11/18/2019

Inspection Number: 2892744

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: STEINMAN, MARC

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Hall off cook line

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5804252 CAFE MADRID DELI & BAKERY
 License Type: Permanent Food Service 4502 CURRY FORD RD, ORLANDO 32812

Inspection Date: 11/20/2019 Inspection Number: 2919869 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: WATSON, DENNIS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Facility has changed/upgrade from a home style flat griddle to a commercial grade griddle in prep area by ice machine - From follow-up inspection 2019-11-20: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5814093 9 SPICES HOT POT
 License Type: Permanent Food Service 5320 S KIRKMAN RD, ORLANDO 32819

Inspection Date: 11/20/2019 Inspection Number: 2917199 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: CONNOLLY, MADELINE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Located by front door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5805929 DOLPHIN FOUNTAIN
 License Type: Permanent Food Service 1500 EPCOT BLVD, LAKE BUENA VISTA 32830

Inspection Date: 11/21/2019 Inspection Number: 2884373 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certification has expired 4/12/2019 engineering notify. **Corrective Action Taken**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812242 PARADISO 37
 License Type: Permanent Food Service 1590 E BUENA VISTA DR, LAKE BUENA VISTA 32830

Inspection Date: 11/19/2019 Inspection Number: 2896018 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Observed extension cord used for reach in cooler flat bread pizza, only can used temporary	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5805930 FRESH
 License Type: Permanent Food Service 1500 EPCOT RESORTS BLVD, LAKIE BUENA VISTA 32830

Inspection Date: 11/21/2019 Inspection Number: 2884374 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Observed boiler certification 098637 4/12/2019 expired Engineering notify. **Corrective Action Taken**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5812945 THE OCOEE TACO COMPANY
 License Type: Permanent Food Service 40 TAYLOR ST, OCOEE 34761

Inspection Date: 11/21/2019 Inspection Number: 2963847 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GREENE, MARVIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small fryer next to ice machine.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6011916 B CAFE (THE)
 License Type: Permanent Food Service 3105 PGA BLVD, PALM BEACH GARDENS 33410

Inspection Date: 11/22/2019 Inspection Number: 2887630 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOLDMAN, BARRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Operator removed from front kitchen. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6019608 NORDSTROM CAFE BISTRO
 License Type: Permanent Food Service 3111 PGA BLVD, PALM BEACH GARDENS 33410

Inspection Date: 11/22/2019 Inspection Number: 2891776 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOLDMAN, BARRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 088789 exp 10/02/2019	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6019609 NORDSTROM E BAR
 License Type: Permanent Food Service 3111 PGA BLVD, PALM BEACH GARDENS 33410

Inspection Date: 11/22/2019 Inspection Number: 2891775 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOLDMAN, BARRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. 088789 exp 10/02/2019	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 6021813 THE TOWER AT THE TRADITION II
 License Type: Permanent Food Service 4850 LORING DR, WEST PALM BEACH 33417

Inspection Date: 11/21/2019 Inspection Number: 2916425 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: SINGH, GAJENDRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Palm Beach County

License Number: 6020491 SWEET TOMATOES
 License Type: Permanent Food Service 1100 N CONGRESS SUITE 100, BOYNTON BEACH 33426

Inspection Date: 11/19/2019 Inspection Number: 2942373 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: KHATOON, BEGUM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked by boxes . For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6021320 TIJUANA FLATS BURRITO COMPANY
 License Type: Permanent Food Service 390 B N CONGRESS AVE, BOYNTON BEACH 33426

Inspection Date: 11/18/2019 Inspection Number: 2941978 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: KHATOON, BEGUM

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked by boxes. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6051963 CHE GAUCHA GRILL
 License Type: Mobile Food Dispensing Vehicle 16437 E EDINGURGH DR, LOXAHATCHEE 33470

Inspection Date: 11/20/2019 Inspection Number: 1215817 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MENOR, MICHAEL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6101385

BROKEN YOLK

License Type: Permanent Food Service

3350 GRAND BLVD, HOLIDAY 34690

Inspection Date: 11/19/2019

Inspection Number: 2891536

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Near the meat slicer - From follow-up inspection 2019-11-19: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6210279 TACO BELL
 License Type: Permanent Food Service 3600 4 ST N, ST. PETERSBURG 33704

Inspection Date: 11/18/2019 Inspection Number: 2963112 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: WAGNER, MARGARET

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6212811 ABE'S PLACE TAP & GRILL
 License Type: Permanent Food Service 1250 S MISSOURI AVE, CLEARWATER 33756

Inspection Date: 11/15/2019 Inspection Number: 2892859 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: AUSTIN, MARK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher by mixer in kitchen	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216258 TIJUANA FLATS BURRITO CO
 License Type: Permanent Food Service 3687 TAMPA RD #203, OLDSMAR 34677

Inspection Date: 11/20/2019 Inspection Number: 2894786 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BENEDICT, TRACY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only in front counter area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Polk County

License Number: 6307414

DIROMIO'S PIZZA & GRILL

License Type: Permanent Food Service

101 DIVINE DR SUITE 2, DAVENPORT 33837

Inspection Date: 11/20/2019

Inspection Number: 2931796

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JACKSON, SHARON

Violation Code

Observation

Violation Citation

47-01-4

Observed frayed/spliced electrical wires. For reporting purposes only.
Handwashing sink and 3 compartment sink.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.