

Alachua County

License Number: 1102781

LARRY'S GIANT SUBS #43

License Type: Permanent Food Service

1620 W UNIVERSITY AVE, GAINESVILLE 32603

Inspection Date: 11/26/2019

Inspection Number: 2915345

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: WEATHERS, TIM

Violation CodeObservationViolation Citation

47-03-4

- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only.
Electrical outlet directly below circuit box has left set of plugs improperly attached (bottom screw disconnected and pushed into box). - From follow-up inspection 2019-09-24: No changes outlet. - From follow-up inspection 2019-11-26: Outlet fixed.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103311

RED ROBIN GOURMET BURGERS

License Type: Permanent Food Service

6419 W NEWBERRY RD A0020, GAINESVILLE 32605

Inspection Date: 11/25/2019

Inspection Number: 2937959

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CASEY, KEITH

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Observed 2 propane tanks stored inside the business in dry storage.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103361

DUNKIN DONUTS

License Type: Permanent Food Service

16091 NW US 441, ALACHUA 32615

Inspection Date: 11/26/2019

Inspection Number: 2914156

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: HENTGES, JUDY

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Rear exit door is blocked with a prep table.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Broward County

License Number: 1623377

HOLIDAY INN EXPRESS HOTEL & SUITES

License Type: Permanent Food Service

205 N FEDERAL HWY, DANIA BEACH 33004

Inspection Date: 11/25/2019

Inspection Number: 2964807

Inspection Type: Routine - Lodging

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation Code ObservationViolation Citation

48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624319

CONSTELLATION

License Type: Permanent Food Service

1825 GRIFFIN RD, DANIA BEACH 33004

Inspection Date: 11/27/2019

Inspection Number: 2965083

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CONSIGLIO, CAMILLE

Violation Code ObservationViolation Citation

48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Broward County

License Number: 1624320 TORO LATIN BAR AND GRILL
 License Type: Permanent Food Service 1825 GRIFFIN RD, DANIA BEACH 33004

Inspection Date: 11/27/2019 Inspection Number: 2965084 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1624528 COMFORT SUITES FORT LAUDERDALE AIRPORT & CRUISE PORT
 License Type: Permanent Food Service 302 N FEDERAL HIGHWAY, DANIA BEACH 33004

Inspection Date: 11/25/2019 Inspection Number: 2964800 Inspection Type: Routine - Lodging Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	Insurance inspector boiler report not posted in boiler room. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1619391 COURTYARD MARRIOTT CORAL SPRINGS
 License Type: Permanent Food Service 620 N UNIVERSITY DR, CORAL SPRINGS 33071

Inspection Date: 11/25/2019 Inspection Number: 2917911 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: GOLDMAN, BARRY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Broward County

License Number: 1618782

GOLDEN CORRAL

License Type: Permanent Food Service

7401 W COMMERCIAL BLVD, TAMARAC 33319

Inspection Date: 11/25/2019

Inspection Number: 2964803

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: SEWELL, SANGAY

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

Observed exit door in back area blocked with garbage cans. Operator removed
 Corrected On-Site **Repeat Violation**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Collier County

License Number: 2102648

SUBWAY

License Type: Permanent Food Service

13800 N TAMIAMI TRL, NAPLES 34110

Inspection Date: 11/26/2019

Inspection Number: 2939856

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PFENNING, BRUNO

Violation Code

Observation

Violation Citation

45-05-4 Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2334223

7 PECADOS

License Type: Permanent Food Service

1441 BRICKELL AVE STE 310, MIAMI 33131

Inspection Date: 11/25/2019

Inspection Number: 2910371

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HENLEY, LATONYA

Violation Code ObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Cooking eggs no hood. ****Repeat Violation****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2329474

MAR INTERNATIONAL CATERING CORP

License Type: Catering

5061 BISCAYNE BLVD, MIAMI 33137

Inspection Date: 11/25/2019

Inspection Number: 1114517

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SEYBA, JAMES

Violation Code ObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2609847

SUBWAY #963

License Type: Permanent Food Service

10771 BEACH BLVD #405, JACKSONVILLE 322463641

Inspection Date: 11/26/2019

Inspection Number: 2883922

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, MAYRA

Violation Code

Observation

Violation Citation

46-04-4

Exit door locked. For reporting purposes only.
Back exit door was locked. Manager unlock exit door. **Corrected On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Escambia County

License Number: 2705325

CJ'S KITCHEN & GRILLE

License Type: Permanent Food Service

2100 W GARDEN ST, PENSACOLA 32501

Inspection Date: 11/25/2019

Inspection Number: 2945851

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: ALBRITTON, GREGORY

Violation Code

Observation

Violation Citation

47-01-4

- From initial inspection : Observed frayed/spliced electrical wires. For reporting purposes only.
Frayed sliced electrical wire exposed left side of counter soda machine **Repeat Violation** - From follow-up inspection 2019-11-25: Upon call back inspection spliced wires observed at entrance of kitchen left of soda machine. **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5202816

HOOTERS OF OCALA

License Type: Permanent Food Service

2711 SW 27TH AVE, OCALA 34471

Inspection Date: 11/25/2019

Inspection Number: 2964160

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DRIGGERS, MANDY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. In kitchen

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6019188

CAFE ARGENTO

License Type: Permanent Food Service

595 S FEDERAL HWY, BOCA RATON 33432

Inspection Date: 11/25/2019

Inspection Number: 2938761

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: STEUBER, RYAN

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top drier not under hood and fire suppression system

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6020640

MEDITERRANEAN KEBOB HOUSE BOCA RATON

License Type: Permanent Food Service

78 SOUTH FEDERAL HWY, BOCA RATON 33432

Inspection Date: 11/25/2019

Inspection Number: 2938045

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: STEUBER, RYAN

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top fryer under no hood suppression.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6205893

SHERATON RUSTYS

License Type: Permanent Food Service

1160 GULF BLVD, CLEARWATER BCH 33767

Inspection Date: 11/25/2019

Inspection Number: 2964523

Inspection Type: Complaint Full

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: KOUSTIS, TIMOTHY

Violation Code ObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only. 2 certificates expired. F1000524 exp 10/10/19
F1130107 exp 10/30/19,61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 6210456

THE OLIVE GARDEN

License Type: Permanent Food Service

10500 ULMERTON RD STE 470, LARGO 33771

Inspection Date: 11/25/2019

Inspection Number: 2896130

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: LANTIGUA, ROBERTO

Violation Code ObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Operator
moved boxes away from exit.61C-1.004(9) FAC: (9 Reporting: Means of access,
including entrances, halls, and stairways, must permit
unobstructed travel at all times and shall be clean,
ventilated and well-lighted day and night. Hall and stair
runners shall be kept in good condition. Railways, as
defined in 61C-1.001(23), F.A.C., shall be installed on
all stairways and around all porches and steps. For
reporting purposes only.

St. Johns County

License Number: 6501733

KAMIYA 86

License Type: Permanent Food Service

2 FAIRFIELD BLVD STE 8, PONTE VEDRA BEACH 32082

Inspection Date: 11/26/2019

Inspection Number: 2930821

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Rear exit blocked by equipment. Moved by manager. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.