

**Broward County**

License Number: 1621294 SLEEP INN & SUITES CONTINENTAL BREAKFAST  
 License Type: Permanent Food Service 1500 SE 5 AVE, DANIA 33004

Inspection Date: 12/18/2019 Inspection Number: 2947714 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CONSIGLIO, CAMILLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1622345 ALMA GRILL LLC  
 License Type: Permanent Food Service 501 SILKS RUN STE 1130, HALLANDALE 33009

Inspection Date: 12/20/2019 Inspection Number: 2969114 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GANPAT, INDAR

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Recharge in red zone	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1617630 TACO BELL 17677  
 License Type: Permanent Food Service 593 E OAKLAND PARK BLVD, OAKLAND PARK 33334

Inspection Date: 12/16/2019 Inspection Number: 2967867 Inspection Type: Complaint Full Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GRAY, ANTHONY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed exit door blocked with boxes. **Corrected On-Site**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Clay County**

License Number: 2000768

CRACKER BARREL #157

License Type: Permanent Food Service

4272 ELDRIDGE LOOP, ORANGE PARK 32073

Inspection Date: 12/20/2019

Inspection Number: 2883183

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit to kitchen blocked by multiple trash cans and cardboard boxes.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Dade County**

License Number: 2335749		PETER PIPER PIZZA # 1268	
License Type: Permanent Food Service		2710 NW 183 STREET, BLDG H, MIAMI GARDENS 33056	
Inspection Date: 12/18/2019	Inspection Number: 2932286	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed garbage cans filled with boxes blocking the back door; marked exit/path.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2326995		CARVEL #2509	
License Type: Permanent Food Service		3781 W FLAGLER ST, MIAMI 33134	
Inspection Date: 12/20/2019	Inspection Number: 2883708	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CABANAS, NATALIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed trash can block the back door.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 2324108		THAI HOUSE SOUTH BEACH	
License Type: Permanent Food Service		1137 WASHINGTON AVE, MIAMI BEACH 331394611	
Inspection Date: 12/20/2019	Inspection Number: 2969396	Inspection Type: Complaint Full	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WILLIAMS, ALFREDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2301982		THE STADIUM DINER	
License Type: Permanent Food Service		19904 NW 2 AVE, NORTH MIAMI 33169	
Inspection Date: 12/16/2019	Inspection Number: 2941113	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: STUBBS, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed back kitchen and warewashing room doors has a gap. **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Dade County**

License Number: 2328871

TGI FRIDAY'S

License Type: Permanent Food Service

11401 NW 12 ST #E516, MIAMI 33172

Inspection Date: 12/17/2019

Inspection Number: 2932055

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
Observed extinguisher in front on women's restroom in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2315547

BIG FIVE CLUB

License Type: Permanent Food Service

600 SW 92 AVE, MIAMI 331742283

Inspection Date: 12/20/2019

Inspection Number: 2933929

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.  
For reporting purposes only. Observed boiler certificate expired.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Duval County**

License Number: 2615379

JOE'S CAFE

License Type: Permanent Food Service

11340 PHILIPS HIGHWAY, JACKSONVILLE 32257

Inspection Date: 12/17/2019

Inspection Number: 2913270

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JEFFERS, MARY-BETH

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment has flat top grill in kitchen but no hood system. Cabinets above grease build up. \*\*Repe

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hernando County**

License Number: 3750334

JABOS #2

License Type: Mobile Food Dispensing Vehicle

8236 BERKELEY MANOR BLVD, SPRING HILL 34606

Inspection Date: 12/17/2019

Inspection Number: 1221583

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAHL, MICHELE

Violation Code

Observation

Violation Citation

45-02-4      Portable fire extinguisher gauge in red zone. For reporting purposes only. K class in red

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Leon County**

License Number: 4703327

WYNDHAM GARDENS TALLAHASSEE CAPITOL

License Type: Permanent Food Service

1355 APALACHEE PKWY, TALLAHASSEE 32301

Inspection Date: 12/18/2019

Inspection Number: 2922931

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TAKEH, NADEGE

Violation Code

Observation

Violation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Martin County**

License Number: 5301103

TUTTO ITALIANO

License Type: Permanent Food Service

6185 SE FEDERAL HWY, STUART 34997

Inspection Date: 12/20/2019

Inspection Number: 2969401

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only.outlet cover missing/by dishmachine area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Orange County**

License Number: 5811356

BORDER GRILL FRESH-MEX

License Type: Permanent Food Service

5695 WEST VINELAND RD STE A, ORLANDO 32819

Inspection Date: 12/18/2019

Inspection Number: 2898966

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: MANTI, KATHRYN

Violation CodeObservationViolation Citation

45-06-4 Portable fire extinguisher is inaccessible. For reporting purposes only. K class extinguisher blocked by garbage can

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. By back exit door

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5814031

CHROMA

License Type: Permanent Food Service

6967 LAKE NONA BLVD, ORLANDO 32827

Inspection Date: 12/16/2019

Inspection Number: 2926754

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: THORNCROFT, ROBERT

Violation CodeObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. At the front entrance to the kitchen

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5801778

PIONEER HALL

License Type: Permanent Food Service

3520 N FORT WILDERNESS TRL, LAKE BUENA VISTA 32830

Inspection Date: 12/16/2019

Inspection Number: 2887794

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation CodeObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certification expired 4/26/2019

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Orange County**

License Number: 5811702		O'TOWN BURGERS N WINGS	
License Type: Permanent Food Service		6614 OLD WINTER GARDEN RD, ORLANDO 32835	
Inspection Date: 12/16/2019	Inspection Number: 2921519	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Exit door by restroom.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812531		A TU GUSTO	
License Type: Permanent Food Service		6405 RALEIGH ST, ORLANDO 32835	
Inspection Date: 12/17/2019	Inspection Number: 2930153	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher next to hand wash sink in back of kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5813636		ISLAND VIBEZ JAMAICAN RESTAURANT & GRILL	
License Type: Permanent Food Service		5931 OLD WINTER GARDEN RD, ORLANDO 32835	
Inspection Date: 12/18/2019	Inspection Number: 2914584	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5813781		ITAR BISTRO & MARKET	
License Type: Permanent Food Service		7065 WESTPOINT BLVD STE 100, ORLANDO 32835	
Inspection Date: 12/17/2019	Inspection Number: 2907859	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. The one by Espresso machine,	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Orange County**

License Number: 5811342

EL PILON AREPAS GRILL

License Type: Permanent Food Service

12720 S ORANGE BLOSSOM TRL STE 19, ORLANDO 32837

Inspection Date: 12/17/2019

Inspection Number: 2927579

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GUTTERMAN, KENNETH

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Stored in back area on shelf next to back door \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Palm Beach County**

License Number: 6051980		OLD SKOOL BLUES & BBQ	
License Type: Mobile Food Dispensing Vehicle		1516 43 ST, WEST PALM BEACH 33407	
Inspection Date: 12/17/2019	Inspection Number: 1215261	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MENOR, MICHAEL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. All extinguisher and hood suppression system have expired tags. Since 2014	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6019691		BOMBAY CAFÉ	
License Type: Permanent Food Service		1200 YAMATO ROAD STE A-5, BOCA RATON 33431	
Inspection Date: 12/13/2019	Inspection Number: 2933742	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BANNIGAN, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.  rear egress path partially blocked with storage and storage shelves **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 6013270		BAMBOO WOK	
License Type: Permanent Food Service		9181 GLADES RD, BOCA RATON 33434	
Inspection Date: 12/17/2019	Inspection Number: 2938647	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: BANNIGAN, TIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only.  - ABC Portable Extinguisher on floor between WALKIN COOLER - and Restroom.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Pasco County**

License Number: 6113703

PASCO COUNTY BOARD OF COUNTY COMMISSIONERS

License Type: Permanent Food Service

15029 14 STREET, DADE CITY 33523

Inspection Date: 12/18/2019

Inspection Number: 2968874

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: MOULDER, BRITTANY

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. K-case.fire extinguishers stored on floor under 3-compartment sinks.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6113511

FRESH COUNTRY CAFE

License Type: Permanent Food Service

6834 GALL BLVD STE 101, ZEPHYRHILLS 33542

Inspection Date: 12/20/2019

Inspection Number: 2968353

Inspection Type: Complaint Full

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: MOULDER, BRITTANY

Violation CodeObservationViolation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only. Extinguisher sitting on storage shelf next to dishwasher.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6112953

WENDY'S #9998

License Type: Permanent Food Service

32725 EILAND BLVD, ZEPHYRHILLS 33545

Inspection Date: 12/16/2019

Inspection Number: 2914934

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: TORRACO, MARIANNE

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Art and cardboard boxes

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Pinellas County**

License Number: 6216117		GRUMPY GRINGO	
License Type: Permanent Food Service		2510 22 AVE N, ST. PETERSBURG 33713	
Inspection Date: 12/18/2019	Inspection Number: 2936109	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: RANVILLE, AMANDA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed fryer not under hood at cook line. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6217652		SIAM THAI & SUSHI	
License Type: Permanent Food Service		5460 EAST BAY DR, SUITE 100, CLEARWATER 33764	
Inspection Date: 12/18/2019	Inspection Number: 2943995	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: CRAIG, CHRISTINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher on the floorFor reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 6217303		SIP 85	
License Type: Permanent Food Service		4940 RIDGEMOOR BLVD, PALM HARBOR 34685	
Inspection Date: 12/09/2019	Inspection Number: 2910758	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PEARCE, LAURA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By back exit at kitchen	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Polk County**

License Number: 6307065

DENNY'S

License Type: Permanent Food Service

4541 MACEY LN, LAKE WALES 33853

Inspection Date: 12/16/2019

Inspection Number: 2936658

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: WHITE, CHERYL

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Chairs and booster seats in front of exit door

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**St. Johns County**

License Number: 6502080	BURGER BUCKETS
License Type: Permanent Food Service	3 CORDOVA ST, SAINT AUGUSTINE 32084
Inspection Date: 12/20/2019	Inspection Number: 2945505
Inspector Name: HARTMANN, MICHELLE	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Blocked by trash and boxes. Exit cleared during inspection. <b>**Corrected On-Site**</b> <b>**Repeat Violation**</b>	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6502294	FIREHOUSE SUBS
License Type: Permanent Food Service	480 DURBIN PAVILION DR STE 103, ST. JOHNS 32259
Inspection Date: 12/17/2019	Inspection Number: 2928190
Inspector Name: GOSAI, MATT	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear exit blocked by equipment. Moved by manager. <b>**Corrected On-Site**</b>	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.



**St. Lucie County**

License Number: 6602711

DOMINO'S PIZZA

License Type: Permanent Food Service

123 SW CASHMERE BLVD, PORT SAINT LUCIE 34986

Inspection Date: 12/20/2019

Inspection Number: 2892828

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HYNES, MONICA

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Boxes piled at back Door

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.