

Alachua County

License Number: 1103020 YUMMY HOUSE
 License Type: Permanent Food Service 3102 SW 34TH ST STE B, GAINESVILLE 32608

Inspection Date: 01/02/2020 Inspection Number: 2934054 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. Observed the K class fire extinguisher covered by a seasoning cart. The cart was pulled away from the wall. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1103171 SWEET BUNS BAKERY
 License Type: Permanent Food Service 3102 SW 34 ST STE C, GAINESVILLE 32608

Inspection Date: 12/30/2019 Inspection Number: 2940447 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed the exit path to the dining area back door is blocked by a moveable partition wall.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 1103457 JERSEY MIKE'S SUB
 License Type: Permanent Food Service 2803 SW 42 ST BUTLER PLAZA NORTH, GAINESVILLE 32608

Inspection Date: 12/30/2019 Inspection Number: 2941149 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: CASEY, KEITH

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed the fire extinguisher by the back door is in the red zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506582

PITA PARADISE

License Type: Permanent Food Service

225 W COCOA BEACH CAUSEWAY, COCOA BEACH 32931

Inspection Date: 10/21/2019

Inspection Number: 2969274

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HICKS, GEORGE RANDY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Hook missing extinguisher by dish area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Electrical panel cover off.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1619251

KOUME JAPANESE RESTAURANT

License Type: Permanent Food Service

11905 W SUNRISE BLVD, PLANTATION 33323

Inspection Date: 01/02/2020

Inspection Number: 2893750

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: EVANS, EUGENE

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Back hallway blocked with generator and other items

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

46-01-4 - From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Back hallway blocked with generator and other items - From follow-up inspection 2020-01-03: Observed same **Time Extended**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Clay County

License Number: 2000952

METRO DINER

License Type: Permanent Food Service

2034 KINGSLEY AVE, ORANGE PARK 32073

Inspection Date: 12/30/2019

Inspection Number: 2910033

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only, next to back door of kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4 - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only, next to back door of kitchen. - From follow-up inspection 2020-01-03: No change **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2359124

JUST BUNZ LLC

License Type: Mobile Food Dispensing Vehicle

12248 SW 130 ST, MIAMI 33186

Inspection Date: 12/30/2019

Inspection Number: 1221856

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: LODENQUAI, BARRINGTON

Violation Code

Observation

Violation Citation

45-01-4

No portable fire extinguisher present. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615750

VILLAGE BREAD CAFÉ

License Type: Permanent Food Service

1301 RIVERPLACE BLVD C102, JACKSONVILLE 32207

Inspection Date: 01/03/2020

Inspection Number: 2937339

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ARMSTRONG, RICO

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Propane tank stored in room near dish machine. Person in charge removed propane tank from building. **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2612911

CHINA GARDEN

License Type: Permanent Food Service

8101 OLD KINGS RD S #5, JACKSONVILLE 32217

Inspection Date: 12/30/2019

Inspection Number: 2910534

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JEFFERS, MARY-BETH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Path to in front of emergency exit door blocked by boxes and a stool. Manager removed boxes and stool **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2610874

5TH ELEMENT INDIAN RESTAURANT

License Type: Permanent Food Service

9485 BAYMEADOWS RD, JACKSONVILLE 32256

Inspection Date: 01/02/2020

Inspection Number: 2896305

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VILBRUN, JOSUE

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Propane tank stored inside in dry storage area. Manager removed and properly stored outside of storage area. **Corrected On

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hillsborough County

License Number: 3917174

ON A ROLL SUSHI & THAI

License Type: Permanent Food Service

101 N FRANKLIN ST STE C, TAMPA 33602

Inspection Date: 01/03/2020

Inspection Number: 2925849

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: COLEMAN, TONYA

Violation Code

Observation

Violation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Sever single burner stoves in use in back kitchen area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. By rolling cart in back kitchen area

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Marion County

License Number: 5201967

HOWARD JOHNSON

License Type: Permanent Food Service

3951 NW BLITCHTON RD, OCALA 344824065

Inspection Date: 01/02/2020

Inspection Number: 2957616

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: WEATHERS, TIM

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
B00057794 131959, 131958 expired 4/12/2018

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Nassau County

License Number: 5500897

PARKWAY GRILLE

License Type: Permanent Food Service

5517 S FLETCHER AVENUE, FERNANDINA BEACH 32034

Inspection Date: 01/03/2020

Inspection Number: 2937117

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Rear by bread rack	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Okaloosa County

License Number: 5603669

THE DONUT HOLE

License Type: Permanent Food Service

635 HWY 98 E, DESTIN 32541

Inspection Date: 01/03/2020

Inspection Number: 2936532

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: STEINMAN, MARC

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Repeat Violation

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5808033		TOP CHINA	
License Type: Permanent Food Service		5270 W COLONIAL DRIVE, ORLANDO 32808	
Inspection Date: 01/02/2020	Inspection Number: 2942917	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: GREENE, MARVIN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Front counter.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5807375		TACO BELL 15424	
License Type: Permanent Food Service		7601 S ORANGE BLOSSOM TRL, ORLANDO 32809	
Inspection Date: 01/02/2020	Inspection Number: 2901297	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: MANTI, KATHRYN			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-06-4	Portable fire extinguisher is inaccessible. For reporting purposes only. Blocked by a ladder	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812031		BURGER KING #16278	
License Type: Permanent Food Service		728 S ALAFAYA TRL, ORLANDO 32828	
Inspection Date: 12/30/2019	Inspection Number: 2902475	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: FRANZ, LISA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Observed light bulb under hood system near fryers hanging from the socket.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5814602		SUS HI EATSTATION	
License Type: Permanent Food Service		4693 GARDENS PARK BLVD STE 105, ORLANDO 32839	
Inspection Date: 12/30/2019	Inspection Number: 2958202	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: DIOP, DONALD			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Kitchen door near restrooms. **Repeat Violation**	61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

Palm Beach County

License Number: 6022125

LEMON SHARK POKE

License Type: Permanent Food Service

5250 DONALD ROSS RD BLDG L STE 105, PALM BEACH GARDENS 33418

Inspection Date: 01/02/2020

Inspection Number: 2954109

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOLDMAN, BARRY

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Utilizing hot plate to fry chips - operator removed hot plate and will utilize oven. **Corrected On-Si

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6012705

WARIKE. PERUVIAN BISTRO

License Type: Permanent Food Service

2399 N FEDERAL HWY STE B, BOCA RATON 33431

Inspection Date: 01/02/2020

Inspection Number: 2939642

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BANNIGAN, TIM

Violation CodeObservationViolation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only.
- NOTE: FOR REPORTING PURPOSES ONLY - deep fryer abutting EIGHT open flame gas burners on cook line. A 16" horizontal or vertical separation is required by fire code

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6100013

LINDAS PLACE

License Type: Permanent Food Service

1932 US HWY 19, HOLIDAY 34691

Inspection Date: 01/02/2020

Inspection Number: 2932431

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Unlocked **Corrected On-Site**
Repeat Violation

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6113233

LITTLE CEASARS

License Type: Permanent Food Service

1926 US HWY 19, HOLIDAY 34691

Inspection Date: 01/02/2020

Inspection Number: 2899121

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only. Back door, unlocked **Corrected
On-Site**

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Sarasota County

License Number: 6801707

NANCY'S BAR-B-Q

License Type: Permanent Food Service

301 SOUTH PNEAPPLE AVENUE, SARASOTA 34236

Inspection Date: 01/03/2020

Inspection Number: 2899588

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: VITKUN, RONALD

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only.
 Observed gas can stored in same room as smoker. Operator removed.
 Corrected On-Site

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Johns County

License Number: 6502094

CHIPOTLE MEXICAN GRILL

License Type: Permanent Food Service

1753 US HIGHWAY 1 SOUTH, SAINT AUGUSTINE 32084

Inspection Date: 01/02/2020

Inspection Number: 2944286

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HARTMANN, MICHELLE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Door blocked by trash and recycling. Person in charge moved all items to clear path. ****Corrected On-Site****

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

St. Lucie County

License Number: 6603197

ALABON HAITIAN RESTAURANT

License Type: Permanent Food Service

1409 DELAWARE AVE, FORT PIERCE 34950

Inspection Date: 01/02/2020

Inspection Number: 2928217

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DAVIS, DIANNA

Violation Code

Observation

Violation Citation

47-03-4

Observed electrical wiring in disrepair. Electrical outlet in restroom not properly covered.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7407660

MEDITERRANEAN EXPERIENCE

License Type: Permanent Food Service

322 SEABREEZE BLVD, DAYTONA BEACH 32118

Inspection Date: 01/03/2020

Inspection Number: 2968613

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
Exit through storage room partial blocked by ladder.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.