

Alachua County

License Number: 1103453

WORLD OF BEER TIOGA

License Type: Permanent Food Service

140 SW 128 ST STE A & B, NEWBERRY 32669

Inspection Date: 02/13/2020

Inspection Number: 2961754

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HENTGES, JUDY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Two propane tanks
Removed from the building during this inspection. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1505849

RESIDENCE INN CAPE CANAVERAL

License Type: Permanent Food Service

8959 ASTRONAUT BLVD, CAPE CANAVERAL 32920

Inspection Date: 02/12/2020

Inspection Number: 2933841

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HICKS, GEORGE RANDY

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Missing certificate for 121980.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1504639

MAMBOS

License Type: Permanent Food Service

1300 N ATLANTIC AVE, COCOA BEACH 32931

Inspection Date: 02/10/2020

Inspection Number: 2916130

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: HICKS, GEORGE RANDY

Violation Code ObservationViolation Citation

45-05-4 Portable fire extinguisher missing from its designated location. For reporting purposes only. Hook in dish area missing extinguisher

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1506150

SQUID LIPS WATERFRONT

License Type: Permanent Food Service

1477 PINEAPPLE AVE, MELBOURNE 32935

Inspection Date: 02/14/2020

Inspection Number: 2931847

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: WALCOTT, AMY

Violation Code ObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Deck dining **Repeat Violation**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1620019

GRANO DE MOSTAZA RESTAURANT

License Type: Permanent Food Service

5550 NW 31 AVE STE 101, FORT LAUDERDALE 33309

Inspection Date: 02/12/2020

Inspection Number: 2955977

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GRAY, ANTHONY

Violation Code ObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1623094

SUSHIGAMI

License Type: Permanent Food Service

12801 W SUNRISE BLVD SPACE 5080, SUNRISE 33323

Inspection Date: 02/12/2020

Inspection Number: 2923796

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: TORRES, LARRY

Violation Code ObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

Table top fryer under no hood suppression in prep room by food court.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1620748

SUBWAY

License Type: Permanent Food Service

15701 SHERIDAN ST, SOUTHWEST RANCHES 33331

Inspection Date: 02/10/2020

Inspection Number: 2974007

Inspection Type: Complaint Full

Inspection Disposition: Administrative complaint recommended

Inspector Name: GRAY, ANTHONY

Violation Code ObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. **Corrected On-Site**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Collier County

License Number: 2102979

JERI LU'S KITCHEN

License Type: Permanent Food Service

3883 TAMIAMI TRL E, NAPLES 34112

Inspection Date: 02/11/2020

Inspection Number: 2952597

Inspection Type: Routine - Food

Inspection Disposition: Emergency order recommended

Inspector Name: GRAVES, PETER

Violation Code Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. Observed chairs stacked in front of emergency exit door at end of back hallway.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Dade County

License Number: 2334673

PUPUSERIA SALVADORENA

License Type: Permanent Food Service

10929 SW 186 STREET, CUTLER RIDGE 33157

Inspection Date: 02/10/2020

Inspection Number: 2954133

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HERNANDEZ, NILYAM

Violation Code ObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2333207

SIR PIZZA

License Type: Permanent Food Service

7290 SW 168 ST SUITE E, MIAMI 33157

Inspection Date: 02/10/2020

Inspection Number: 2953930

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: HERNANDEZ, NILYAM

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
Corrected On-Site

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2321587

QUESILLOS GUILIGUISTE

License Type: Permanent Food Service

11323 W FLAGLER ST, MIAMI 331741148

Inspection Date: 02/12/2020

Inspection Number: 2955606

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, ERIK

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
Observed extinguisher by shelf with microwaves in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2613663

ROSY'S MEXICAN RESTAURANT

License Type: Permanent Food Service

4268 OLDFIELD CROSSING DR #107, JACKSONVILLE 32223

Inspection Date: 02/10/2020

Inspection Number: 2891532

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JEFFERS, MARY-BETH

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.
Prep table blocking marked exit door. **Repeat Violation**

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Hernando County

License Number: 3701241

DAMICOS

License Type: Permanent Food Service

3206 AERIAL WAY, BROOKSVILLE 34604

Inspection Date: 02/14/2020

Inspection Number: 2927859

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DAHL, MICHELE

Violation Code

Observation

Violation Citation

49-01-4

Establishment increased seating without providing written approval from the local fire authority and wastewater provider. License shows 30 seats, inspector count is 52.

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Hillsborough County

License Number: 3905881 WESTIN HARBOUR ISLAND BLUE HARBOUR RESTAURANT
 License Type: Permanent Food Service 725 S HARBOUR BLVD, TAMPA 33602

Inspection Date: 02/12/2020 Inspection Number: 2941385 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: COLEMAN, TONYA

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Kitchen Boiler 1/29/2020 Expired 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 3905882 WESTIN HARBOUR ISLAND BANQUET
 License Type: Permanent Food Service 725 S HARBOUR BLVD, TAMPA 33602

Inspection Date: 02/12/2020 Inspection Number: 2941396 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: COLEMAN, TONYA

Violation Code ObservationViolation Citation

48-01-5 No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Kitchen Boiler 1/29/2020. Expired 61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 3917586 BESITO MEXICAN
 License Type: Permanent Food Service 253 WESTSHORE PLAZA SUITE 205, TAMPA 33609

Inspection Date: 02/10/2020 Inspection Number: 2934283 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: KLUSENDORF, JEANNE

Violation Code ObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3902836 PRESS BOX SPORTS EMPORIUM INC
 License Type: Permanent Food Service 222 S DALE MABRY, TAMPA 336092817

Inspection Date: 02/12/2020 Inspection Number: 2947245 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: KLUSENDORF, JEANNE

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Hood suppression system not working properly. 509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5301497

TAKO TIKI

License Type: Permanent Food Service

3340 NE PINEAPPLE AVE, JENSEN BEACH 34957-7215

Inspection Date: 02/12/2020

Inspection Number: 2947595

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: PETROW, MICHAEL

Violation Code Observation

Violation Citation

45-02-4 - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. K class in kitchen. - From follow-up inspection 2020-02-12: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. K class in kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Okaloosa County

License Number: 5603841

PAPI'S CAFE & GRILL LLC

License Type: Permanent Food Service

119 RACETRACK RD NE UNIT A, FORT WALTON BEACH 32547

Inspection Date: 02/11/2020

Inspection Number: 2929624

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BURROUGHS, RICHARD

Violation Code Observation

Violation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
 - establishment has a small fryer sitting on a stool to, the right of the oven.
 Inspector explained the

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5808809 ASIAN EXPRESS LB INC
 License Type: Permanent Food Service 3749 S KIRKMAN RD STE A, ORLANDO 32811

Inspection Date: 02/10/2020 Inspection Number: 2932604 Inspection Type: Routine - Food Inspection Disposition: Call Back -
 Inspector Name: MANTI, KATHRYN Complied

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-06-4	- From initial inspection : Portable fire extinguisher is inaccessible. For reporting purposes only. Blocked by a rolling cart - From follow-up inspection 2020-02-10: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5812002 AGAVE AZUL
 License Type: Permanent Food Service 4750 S KIRKMAN RD UNIT 16, ORLANDO 32811

Inspection Date: 02/11/2020 Inspection Number: 2956658 Inspection Type: Routine - Food Inspection Disposition: Call Back -
 Inspector Name: CONNOLLY, MADELINE Admin. complaint recommended

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building located by bag in box shelf . For reporting purposes only. - From follow-up inspection 2020-02-11: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building located by bag in box shelf . For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5811484 SWEET BY GOOD GOLLY MISS HOLLY
 License Type: Permanent Food Service 711 NORTH ALAFAYA TRAIL, ORLANDO 32828

Inspection Date: 02/12/2020 Inspection Number: 2895697 Inspection Type: Routine - Food Inspection Disposition: Inspection
 Inspector Name: FRANZ, LISA Completed - No Further Action

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.- trash in front of door	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

Orange County

License Number: 5807780

CHEVYS FRESH MEX

License Type: Permanent Food Service

12547 SR 535, LAKE BUENA VISTA 32830

Inspection Date: 02/14/2020

Inspection Number: 2949038

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SPEIGHTS, BLANCHIE MACHELLE

Violation Code ObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.
Observed expired boiler certificate does not match jurisdiction number.

61C-1.004(9) FAC Reporting: (9) Heating and ventilation
- The heating and ventilation system shall be kept in
good repair or be installed to maintain a minimum of 68
degrees Fahrenheit throughout the building. The
insurance inspector's boiler report is required annually
for power boilers and high pressure/high temperature
boilers and biannually for low pressure steam or vapor
heating boilers and shall be posted in the boiler room.
For reporting purposes only.

License Number: 5814463

HIBACHI EXPRESS

License Type: Permanent Food Service

320 MOORE RD, OCOEE 34761

Inspection Date: 01/29/2020

Inspection Number: 2950797

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: GREENE, MARVIN

Violation Code ObservationViolation Citation

45-01-4

No portable fire extinguisher present. For reporting purposes only. Fire
extinguisher next to Ansul pull handle.

509.032(2)(d) FS Reporting: (d) The division, or its
agent, shall notify the local firesafety authority or the
State Fire Marshal of any readily observable violation of
a rule adopted under chapter 633 which relates to public
lodging establishments or public food establishments,
and the identification of such violation does not require
any firesafety inspection certification. For reporting
purposes only.

Palm Beach County

License Number: 6007839

PUKARA CORP

License Type: Permanent Food Service

6063 SW 18 ST #103, BOCA RATON 33433

Inspection Date: 02/10/2020

Inspection Number: 2927763

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: KHATOON, BEGUM

Violation Code ObservationViolation Citation

46-01-4 Marked exit/path to marked exit blocked by garbage bags. For reporting purposes only.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 6019006

CENTER STREET NOOK

License Type: Permanent Food Service

223 CENTER ST, JUPITER 33458

Inspection Date: 02/10/2020

Inspection Number: 2942258

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code ObservationViolation Citation

47-03-4 Observed electrical wiring in disrepair. For reporting purposes only.cover plate/broken/electrical outlet/by dishmachine area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6021325

BABA CARIBBEAN

License Type: Permanent Food Service

386 SE 2ND, DELRAY BEACH 33483

Inspection Date: 02/12/2020

Inspection Number: 2958582

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: AHLE, ROBERT

Violation Code ObservationViolation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed near 3 compartment sink.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pasco County

License Number: 6113663

J&M BBQ

License Type: Permanent Food Service

5151 GALL BLVD, ZEPHYRHILLS 33542

Inspection Date: 02/10/2020

Inspection Number: 2973644

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MOULDER, BRITTANY

Violation Code ObservationViolation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Fryer used without hood system.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6113594

WINGSTOP

License Type: Permanent Food Service

1219 BRUCE B DOWNS BLVD, WESLEY CHAPEL 33543

Inspection Date: 02/13/2020

Inspection Number: 2974165

Inspection Type: Complaint Full

Inspection Disposition: Warning Issued

Inspector Name: MEAKINS, ALLISON

Violation Code ObservationViolation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. By front door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217032 JERSEY MIKES SUBS 13081
 License Type: Permanent Food Service 3832 TYRONE BLVD N, ST. PETERSBURG 33709

Inspection Date: 02/14/2020 Inspection Number: 2937795 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: HOBBS, ANDREW

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguishers on floor near back door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216189 EL CARRIEL
 License Type: Permanent Food Service 1215 N MARTIN LUTHER KING, CLEARWATER 33755

Inspection Date: 02/12/2020 Inspection Number: 2917289 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied
 Inspector Name: BENEDICT, TRACY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2020-02-12: Still in the red **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216371 MANA MANA FALAFEL
 License Type: Permanent Food Service 530 PARK ST, CLEARWATER 33755

Inspection Date: 02/10/2020 Inspection Number: 2968045 Inspection Type: Routine - Food Inspection Disposition: Emergency Order Callback Complied
 Inspector Name: BENEDICT, TRACY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. - From follow-up inspection 2020-02-10: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217248

ICE CREAM THEORY LLC

License Type: Permanent Food Service

4058 TAMPA RD UNIT 8, OLDSMAR 34677

Inspection Date: 02/10/2020

Inspection Number: 2921678

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PEARCE, LAURA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. By back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6805737

CASSARIANO UTC

License Type: Permanent Food Service

243 N CATTLEMEN RD UNIT 80, SARASOTA 34243

Inspection Date: 02/13/2020

Inspection Number: 2953058

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on extinguisher at kitchen exit door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6904750

ALAQUA COUNTRY CLUB

License Type: Permanent Food Service

2091 ALAQUA DR, LONGWOOD 32779

Inspection Date: 02/11/2020

Inspection Number: 2942924

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: OCASIO-LOPEZ, LISA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
- small tabletop fryer

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6602871

ALFONSOS PIZZA & PASTA

License Type: Permanent Food Service

2740 SW BRIGANTIN PL, PORT ST LUCIE 34953

Inspection Date: 02/11/2020

Inspection Number: 2895702

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
Red extinguisher front line area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6602372

CHINA KITCHEN II

License Type: Permanent Food Service

896 SW ST LUCIE WEST BLVD, PORT ST LUCIE 34986

Inspection Date: 02/11/2020

Inspection Number: 2909609

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code ObservationViolation Citation45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only.
Silver k class by back doorway

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7406391

D I S PRODUCTION KITCHEN AREA 1 & 2

License Type: Catering

1801 W INTERNATIONAL SPEEDWAY BLVD, DAYTONA BEACH 32114

Inspection Date: 02/14/2020

Inspection Number: 1114425

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BRANNER, LISELOTTE

Violation Code

Observation

Violation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Viewed letter from insurance concerning boilers / letter states repairs need for leaking pipe. Viewed email states the insurance inspec

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.