

**Broward County**

License Number: 1622543 B & JCM PROPERTIES LLC  
 License Type: Permanent Food Service 1900 STIRLING RD, DANIA BEACH 33004

Inspection Date: 05/05/2020 Inspection Number: 2967613 Inspection Type: Routine - Food Inspection Disposition: Call Back - Complied  
 Inspector Name: LONDONO, GLORIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2020-05-05: **Time Extended**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	- From initial inspection : Insurance inspector boiler report not posted in boiler room. For reporting purposes only. - From follow-up inspection 2020-05-05: **Time Extended**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 1623074 AMERICAN SOCIAL  
 License Type: Permanent Food Service 721 E LAS OLAS BLVD, FORT LAUDERDALE 33301

Inspection Date: 05/04/2020 Inspection Number: 2931928 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 7 - 20# tanks upstairs by ice machines. Inspector will send inspection to Fire Marshall Jeff Lucas for review. **Corrective Action Taken**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1623185 EL CAMINO MEXICAN SOUL FOOD AND TEQUILA BAR  
 License Type: Permanent Food Service 817 E LAS OLAS BLVD, FORT LAUDERDALE 33301

Inspection Date: 05/04/2020 Inspection Number: 2932325 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANN, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. 5 - 20# propane tanks in covered area in back if kitchen. Inspector will email inspection report to Fire Marshall Jeff Lucas for review. **Corrective Action Taken**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Broward County**

License Number: 1619251

KOUME JAPANESE RESTAURANT

License Type: Permanent Food Service

11905 W SUNRISE BLVD, PLANTATION 33323

Inspection Date: 05/04/2020

Inspection Number: 2970334

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EVANS, EUGENE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.

Chest freezer and generator in hallway

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Clay County**

License Number: 2001294

GREAT FAITH COURTYARD CAFE

License Type: Permanent Food Service

810 N ORANGE AVE STE 1, GREEN COVE SPRINGS 32043

Inspection Date: 05/04/2020

Inspection Number: 2979140

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
Fire extinguisher next to hand wash station in dining area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Collier County**

License Number: 2103252

THE COUNTER CUSTOM BUILT BURGERS

License Type: Permanent Food Service

9110 STRADA PL STE 6130, NAPLES 34108

Inspection Date: 05/05/2020

Inspection Number: 2964319

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PFENNING, BRUNO

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator moved tanks out of building.  
\*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Dade County**

License Number: 2336092	BAKAN		
License Type: Permanent Food Service	2801 NW 2 AVENUE, MIAMI	33127	
Inspection Date: 05/06/2020	Inspection Number: 2962970	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: AZPURUA, JULIO			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observe portable grill with attached Lp tank. Inside front counter.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2359260	VESSEL FL OPERATIONS		
License Type: Mobile Food Dispensing Vehicle	3452 N MIAMI AVE, MIAMI	33127	
Inspection Date: 05/05/2020	Inspection Number: 1223318	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: URIBE, GUISELLA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-01-4	No portable fire extinguisher present. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

License Number: 2333852	SHIRAZ BISTRO & MARKET		
License Type: Permanent Food Service	9630 SW 77 AVE, MIAMI	33156	
Inspection Date: 05/08/2020	Inspection Number: 2961856	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: PICO, JORGE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. observed a garbage can on front of the kitchen back door. **Repeat Violation**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	

**Dade County**

License Number: 2316174

SPICE MAGIC

License Type: Permanent Food Service

10720 W FLAGLER ST #15, SWEETWATER 33174

Inspection Date: 05/05/2020

Inspection Number: 2928529

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: GONZALEZ, ERIK

Violation CodeObservationViolation Citation

45-02-4

- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher inside kitchen in recharge zone.  
- From follow-up inspection 2020-05-05: \*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
Observed extinguisher in recharge zone in kitchen area. \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2335548

BYP

License Type: Permanent Food Service

16650 SW 88 ST SPACE 102, MIAMI 33196

Inspection Date: 05/04/2020

Inspection Number: 2940226

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: LODENQUAI, BARRINGTON

Violation CodeObservationViolation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2614965

JVILLE CRAB SHACK NUMBER 3

License Type: Permanent Food Service

700 N EDGEWOOD AVE, JACKSONVILLE 32254

Inspection Date: 05/07/2020

Inspection Number: 2979622

Inspection Type: Complaint Full

Inspection Disposition: Emergency order recommended

Inspector Name: PERRY, DENNIS

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
Large display case in front of exit doors in customer area. \*\*Repeat Violation\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2614883

GREEN TEA

License Type: Permanent Food Service

10059 SAN JOSE BLVD., UNIT #4, JACKSONVILLE 32257

Inspection Date: 05/06/2020

Inspection Number: 2966999

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: JEFFERS, MARY-BETH

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.  
Multiple boxes blocking exit at back door. Manager stated delivery came today.  
Manager cleared path to back door exit

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Escambia County**

License Number: 2705979

WINGZ 2 GO

License Type: Permanent Food Service

2 EAST NINE MILE ROAD UNIT #4, PENSACOLA 32514

Inspection Date: 05/04/2020

Inspection Number: 2979490

Inspection Type: Complaint Partial

Inspection Disposition: Administrative complaint recommended

Inspector Name: ALBRITTON, GREGORY

Violation Code

Observation

Violation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only.  
Upon inspection observed scorch marks on surge protector and wall behind salad station in kitchen.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Hillsborough County**

License Number: 3952474

RIB BONE BAR-B-QUE

License Type: Mobile Food Dispensing Vehicle

3908 SWEETLEAF DR, BRANDON 33511

Inspection Date: 05/07/2020

Inspection Number: 1217515

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CANNELLA, MARK

Violation Code

Observation

Violation Citation

45-05-4

Portable fire extinguisher missing from its designated location. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Lee County**

License Number: 4606846

BUDDHA

License Type: Permanent Food Service

12701 MCGREGOR BLVD, FT. MYERS 33919

Inspection Date: 05/05/2020

Inspection Number: 2979533

Inspection Type: Complaint Full

Inspection Disposition: Warning  
Issued

Inspector Name: SOMMERS, KARA

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4606999

THE KEG AND COW

License Type: Permanent Food Service

2384 SURFSIDE BLVD STE A-101, CAPE CORAL 33991

Inspection Date: 05/08/2020

Inspection Number: 2979776

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: EHMER, ANNETTE

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Kitchen door entrance from bar.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Manatee County**

License Number: 5102968		RIVER CLUB GRILLE	
License Type: Permanent Food Service		6600 RIVER CLUB BLVD, BRADENTON 34202	
Inspection Date: 05/08/2020	Inspection Number: 2979778	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CARMASSI, BRADLEY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on extinguisher outside rear kitchen door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5104488		GOLDEN WOK	
License Type: Permanent Food Service		5917 MANATEE AVE W #601, BRADENTON 34209	
Inspection Date: 05/08/2020	Inspection Number: 2969521	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: RICHENDOLLAR, SANDRA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed front door barricaded with two-by-fours, paneling, and plastic at entrance to establishment.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.	
License Number: 5100001		PALM-AIRE COUNTRY CLUB	
License Type: Permanent Food Service		5601 COUNTRY CLUB WAY, SARASOTA 342433763	
Inspection Date: 05/06/2020	Inspection Number: 2966698	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CARMASSI, BRADLEY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at kitchen exit door near storage room.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Marion County**

License Number: 5250743

TACO LATINO

License Type: Mobile Food Dispensing Vehicle

6310 S PINE AVE, OCALA 34480

Inspection Date: 05/06/2020

Inspection Number: 1220562

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: DRIGGERS, MANDY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.  
Tank inside unit. Employee moved. \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Martin County**

License Number: 5301500

BAJA GRILL

License Type: Permanent Food Service

555 NE OCEAN BLVD, STUART 34996

Inspection Date: 05/07/2020

Inspection Number: 2962304

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PETROW, MICHAEL

Violation Code

Observation

Violation Citation

45-02-4 Portable fire extinguisher gauge in red zone. For reporting purposes only. Extra Fire extinguisher behind bar, was removed.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5301819

FAT BOYZ SUBS

License Type: Permanent Food Service

5062 SE FEDERAL HWY, STUART 34997

Inspection Date: 05/07/2020

Inspection Number: 2935437

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: KAMM, DARYL

Violation Code

Observation

Violation Citation

45-04-4 Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Orange County**

License Number: 5804353		PHO 99 LLC SAIGON NOODLE & BISTRO	
License Type: Permanent Food Service		710 S GOLDENROD RD, ORLANDO 32822	
Inspection Date: 05/01/2020	Inspection Number: 2970304	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: THORNCROFT, ROBERT			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Large fire extinguisher at the slicer in the kitchen is in the red	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5812001		NONA SUSHI	
License Type: Permanent Food Service		10743 NARCOOSSEE RD STE A27, ORLANDO 32832	
Inspection Date: 05/05/2020	Inspection Number: 2957559	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: BRANNER, LISELOTTE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Linen stored on gas water heater.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5814892		JUSTINS CARIBBEAN FUSION RESTAURANT LLC	
License Type: Permanent Food Service		6700 CONROY WINDERMERE RD, #120, ORLANDO 32835	
Inspection Date: 05/08/2020	Inspection Number: 2969066	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Extension given, pending
Inspector Name: CONNOLLY, MADELINE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	- From initial inspection : Observed electrical wiring in disrepair. For reporting purposes only.  Walk in cooler light switch - From follow-up inspection 2020-03-10: **Time Extended** - From follow-up inspection 2020-05-08: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

**Palm Beach County**

License Number: 6051955

BURNT OFFERING BBQ CO

License Type: Mobile Food Dispensing Vehicle

17824 BRIDLE LANE, JUPITER 33478

Inspection Date: 05/05/2020

Inspection Number: 1221064

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: ROTONDI, VICTOR

Violation Code

Observation

Violation Citation

47-03-4 Observed electrical wiring in disrepair. For reporting purposes only.electrical outlet plate/missing.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pasco County**

License Number: 6113573

EL CERRITO MEXICAN RESTAURANT AND GRILL

License Type: Permanent Food Service

6911 CONGRESS ST, NEW PORT RICHEY 34653

Inspection Date: 05/08/2020

Inspection Number: 2976594

Inspection Type: Complaint Full

Inspection Disposition: Call Back -  
Complied

Inspector Name: TORRACO, MARIANNE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. 2 mop buckets , ladder, cases of to go supplies, Corrected on Site: removed <b>**Corrected On-Site**</b> - From follow-up inspection 2020-05-08: Boxes, buckets, <b>**Time Extended**</b>	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.



**Pinellas County**

License Number: 6201306

UMBERTOS OF LONG IS

License Type: Permanent Food Service

150 PATRICIA AVE, DUNEDIN 346988103

Inspection Date: 05/05/2020

Inspection Number: 2965268

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only. \*\*Corrected On-Site\*\*

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Seminole County**

License Number: 6904407

LA FONDA MEXICAN KITCHEN

License Type: Permanent Food Service

1155 W SR 434 #161, LONGWOOD 32750

Inspection Date: 05/08/2020

Inspection Number: 2963415

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only, 2 tanks under table in dry storage operator moved outside \*\*Corrected On-Site\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Volusia County**

License Number: 7407507

BUILT CUSTOM BURGERS

License Type: Permanent Food Service

260 DAYTONA BLVD STE 440, DAYTONA BEACH 32114

Inspection Date: 05/08/2020

Inspection Number: 2969602

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BRANNER, LISELOTTE

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Ladder and other items store in front door in common hallway by exit.

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.