

Broward County

License Number: 1619697

THE CAVE

License Type: Permanent Food Service

5650 STIRLING RD STE 28, HOLLYWOOD 33021

Inspection Date: 05/18/2020

Inspection Number: 2972670

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning
Issued

Inspector Name: BRANN, JUSTIN

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
By restrooms.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1616253

PINE ISLAND RIDGE COUNTRY CLUB

License Type: Permanent Food Service

9400 PINE RIDGE DR, DAVIE 33324-4499

Inspection Date: 05/20/2020

Inspection Number: 2971848

Inspection Type: Routine - Food

Inspection Disposition: Warning
Issued

Inspector Name: CASTILLO, JESSIKA

Violation CodeObservationViolation Citation

48-01-5

No current insurance inspector boiler report or boiler certificate available for boiler.
For reporting purposes only.

Observed hot water boiler data sheet with heat input of 481,000 BTU/HR

61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Clay County

License Number: 2001069

THYME DOWN SOUTH

License Type: Permanent Food Service

664 KINGSLEY AVE, ORANGE PARK 32073

Inspection Date: 05/21/2020

Inspection Number: 2977142

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BIAVA, GRANT

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Propane tank stored under hand wash station near triple sink, manager placed tank outside. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2334027

PLATE

License Type: Permanent Food Service

2105 CORAL WAY, MIAMI 33145

Inspection Date: 05/19/2020

Inspection Number: 2972819

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Extension given, pending

Inspector Name: GARCIA, B OSCAR

Violation CodeObservationViolation Citation

45-04-4

- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. - From follow-up inspection 2020-05-19: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2329625

THE YIELDING SEED

License Type: Catering

8438 NW 61 ST, MIAMI 33166

Inspection Date: 05/21/2020

Inspection Number: 1115344

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: HERNANDEZ, NILYAM

Violation CodeObservationViolation Citation

45-06-4

Portable fire extinguisher is inaccessible. For reporting purposes only. Observed shelf stored covering fire extinguisher.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2328532

PEKING ONE

License Type: Permanent Food Service

16229 SW 88 ST, MIAMI 33196

Inspection Date: 05/21/2020

Inspection Number: 2939250

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: AZPURUA, JULIO

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed at back door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Dade County

License Number: 2332491

ASADOS EL PAISA

License Type: Permanent Food Service

11735 SW 147 AVE UNIT 25, MÍAMI 33196

Inspection Date: 05/22/2020

Inspection Number: 2980803

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Warning Issued

Inspector Name: AZPURUA, JULIO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed class K extinguisher not charge.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 3 20 lbs propane tanks inside establishment next to bathroom.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615422

SUPER TIENDA LATINA Y RESTAURANTE

License Type: Permanent Food Service

3935 TOLEDO RD STE 6, JACKSONVILLE 32217

Inspection Date: 05/19/2020

Inspection Number: 2973608

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: JEFFERS, MARY-BETH

Violation CodeObservationViolation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
 Path to exit door near triple sink blocked by large pot full of misc pots and pans.
 Repeat Violation

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2614572

LA MICHOACANA TAQUERIA Y ANTOJITOS MEXICANOS

License Type: Permanent Food Service

9827 BEACH BLVD, JACKSONVILLE 32246

Inspection Date: 05/18/2020

Inspection Number: 2972682

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GONZALEZ, MAYRA

Violation CodeObservationViolation Citation

46-04-4

Exit door locked. For reporting purposes only.
 Exited door located next to men's bathroom.

61C-1.004(9) FAC: (9) Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 2614600

CHOBAN GYRO & FROZEN YOGURT

License Type: Permanent Food Service

8221 SOUTHSIDE BLVD #9, JACKSONVILLE 32256

Inspection Date: 05/20/2020

Inspection Number: 2912842

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VILBRUN, JOSUE

Violation CodeObservationViolation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.
 Electrical table fryer in kitchen next to stove and microwave used to cook food with no hood suppressi

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Highlands County

License Number: 3800111

MARYLAND FRIED CHICKEN

License Type: Permanent Food Service

904 W MAIN ST, AVON PK 338253312

Inspection Date: 05/19/2020

Inspection Number: 2975247

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation CodeObservationViolation Citation

47-03-4

Observed electrical wiring in disrepair. For reporting purposes only. Observed water in light fixture inside walk in cooler.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3800804

DIMITRI'S FAMILY RESTAURANT

License Type: Permanent Food Service

2710 KENILWORTH BLVD, SEBRING 33870

Inspection Date: 05/22/2020

Inspection Number: 2967473

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on extinguisher near kitchen exit by walkin coolers.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3801012

BOB EVANS RESTAURANT 478

License Type: Permanent Food Service

2541 US 27 N, SEBRING 33870

Inspection Date: 05/20/2020

Inspection Number: 2966926

Inspection Type: Routine - Food

Inspection Disposition: Inspection
Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on extinguisher near kitchen exit door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Indian River County

License Number: 4105384

DINNER REVOLUTION

License Type: Permanent Food Service

755 27 AVE SW, UNIT 3, VERO BEACH 32968

Inspection Date: 05/19/2020

Inspection Number: 2932432

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Observed small fryer not under suppression system educated operator he removed it. For reporting purposes only. If observed on any further inspection

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5203104

A&N CARIBBEAN CUISINE

License Type: Permanent Food Service

9339 SE MARICAMP RD, OCALA 34472

Inspection Date: 05/18/2020

Inspection Number: 2979097

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DRIGGERS, MANDY

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Two tanks. Removed **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5810868

PAPA GIOS AVAION

License Type: Permanent Food Service

3831 AVALON PARK E BLVD, ORLANDO 32828

Inspection Date: 05/21/2020

Inspection Number: 2966289

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MONTGOMERY, DOREEN

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. ****Corrected On-Site****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6213699 METRO DELI
 License Type: Permanent Food Service 28100 US 19 N STE 103, CLEARWATER 33761

Inspection Date: 05/22/2020 Inspection Number: 2971130 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: VILLEGAS, TATTYANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Electric flat top grill added.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216762 HUARACHE AZTECA 3
 License Type: Permanent Food Service 22097 US 19 N, CLEARWATER 33765

Inspection Date: 05/21/2020 Inspection Number: 2949237 Inspection Type: Routine - Food Inspection Disposition: Emergency order recommended
 Inspector Name: BENEDICT, TRACY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-01-4	No portable fire extinguisher present. For reporting purposes only. In recharge	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217253 JOHNNYS TAPHOUSE & GRILL LLC
 License Type: Permanent Food Service 224 E TARPON AVE, TARPON SPRINGS 34689

Inspection Date: 05/18/2020 Inspection Number: 2977547 Inspection Type: Complaint Full Inspection Disposition: Call Back - Complied
 Inspector Name: PIATT, PAUL

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	- From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only. Class K in kitchen - From follow-up inspection 2020-03-20: **Time Extended** - From follow-up inspection 2020-05-18: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6217577

BURGER KING #24024

License Type: Permanent Food Service

40565 US HWY 19 N, TARPON SPRINGS 34689

Inspection Date: 05/20/2020

Inspection Number: 2980418

Inspection Type: Complaint Full

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: PIATT, PAUL

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Front line by the door into the kitchen area

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Polk County

License Number: 6307811

RAINBOW PRIDE AND LOUNGE

License Type: Permanent Food Service

221 AVE T NE, WINTER HAVEN 33881

Inspection Date: 05/22/2020

Inspection Number: 2980592

Inspection Type: Complaint Full

Inspection Disposition: Emergency Order Callback Complied

Inspector Name: JACKSON, SHARON

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top fryer double fryer used to fry chicken on a prepare table near t	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Table top fryer double fryer used to fry chicken on a prepare table near the back door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Sarasota County

License Number: 6805370

PANERA BREAD #6231

License Type: Permanent Food Service

215 N CATTLEMEN RD, SARASOTA 34243

Inspection Date: 05/18/2020

Inspection Number: 2978804

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on extinguisher near rear kitchen door.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6650350

US1 GOLF

License Type: Mobile Food Dispensing Vehicle

3847 N US HWY 1, FORT PIERCE 34946

Inspection Date: 05/15/2020

Inspection Number: 1223437

Inspection Type: Routine - Food

Inspection Disposition: Emergency order recommended

Inspector Name: HARROD, JESSICA

Violation Code

Observation

Violation Citation

45-04-4 For reporting purposes only. No splash guard in between fryer and stove operator states he does not use this fryer

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Inspection Date: 05/21/2020

Inspection Number: 1223437

Inspection Type: Routine - Food

Inspection Disposition: Call Back - Complied

Inspector Name: HARROD, JESSICA

Violation Code

Observation

Violation Citation

45-04-4 - From initial inspection : For reporting purposes only. No splash guard in between fryer and stove operator states he does not use this fryer - From follow-up inspection 2020-05-21: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7450728

SANDPIPER SOUTH BEACH CONCESSIONS

License Type: Mobile Food Dispensing Vehicle

1722 STATE AVE, HOLLY HILL 32117

Inspection Date: 05/16/2020

Inspection Number: 1216153

Inspection Type: Routine - Food

Inspection Disposition: Emergency
Order Callback Complied

Inspector Name: WOOD, JUSTIN

Violation Code

Observation

Violation Citation

45-01-4

- From initial inspection : No portable fire extinguisher present. For reporting purposes only. Mobile concessions unit with no extenguisher - From follow-up inspection 2020-05-16: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.