



**Broward County**

License Number: 1624587

THE COFFEE STORE

License Type: Permanent Food Service

777 N OCEAN DR UNIT N104, HOLLYWOOD 33019

Inspection Date: 06/05/2020

Inspection Number: 2953161

Inspection Type: Routine - Food

Inspection Disposition: Call Back -  
Complied

Inspector Name: LONDONO, GLORIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. - From follow-up inspection 2020-06-05: Did not observe. Reporting purposes only **Time Extended**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector's boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-02-5	- From initial inspection : Insurance inspector boiler report not posted in boiler room. For reporting purposes only. - From follow-up inspection 2020-06-05: Did not observe. Reporting purposes only **Time Extended**	61C-1.004(9) FAC Reporting: (9) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspector boiler report is required annually for power boilers and high pressure or high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

**Dade County**

License Number: 2335445

DOWN SOUTH BBQ RIB SHACK

License Type: Permanent Food Service

11100 SW 216TH STREET, MIAMI 33170

Inspection Date: 06/04/2020

Inspection Number: 2932229

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: GONZALEZ, RICARDO

Violation Code

Observation

Violation Citation

48-04-4 Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Duval County**

License Number: 2615271 DAMASKINO  
 License Type: Permanent Food Service 8840 ATLANTIC BLVD STE 6-7, JACKSONVILLE 32211

Inspection Date: 06/02/2020 Inspection Number: 2974555 Inspection Type: Routine - Food Inspection Disposition: Call Back - Admin. complaint recommended  
 Inspector Name: THOMAS, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Large 20 pound gas cylinder inside rear kitchen. - From follow-up inspection 2020-06-02: Propane tank still present. **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Large 20 pound gas cylinder inside rear kitchen.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2609908 AROMA CAFE AND BAR  
 License Type: Permanent Food Service 1706 SOUTHSIDE BLVD #6, JACKSONVILLE 32216

Inspection Date: 06/03/2020 Inspection Number: 2956737 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: THOMAS, PHILIP

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Fire extinguisher in main dining area has gauge in the red showing undercharged.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2614747 DANO'S DINER  
 License Type: Permanent Food Service 1487 MAYPORT RD UNITS 7-9, ATLANTIC BEACH 32233

Inspection Date: 06/04/2020 Inspection Number: 2975954 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: GONZALEZ, MAYRA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Slicer on a cart blocking exit door located near ice machine. Operator relocated slicer. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Duval County**

License Number: 2613117

TACOS LA MICHOACANA

License Type: Permanent Food Service

11041 BEACH BLVD ROW D, JACKSONVILLE 32246

Inspection Date: 05/30/2020

Inspection Number: 2972673

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GONZALEZ, MAYRA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Small flat grill is being use during inspection. Grease build up on ceiling. \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Highlands County**

License Number: 3801150

HAVANA RESTAURANT AND BAKERY CORP

License Type: Permanent Food Service

2912 US 27 N, SEBRING 33870

Inspection Date: 05/29/2020

Inspection Number: 2930813

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CARMASSI, BRADLEY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed on fire extinguisher near kitchen entrance.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3912840

DANNY'S ALL AMERICAN CAFE

License Type: Permanent Food Service

4406 FALKENBURG RD, TAMPA 33610

Inspection Date: 09/06/2019

Inspection Number: 2892866

Inspection Type: Routine - Food

Inspection Disposition: Administrative  
complaint recommended

Inspector Name: KOWAL, KYLE

Violation CodeObservationViolation Citation

49-05-4

Operator increased seating from 10-34 seats. \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 3917043

O'BRIENS IRISH PUB

License Type: Permanent Food Service

15435 N DALE MABRY HWY, TAMPA 33618

Inspection Date: 06/05/2020

Inspection Number: 2969778

Inspection Type: Routine - Food

Inspection Disposition: Inspection  
Completed - No Further Action

Inspector Name: EHLERS, MICHAEL

Violation CodeObservationViolation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver badger extinguisher next to dish machine.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Indian River County**

License Number: 4105252

GRIND + GRAPE

License Type: Permanent Food Service

925 BOUGAINVILLEA LN, VERO BEACH 32963

Inspection Date: 06/04/2020

Inspection Number: 2970009

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHOENLY, BARBARA

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.  
Call into company to come service

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Monroe County**

License Number: 5402433

BISTRO 245/ MARGARITAVILLE KEY WEST RESORT & MARINA

License Type: Permanent Food Service

245 FRONT ST, KEY WEST 33040

Inspection Date: 06/02/2020

Inspection Number: 2965057

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: MECK, PAMELA

Violation Code

Observation

Violation Citation

49-05-4

Flammables stored near a source of ignition. For reporting purposes only.Observed-chemical supply shelf blocking gas hot water heater.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Orange County**

License Number: 5813078

KABOOKI SUSHI

License Type: Permanent Food Service

3122 E COLONIAL DR #4, ORLANDO 32803

Inspection Date: 06/01/2020

Inspection Number: 2968101

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DIOP, DONALD

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only. Near dish wash area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pinellas County**

License Number: 6213914 ACROPOLIS  
 License Type: Permanent Food Service 515 CENTRAL AVE, ST PETERSBURG 33701

Inspection Date: 06/03/2020 Inspection Number: 2899302 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BEAULIEU, STEPHANIE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. By walk in cooler	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6216192 ASIAN KITCHEN  
 License Type: Permanent Food Service 30611 US 19 N, PALM HARBOR 34684

Inspection Date: 06/04/2020 Inspection Number: 2951068 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: PEARCE, LAURA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only.front door closed off as a service window for customers to place orders-back exit accessible	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.