

**Broward County**

License Number: 1606424

PIZZA HUT DELIVERY #55622

License Type: Permanent Food Service

2040 N UNIVERSITY DR, PEMBROKE PINES 33024-3608

Inspection Date: 06/22/2020

Inspection Number: 2983209

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BENJAMIN, ALEXANDER

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only. Exit path blocked by empty 2 liter drink holders

61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

**Dade County**

License Number: 2359098 SOLO MIA  
 License Type: Mobile Food Dispensing Vehicle 860 NE 79 ST, MIAMI 33138

Inspection Date: 06/23/2020 Inspection Number: 1220973 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: GONZALEZ, ERIK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Observed extinguisher inside MFDV in recharge zone.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Hillsborough County**

License Number: 3910258

LA CASA DELLA PASTA

License Type: Permanent Food Service

5273 EHRLICH RD, TAMPA 33624

Inspection Date: 06/22/2020

Inspection Number: 2976030

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: EHLERS, MICHAEL

Violation Code    Observation

Violation Citation

45-02-4    Portable fire extinguisher gauge in red zone. For reporting purposes only. Silver Kitchen One extinguisher by dish area.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Marion County**

License Number: 5202864

THE COURTYARD ON BROADWAY

License Type: Permanent Food Service

120 SW BROADWAY ST, OCALA 34471

Inspection Date: 06/24/2020

Inspection Number: 2979083

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: DRIGGERS, MANDY

Violation Code    Observation

Violation Citation

48-04-4    Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Three tanks. **\*\*Repeat Violation\*\***

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Orange County**

License Number: 5807118 BOI BRAZIL CHURRASCARIA  
 License Type: Permanent Food Service 5668 INTERNATIONAL DR, ORLANDO 32819

Inspection Date: 06/26/2020 Inspection Number: 2968988 Inspection Type: Routine - Food Inspection Disposition: Call Back - Extension given, pending  
 Inspector Name: CONNOLLY, MADELINE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only in storage room - From follow-up inspection 2020-03-18: **Time Extended** - From follow-up inspection 2020-06-26: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5814655 LITTLE GREEK FRESH GRILL  
 License Type: Permanent Food Service 6756 EAGLE WATCH DRIVE, ORLANDO 32822

Inspection Date: 06/22/2020 Inspection Number: 2958319 Inspection Type: Routine - Food Inspection Disposition: Warning Issued  
 Inspector Name: RULLAN, ALFONSO

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked, back door blocked with empty boxes. For reporting purposes only.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 5812333 SAUDIE'S RESTAURANT  
 License Type: Permanent Food Service 6249 OLD WINTER GARDEN RD, ORLANDO 32835

Inspection Date: 06/23/2020 Inspection Number: 2983296 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: CONNOLLY, MADELINE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-01-4	Observed frayed/spliced electrical wires. For reporting purposes only located over back door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Osceola County**

License Number: 5911364

LECHONERA EL JIBARITO

License Type: Permanent Food Service

1985 S JOHN YOUNG PKWY, KISSIMMEE 34741

Inspection Date: 06/25/2020

Inspection Number: 2975931

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BELTRAN, SANDRA

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. The use of a big pressure cooker with no hood surpresor cause the Hood system to start.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**Pinellas County**

License Number: 6216630

ASIAN PEARL OF CLEARWATER LLC

License Type: Permanent Food Service

2551 DREW ST #104, CLEARWATER 33765

Inspection Date: 06/23/2020

Inspection Number: 2954085

Inspection Type: Routine - Food

Inspection Disposition: Warning Issued

Inspector Name: BENEDICT, TRACY

Violation Code

Observation

Violation Citation

45-02-4      Portable fire extinguisher gauge in red zone. For reporting purposes only.  
In recharge by back door in kitchen \*\*Repeat Violation\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

45-02-4      - From initial inspection : Portable fire extinguisher gauge in red zone. For reporting purposes only.  
In recharge by back door in kitchen \*\*Repeat Violation\*\*      - From follow-up inspection 2020-06-24: Operator removed fire extinguisher and took to shop  
\*\*Time Extended\*\*

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

**St. Johns County**

License Number: 6502324

VIBES CAFE OF PALENCIA

License Type: Permanent Food Service

701 MARKET ST STE 103A, SAINT AUGUSTINE 32095

Inspection Date: 06/22/2020

Inspection Number: 2981943

Inspection Type: Food-Licensing Inspection

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GOSAI, MATT

Violation Code

Observation

Violation Citation

45-04-4

Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.

Owner change. Note new owner has installed a commercial flat top grill in kitchen. Possibility of grease laden vapors.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.



**Volusia County**

License Number: 7406466 SUBWAY 4295  
 License Type: Permanent Food Service 2525 W INTERNATIONAL SPEEDWAY BLVD, UNIT 250, DAYTONA BEACH 32114

Inspection Date: 06/22/2020 Inspection Number: 2939046 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANNER, LISELOTTE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Bar across rear door. **Corrected On-Site**	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7407491 ROCK BOTTOM RESTAURANT & BREWERY  
 License Type: Permanent Food Service 1864 VICTORY CIRCLE, DAYTONA BEACH 32114

Inspection Date: 06/22/2020 Inspection Number: 2981764 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: BRANNER, LISELOTTE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Ground floor stairway.	61C-1.004(9) FAC: (9 Reporting: Means of access, including entrances, halls, and stairways, must permit unobstructed travel at all times and shall be clean, ventilated and well-lighted day and night. Hall and stair runners shall be kept in good condition. Railways, as defined in 61C-1.001(23), F.A.C., shall be installed on all stairways and around all porches and steps. For reporting purposes only.

License Number: 7407159 BUBBAS BISTRO  
 License Type: Permanent Food Service 203 S YONGE ST, ORMOND BEACH 32174

Inspection Date: 06/22/2020 Inspection Number: 2961033 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action  
 Inspector Name: RUTLEDGE, REBECCA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.